



Knowledge Vault

The Main Guide Book

A complete, plain-language guide to using the platform, for end users
— with screenshots and flow diagrams.


Illustrated throughout with the sample organization “Aurora Robotics”.

Knowledge Vault — The Main Guide Book

A complete, plain-language guide to using Knowledge Vault, for end users.

Knowledge Vault is your organization's training and knowledge platform. It maps your company as a living **constellation of roles**, delivers the right courses to the right people, keeps a proper **library** of your documents, and shows you — in real time — who has completed what. Everything stays in **your** custody.

This book walks through every feature the way you actually meet it in the product, one chapter at a time. Every screen you see here comes from a real sample organization, **Aurora Robotics**, so you can follow along and recognise exactly what you'll see.



How to read this book

- **New to the platform?** Read Chapters 1–4 in order — they take you from creating a profile to understanding the constellation.
- **Setting up your company?** Chapters 3, 5, 6 and 14 cover founding an organization, building its structure, placing people, and safeguarding it.
- **Publishing knowledge?** Chapters 7, 8 and 9 cover courses, the Studio and the library.
- **A learner or team member?** Chapters 10 and 13 are for you — My Learning and Notifications.
- **A manager?** Chapters 11 and 12 cover Requests and Compliance.

Each chapter is self-contained, with a short **“What it is”**, a step-by-step **“How to use it”**, and **Tips** at the end.

Table of contents

#	Chapter	What you'll learn
1	Getting started — your profile	Register, sign in, manage your account
2	The big idea — core concepts	Constellation, roles, custody, classifications
3	Founding an organization	Create an org and set the Supreme password
4	The Constellation — your org map	Read, navigate and act on the star map
5	Building your structure	Roles, sub-groups, visibility
6	People & governance	Owners, members and least-privilege rights
7	Courses — publishing knowledge	Publish, classify and assign courses
8	The Document Studio	Build documents visually, block by block
9	The Library	Browse, filter and request courses
10	My Learning & the viewer	Complete your assigned courses
11	Requests — ask & approve	The ask-and-approve centre
12	Compliance tracking	See who's done what, and nudge
13	Notifications	Stay on top of what needs you
14	The Supreme zone — custody & recovery	Backups, <code>.main</code> , <code>.bkp</code> , deletion
15	Help & support	Where to find answers in-app
16	Flow diagrams — every setting at a glance	A diagram + screenshot for each owner action, member capability & request flow
A	Appendix — Glossary & quick reference	Every term and code, at a glance

Looking for flow diagrams? Every feature chapter now ends with a **“Flows at a glance”** section (flow diagrams shown next to the screenshots, topic by topic), and **Chapter 16** collects them all in one place — a diagram paired with a screenshot for *each* setting an owner can do, each capability a member can have, and each request-and-response flow.

The sample organization used throughout this book

Every screenshot in this guide comes from **Aurora Robotics (#100)**, a fictional robotics company set up specifically to demonstrate the platform:

```

Executive Office      ← the top role (its owners hold the "Supreme")
├─ Engineering
|   ├─ Firmware Team
|   └─ Robotics QA
├─ Operations
|   └─ Safety & Compliance
├─ People & Culture
└─ Research Lab      ← a hidden (private) branch

```

The people you'll meet in the screenshots:

Person	Where they sit	Their role
Avery Stone	Executive Office	Founder & Supreme owner
Priya Raman	Executive Office + Engineering	Co-owner / Engineering lead
Noah Kim	Engineering	Member
Marco Diaz	Firmware Team	Member (can create content)
Jade Li	Robotics QA, People & Culture	Member
Sam Okoro	Operations	Owner
Lena Novak	Safety & Compliance	Member

A note on names and data: everything here is sample data. When you use Knowledge Vault, you'll see your own organization, people and courses in exactly these screens.

Chapter 1 — Getting started: your profile


What it is

Everything in Knowledge Vault begins with **one global profile**. That profile is a single **username** and **password** — there is **no email involved**. Your username is your identity across the whole platform: it's how administrators add you to an organization, how your name appears on courses you author, and how you sign in from any device.

One profile lets you **join or found any number of organizations**. You never need a second account.

Creating your profile

From the welcome screen, choose **Get started free** (or **Create profile**). You'll see the registration form:

The screenshot shows the 'Create your profile' registration form in a dark-themed application. At the top left is the 'Knowledge Vault' logo with a purple plus icon. At the top right are links for 'Help', 'Sign in', and a user profile icon. The form itself is a light gray rounded rectangle in the center. It has a purple square icon with a white plus sign at the top, followed by the title 'Create your profile' and a subtitle 'One global profile — join or create any number of organizations with it.' Below this are four input fields: 'Name', 'Username', 'Password', and 'Retype password'. The 'Username' field has a descriptive text below it: 'Your unique identity on the platform — admins add you to organizations by this exact username'. The 'Password' field has a note 'At least 10 characters'. The 'Retype password' field has a note 'Type it again to confirm you got it right'. At the bottom of the form is a large purple 'Create profile' button and a link 'Already have a profile? Sign in'.

Fill in three fields:


1. **Name** — your display name, shown to teammates (e.g. *Avery Stone*).
2. **Username** — your unique handle (e.g. *avery.stone*). Choose it carefully: this is the **exact** name an administrator types to add you to an organization. It must be at least 3 characters.
3. **Password** — at least **10 characters**. You'll be asked to **retype it** to confirm you got it right — a safeguard you'll see every time you set or change a password on the platform.

Select **Create profile** and you're in.

Why retype-to-confirm? Because there's no email-based password reset, the platform is careful to make sure you never lock yourself out with a typo. Every new-password field asks for confirmation.

Signing in


Returning users select **Sign in** and enter their username and password:

A screenshot of the Knowledge Vault web application's sign-in page. The page has a dark blue background with a subtle pattern. At the top left, there is a logo with a purple square containing a white plus sign, followed by the text "Knowledge Vault". At the top right, there are links for "Help" and "Create profile", and a circular profile icon. In the center, a white card contains the sign-in form. The card starts with a purple square icon with a white plus sign, followed by the text "Welcome back" and "Sign in to your Knowledge Vault profile." Below this are two input fields: "Username" and "Password". A large, rounded purple button with the text "Sign in" is positioned below the password field. At the bottom of the card, there is a link that says "New here? Create a profile". In the bottom left corner of the page, there is a small circular icon with the letter "N".

Your session stays signed in securely and refreshes itself in the background, so you're not constantly asked to log in again.

Managing your account

Open the **Account** page from the top navigation at any time:



Here you can:

- **See your profile** — display name, `@username`, and the date you joined.
- **Upload a profile picture** — choose any image; it's automatically resized to a small square, so it stays lightweight.
- **Jump to your organizations** with the **Open** button.
- **Delete your profile** from the **Danger zone**. Deleting removes you from every organization and cannot be undone, so the platform asks you to confirm.

Tips

- **Pick a memorable username.** Administrators add people by exact username — if yours is hard to spell, you may be added incorrectly, or an admin may reserve the wrong handle.
- **You can be added before you register.** If an administrator enters a username that doesn't exist yet, it's *reserved*; the placement attaches automatically the moment you register with that username.
- **Switch light/dark theme and accent colour** any time from the palette control in the top-right corner — it's purely visual and personal to you.

Next: [Chapter 2 — The big idea: core concepts](#) →


Chapter 2 — The big idea: core concepts

Before diving into individual screens, it helps to understand the five ideas that Knowledge Vault is built on. Everything else in this book is an application of these.

1. An organization is a tree of roles

A Knowledge Vault organization isn't a flat list of employees — it's a **structure of roles**, drawn as a top-down tree. At the very top sits one root role (in our sample, *Executive Office*). Beneath it grow branches and sub-branches — *Engineering*, then *Firmware Team* and *Robotics QA*, and so on.

Knowledge flows down this tree. A course placed on a role can be set to **inherit** to every branch beneath it, so publishing once at the right level reaches everyone below automatically.



2. People are placed on roles, as owners or members

Every person in an organization occupies one or more **positions** on the tree. Each position is one of two kinds:

- **Member** — they *learn* from that branch. Courses reaching that role appear in their **My Learning**.
- **Owner** — they *manage* that branch: add people, publish courses, create sub-groups, and so on. An owner is a manager for their part of the tree.

A single person can hold several positions — e.g. an owner of *Engineering* who is also a member of a company-wide *Safety* branch.

3. Least-privilege governance

Ownership is not all-or-nothing. Owners hold **only the specific rights they've been granted** — for example, “may create sub-groups” or “may appoint co-owners” — and, crucially, **an owner can never grant a right they don't hold themselves**. This keeps authority flowing safely down the tree and prevents anyone from quietly escalating their own power.

Deleting a branch needs sign-off from the level above; branches are **public by default** but can be **hidden**, cascading privacy down the subtree. Chapter 6 covers all of this.

4. Custody — your data is yours

Knowledge Vault is built so that the platform **holds nothing it could hold hostage**. The top of every organization is protected by a **Supreme password** that only you know — the platform stores no copy. That password:

- authorises owner-level changes to the top of the structure, and
- encrypts your organization's **.main file** — the single, offline key that can revive your organization even after it's been deleted and purged.

If you ever leave the platform, your **.main file** (and per-branch **.bkp** backups) mean your structure and knowledge remain **in your custody**, not locked inside someone else's system. Chapter 14 covers this in full.

5. Standardized, classified documents

Every piece of knowledge you publish is treated as a proper document. On publish, Knowledge Vault automatically wraps it in a **standard cover** (organization, title, version, date, author), a **scope page**, and a header/footer — so every document looks consistent and auditable.

Every document also carries a compulsory **classification**:

Classification	Meaning
Public	Anyone in the org may see it
Confidential	Sensitive; shared on a need-to-know basis
Private	Restricted to a specific group
Secret	The most tightly held material

You'll see these classification badges throughout the library, courses and viewer.

The vocabulary you'll meet

Term	Quick meaning
Constellation	Your organization drawn as a star map of roles
Role / branch / node	A position in the tree (used interchangeably)
Owner	Manages a branch
Member	Learns from a branch
Course	Any published knowledge — document, book, link, audio or video
Supreme	The protected root of your org, guarded by the Supreme password
Request	A formal ask that someone with authority approves
Classification	The sensitivity label every document must carry

A fuller glossary is in the [Appendix](#).

Next: [Chapter 3 — Founding an organization](#) →


Chapter 3 — Founding an organization

What it is

Founding an organization creates a brand-new constellation with **you as its first owner** and sets its **Supreme password** — the single most important credential in Knowledge Vault. This is how a company, team or department comes into existence on the platform.

Your organizations home

The **Organizations** page lists every organization you belong to. Each card shows the organization's name, its number (e.g. `#100`), and your position inside it.




From here you can:

- **Open** any organization by selecting its card.
 - **Create organization** — the button in the top-right.
 - **Revive a deleted organization from a `.main` file** — the expandable option at the bottom (covered in Chapter 14).
-

Creating the organization

Select **Create organization** to open the founding form:

The screenshot shows the 'Create an organization' form in the Knowledge Vault application. The form is set against a dark background with a faint constellation pattern. It includes input fields for 'Organization name', 'First role name' (with a dropdown menu showing 'Owner / CEO / Principal...'), 'Supreme password', and 'Repeat Supreme password'. A prominent warning box states: 'This password cannot be recovered. By anyone. Ever. The platform stores no copy — it protects owner-level changes and encrypts your organization's .main revival file. If it is lost, changing the owner structure and reviving a deleted organization become permanently impossible.' Below this is a checkbox labeled 'I understand the Supreme password is unrecoverable'. At the bottom is a 'Create organization' button. The top navigation bar shows 'Knowledge Vault', 'Organizations', 'Account', and 'Help'.

Fill in the fields:

1. **Organization name** — your company or team name (e.g. *Aurora Robotics*).
2. **First role name** — the name of the top role you'll occupy. This is the root of your whole structure. Common choices: *Owner, CEO, Principal, Executive Office*.
3. **Supreme password** — at least **12 characters**. Retype it to confirm.

The Supreme password — read this carefully

The form shows a prominent warning, and it means every word of it:

This password cannot be recovered. By anyone. Ever.

The platform stores **no copy** of your Supreme password. It is used to:

- protect owner-level changes to the top of your structure, and
- encrypt your organization's `.main` revival file.

If it is lost, changing the owner structure and reviving a deleted organization become **permanently impossible**. Because of this, you must tick the acknowledgement box — **"I understand the Supreme password is unrecoverable"** — before you can continue.

Select **Create organization**, and you'll land on your new, empty constellation with a single star: your top role, with you as its owner.

Tips


- **Store the Supreme password somewhere durable and offline** — a password manager or a sealed record. Treat it like the master key to a safe, because that's exactly what it is.
- **Choose the top role name thoughtfully.** It's the label everyone sees at the crown of your constellation. You can grow everything else beneath it later.
- **You don't need everything ready on day one.** Found the org first; add roles, people and courses whenever you're ready — the next chapters show how.

Next: [Chapter 4 — The Constellation: your org map](#) →

Chapter 4 — The Constellation: your org map

What it is

The **Constellation** is your organization's main page — the home you land on when you open an org. It draws your entire structure as a **top-down star map**: the top role at the crown, branches spreading downward, connected by glowing links. It's beautiful, but it's also functional: this single screen is where owners do almost everything.



Reading the map

- **The diamond at the top** is your root role. Bigger, brighter stars sit higher in the structure.
- **Lines** connect each role to its parent — knowledge and authority flow down these lines.
- **Your own positions glow brighter**, and your reporting path (the chain from you up to the top) is highlighted so you can always find yourself.

The **legend** in the bottom-right explains every marker:

Marker	Meaning
◆ Gold diamond	Your role — as an owner
● Bright dot	Your role — as a member
● Ringed dot	A role on your reporting path
○ Dashed ring	A public branch you can ask to join
· Faint dot	Another role you're not part of

Moving around

The hint at the top of the stage says it all: **drag to pan** · **scroll or pinch to zoom** · **click a star to act on it**.


- **Drag** anywhere to pan the map.
- **Scroll or pinch** to zoom in and out.
- Use the **+** / **–** and **reset** buttons in the bottom-left for precise control.
- Live updates mean that when anyone changes the structure, your map updates **instantly** — no refresh needed.

Acting on a star

Click a star to open its action panel. What you can do depends on your relationship to that role:

- **A role you govern** → the full action panel opens (see below).
- **One of your own positions** → a short panel with a link to your **My Learning**.
- **A public branch you're not in** → an option to send a **Join request**.
- **A role you have no access to** → the app simply tells you so; it never sends you somewhere unexpected.

When you click a role you govern, you first see a **section chooser** — “What do you want to do here?” — with four options:



Section	What it's for
Group configuration	Visibility, sub-groups, deletion — and the Supreme zone on the root
People	The owners and members of this branch
Courses	Publish and configure knowledge for this branch
Backup	Export or restore this branch as an encrypted <code>.bkp</code>

The panel header also shows quick counts — how many owners, members and sub-roles the branch has. The next chapters take each of these sections in turn.

Tips

- **Everything happens on the constellation.** There's no separate “admin console” — clicking a star is how owners manage their part of the organization.
- **Can't find yourself?** Your positions glow and your path is lit; zoom out with the reset button to see the whole picture, then follow the highlight.
- **The map is shared and live.** If a colleague adds a role while you're looking, it appears on your screen the moment they save it.


Next: [Chapter 5 — Building your structure](#) →

Chapter 5 — Building your structure

What it is

Your structure is the shape of your organization — the roles and sub-roles that knowledge and people hang from. You grow and shape it from the **Group configuration** section of any role you govern. This chapter covers **sub-groups**, **visibility**, and **deleting a branch**.


Open it by clicking a star you govern on the constellation, then choosing **Group configuration**.



Adding a sub-group (sub-role)

Branches only ever grow **downward**. To add a new role beneath the one you're on:

1. In **Group configuration**, find the **Sub-groups** row.
2. Select **+ Sub-role**.
3. Enter the new role's name (e.g. *Firmware Team* under *Engineering*).
4. Optionally tick **Hidden (private)** to make the new branch private from the start (see visibility below).
5. Select **Create**.



The new star appears immediately on the constellation, connected beneath the current role.

You'll only see the **+ Sub-role** option if you hold the *“may create sub-groups”* right on that branch. Least-privilege governance (Chapter 6) decides who can grow the tree.

Visibility: public by default, hidden on purpose

Every branch is **public by default** — meaning every member of the organization can see it and send a **Join request** to it. You control this with a single checkbox:

- Leave it unticked → the branch is **public**.
- Tick **Hidden (private) branch** → the branch is hidden from people on the same layer and below. Hiding cascades: **everything beneath a hidden branch is hidden too**, all the way down.

Two important rules:

- **Owners above a hidden branch always keep seeing it.** Hiding never blinds the people responsible for that part of the tree.
- If your branch is marked public but a **level above** is hidden, your branch stays hidden too. In that case the panel tells you, and — if you have the right — offers a **Request visibility** button to ask the level above to unhide the chain.

In the sample *Aurora Robotics*, the **Research Lab** branch is hidden — it doesn't appear to ordinary members, only to the executives above it.

Deleting a branch


A branch can be removed only when it is **completely empty** — no sub-roles and no people. How you delete depends on your authority:

- **If you own the level above**, you can delete the branch **directly** — the **Delete** button appears in Group configuration.
- **If you own the branch itself** (but not the level above), deletion needs sign-off. You'll see **Request deletion** instead, which files a **Deletion request** with the level above; they approve or reject it from their Requests inbox (Chapter 11).


The platform always confirms before deleting.

Flows at a glance


Creating a sub-role:



Setting visibility:



Deleting a branch:



Tips

- **Design top-down.** Create the big divisions first (Engineering, Operations, People), then add teams beneath them. Courses placed high can inherit down to everything you add later.
- **Use hidden branches for sensitive teams** — a security team, an M&A workstream, an unannounced project. Remember the whole subtree inherits the privacy.
- **Empty before you delete.** Move or remove people and sub-roles first; the branch must be empty for deletion to succeed.


Next: [Chapter 6 — People & governance](#) →

Chapter 6 — People & governance

What it is

The **People** section of a role is where you place and manage the humans on that branch — its **owners** (who manage it) and its **members** (who learn from it). It's also where Knowledge Vault's **least-privilege governance** becomes concrete: you decide exactly which rights each owner holds.


Open it by clicking a role you govern, then choosing **People**.



The panel groups people into **Owners** and **Members**, each with a count, and gives every person a card with their name, `@username`, and any special rights shown as small green chips.

Adding a person

1. Select **+ Add person**.
2. Choose whether to add a **member** (“they learn from this branch”) or a **co-owner** (“they help manage this branch”). The co-owner option only appears if you’re allowed to appoint co-owners.



3. Enter their **username**.

- Unknown usernames are **reserved** — when that person registers, they're attached automatically.


4. Set any rights (see below), then confirm.

If something goes wrong (for example, a typo'd username), the form stays open and tells you — it never closes silently.

The two kinds of person

Members

Members receive the branch's courses in their **My Learning**. You can additionally grant a member the right to **create content** — meaning they can *propose* documents. Their documents don't go live immediately; they publish only after an owner approves them through **Document review** (see Chapter 7). In the sample, *Marco Diaz* is a Firmware member with this content-creation grant.



Owners (and co-owners)


Owners manage the branch. When you appoint a co-owner, you choose which rights they get — and here's the golden rule of the whole platform:

You can only grant a right you hold yourself. An owner can never hand out a capability they don't have.

The grantable rights are:

Right	What it lets the owner do
May create sub-groups	Grow the branch downward with new sub-roles
May appoint further co-owners	Add other owners to the branch
May create content (<i>members</i>)	Propose documents for manager review

When you add a co-owner, you tick only the rights you want them to hold — and you'll only be *offered* the rights you hold yourself:



In the People panel, these appear as chips like **sub-groups** and **appoints co-owners** on an owner's card — in the screenshot, *Priya Raman* holds both.


Managing existing people

Each person's card carries quick actions:


- **Toggle their rights** — e.g. *Allow / Revoke sub-groups*, *Allow / Revoke co-owner rights*, or *Allow / Revoke content* for members. Changes take effect immediately.
- **Remove** — take the person off this branch (with a confirmation). Removing someone from a branch doesn't delete their profile or their other positions.

Flows at a glance


Adding a person (member or co-owner):



Least-privilege granting (the golden rule):



A member proposing content:



Tips

- **Grant the minimum that gets the job done.** A team lead who only needs to add members doesn't need the "appoint co-owners" right. Least privilege keeps your structure safe.
- **Delegate downward.** Give division owners the "create sub-groups" right so they can build out their own teams without coming back to you.
- **Content rights are powerful but safe.** Letting a member create content speeds up authoring, and the mandatory review step means nothing publishes without an owner's approval.


Next: [Chapter 7 — Courses: publishing knowledge](#) →

Chapter 7 — Courses: publishing knowledge

What it is

A **course** is any piece of knowledge you publish to a branch — a document, a book, an external link, an audio file or a video. Courses are the heart of Knowledge Vault: you place them on roles, decide whether they're mandatory, and let them **inherit** down the tree so the right people are trained automatically.

Open the **Courses** section by clicking a role you govern, then choosing **Courses**.




The panel has two parts: buttons to **add** a course, and a list of the **courses already on this role**, each shown with its code, type, classification and placement settings.

Publishing a course

You have two ways to create one:

- **+ Upload course** — bring in an existing file, or point to an external URL.
- **Create in Studio** — build an interactive document from scratch (Chapter 8).

Choosing **Upload course** opens a form:



The key fields:

Field	What it does
Title	The course name (also the document's cover title)
Short description	One or two sentences — shown in the library and on the cover
Scope	Who it applies to and what it covers — added to the standard cover
Classification <i>(required)</i>	Public / Confidential / Private / Secret
Library shelf (category)	A tag like <i>Compliance</i> , <i>Safety</i> , <i>Engineering</i>
Kind	Document, Book, Link, Audio or Video
External URL or File	The content itself (a link, or a file up to 10 MB)
Deadline (days)	How long people have to complete it
Retake every N days	For recurring/annual training
Prerequisite codes	Courses that must be completed first

There are also checkboxes for **Allow download**, **Publish to the library**, **Mandatory**, **Inherit to lower branches**, and **Updates reset completion**.

Smart shelf suggestions: as you type a title and description, Knowledge Vault suggests an existing library shelf where similar content already lives — so related material stays together. You can always accept the suggestion or keep your own tag.

Select **Publish course** and it appears on the branch, in members' My Learning, and (if you chose) in the library.

Placement settings: mandatory & inherit

Every course on a role shows two toggles you can flip any time:

- **mandatory** ✓ / **opt-in** — whether people *must* complete it, or may choose to.
- **inherits** ↓ ✓ / **this role only** — whether the course reaches every branch beneath this role, or stays put.

This is how one course, placed once at *Executive Office*, can become mandatory training for the whole company. In the sample, **Code of Conduct & Ethics** and **Information Security Essentials** are both mandatory and inherit down from the top.

Other actions per course: **Unplace** (remove from this branch only — the course still exists elsewhere), **Archive** (keep it but stop new assignments), and **Delete** (remove it everywhere; completion history is preserved).

Classifications

Every course must carry a classification, shown as a coloured badge everywhere it appears:


Badge	Classification	Typical use
 Public	Public	Anyone in the org
 Confidential	Confidential	Need-to-know
 Private	Private	A specific group
 Secret	Secret	The most sensitive material

Members proposing content


If you granted a member the **create content** right (Chapter 6), the documents they author arrive as a **draft** and enter **Document review**. As an owner, you approve or reject the draft; only on approval does it publish. This lets teams contribute knowledge while keeping a manager in the loop.

Flows at a glance

Publishing a course:



Configuring a placed course (owner controls, anytime):



Tips

- **Place high, inherit down.** For company-wide training, publish once at the top with *inherit* on — you won't have to repeat yourself for every team.
- **Use deadlines and recurrence for compliance courses.** A 14-day deadline plus an annual retake keeps mandatory training current, and feeds the Compliance dashboard (Chapter 12).
- **Prerequisites build learning paths.** Require *Embedded C Best Practices* before the *Firmware Release Checklist*, and people are guided through in the right order.


Next: [Chapter 8 — The Document Studio](#) →

Chapter 8 — The Document Studio

What it is

The **Studio** is a visual, drag-and-drop document builder. Instead of uploading a file, you compose a document right in the browser from a palette of **blocks** — headings, text, tables, checklists, callouts, images and media — and watch it render live in your organization's standard document frame.

You reach the Studio from a role's **Courses** panel via 🛠️ **Create in Studio**, or from any of your own positions via 📝 **Propose a document**.



The layout

The Studio has three parts:

1. **Blocks palette (left)** — the building blocks you can add. Click one to drop it in, or drag it onto the page.
2. **The canvas (middle)** — your document, as a stack of editable cards. Drag the handle on a card to reorder it; use the X to remove it.
3. **Preview & Publish (top-right)** — see the finished document in its standard frame, then publish.

The note at the top of the canvas is a helpful reminder: **“Cover, header & footer are added automatically on publish.”** You focus on content; the platform handles the professional wrapping.

The blocks

Block	Use it for
Heading	Section titles (with heading levels)
Text	Rich paragraphs — bold, italic, underline, bullet and numbered lists
Table	Rows and columns of data
Checklist	Steps to tick off
Callout	A highlighted note that draws the eye
Image	A picture by URL
Media	Embedded audio or video
Divider	A section break
New page	A page break — useful for longer books

Building and publishing

1. Add blocks in the order you want them, and fill in their content.
2. Reorder by dragging the handle; remove anything with ✕.
3. Set the document's **title** and **classification** (compulsory, as with all courses).
4. Select **Preview** to check how it looks in the standard frame — cover page, scope, header and footer all included.
5. Select **Publish**.
 - **Owners publish directly** — the document goes live on the branch straight away.
 - **Members with the content grant submit for review** — the document becomes a draft that an owner approves before it publishes (see Chapters 6 and 7).

Tips

- **Preview before you publish.** The live preview shows the exact cover, classification banner and footers members will see — it's the fastest way to catch a wrong heading level or a missing section.
- **Use checklists for procedures.** Release gates, safety steps and onboarding tasks read beautifully as tickable checklists.
- **Break long books into pages.** The *New page* block keeps multi-section handbooks tidy.


Next: [Chapter 9 — The Library](#) →

Chapter 9 — The Library

What it is

The **Library** is your organization's whole catalogue of published knowledge in one place — a real library, with **shelves** grouped by category. Where the constellation shows knowledge by *who* it's assigned to, the library shows it by *subject*, so anyone can browse, search and discover what exists.

Open it from the **Library** tab in the top navigation.



Browsing the shelves

Courses are grouped into **shelves** by their category tag — in the sample you can see *Compliance*, *Engineering* and more, each with an item count. Every entry is a card showing:

- its **type** (Document, Book, Link, Audio, Video),
- its **classification** badge,
- its **rating** (or “not rated yet”),
- a short description, and
- where it lives (e.g. how many branches it's published on).

Finding something specific

The toolbar across the top gives you full control:

Control	What it does
Search	Match a title, description, category or code
Type	Filter to Documents, Books, Links, Audio or Video
Shelf	Jump to a single category
Class	Filter by classification (Public → Secret)
Rating	Show only well-rated material
Show archived	Include courses that have been archived
Sort	Newest, and other orders

Opening an entry

Select any card to open its detail view. There you can:

- read its **full description and scope**,
 - see its **ratings and member comments**,
 - find “**where it’s published**” — which jumps you back to the constellation with those branches **spotlighted** and the rest dimmed, so you can see its reach at a glance, and
 - **request the course for your branch** — this files a Course request with that branch’s handler, who configures it (mandatory, deadline, recurrence) before approving. See Chapter 11.
-

Ratings & reviews

After completing a course, learners can **rate it out of five and leave a comment**. Those reviews surface here in the library, helping everyone find the material that’s genuinely useful. (You’ll rate a course from the in-app viewer — Chapter 10.)

Tips

- **Shelves keep themselves tidy.** Because publishing suggests an existing shelf for similar content, your library naturally groups related material instead of sprawling.
- **Use “where it’s published” to audit reach.** It’s the quickest way to check that an important policy actually reaches every team it should.
- **Filter by classification when sharing screens.** Switch to *Public* only if you’re demonstrating the library to an audience who shouldn’t see sensitive titles.


Next: [Chapter 10 — My Learning & the viewer →](#)

Chapter 10 — My Learning & the in-app viewer

What it is

My Learning is the page every learner lives in. It gathers **every course that reaches your position** — from any branch you're a member of — and shows what's pending, what's done, and what's overdue. It's the answer to "what do I need to complete?"

Open it from the **My Learning** tab in the top navigation.



Reading your dashboard

At the top, three stat cards summarise your status:

- **Pending courses** — assigned to you and not yet complete.
- **Completed** — everything you've finished.
- **Overdue** — anything past its deadline (shown in red when it matters).

Below, courses are listed **pending first, completed below**. Each row shows the title, its **code**, its **type**, whether it's **mandatory** or **opt-in**, a **status badge**, and where it came from (e.g. *via Executive Office*), plus any **deadline** or **recurrence**.

In the sample, *Marco Diaz* has three pending courses — Information Security Essentials (mandatory, repeats yearly, 30-day deadline), Embedded C Best Practices, and the Firmware Release Checklist — and one completed: the Code of Conduct.


Opening and completing a course

Each row has two actions:

- **Open** — launches the course in the **in-app viewer** (see below).
 - **Mark complete** — records your completion. If a course has **prerequisites** that aren't done yet, the button is locked until you finish them first.
-

The in-app viewer

Courses **always open inside the app** — never in a distracting second browser tab. The viewer presents the document in your organization's **standard frame**:



Every document opens on its **standardized cover page**, showing:

- the **organization** name and the **classification** banner,
- the **title**,
- the **published date**, **version**, and **author**, and
- the document's **reference code**.


Scroll past the cover (or use **Skip to content**) for the **description & scope**, then the content itself. From the viewer you can also:

- mark the course **complete**,
- go **fullscreen** for focused reading,

- see **related documents**, and
- after completing, **rate & review** it — feeding the ratings shown in the library.

Flow at a glance

Completing a course:



Tips

- **Do prerequisites first.** If *Mark complete* is locked, open the course to see what's required — finishing the prerequisite unlocks it.
- **Watch the recurrence note.** “Repeats every 365 days” means the course will re-appear as pending when it expires — that's annual compliance working as intended.

- **Everything stays in one place.** Because the viewer is in-app, you never lose your spot or hunt through browser tabs — open, read, complete, move on.


Next: [Chapter 11 — Requests: ask & approve](#) →

Chapter 11 — Requests: ask & approve

What it is

Requests is the platform's ask-and-approve centre. Rather than letting anyone change the structure directly, Knowledge Vault routes certain actions through a request that someone with the right authority approves. It keeps governance clean and auditable.

Open it from the **Requests** tab. A **live badge** on the tab shows how many requests need your attention, so you never miss one.



The two views

The page is split in two:

Inbox — waiting on you

Requests **you have the authority to decide**. In the sample, *Avery Stone* sees *Lena Novak*'s request to join *Robotics QA* as a member, complete with her message. Each inbox card lets you **Approve**, **Reject**, or **Delete** it.

My requests

Everything **you've** asked for, with its live status (**pending**, **approved** or **rejected**), so you can track your own asks.

The four kinds of request

Kind	Who raises it	What approval does
Course	Someone who wants a library course on their branch	The decider configures it (mandatory, inheritance, deadline, recurrence) <i>before</i> approving
Join	Someone who wants to join a public branch	Adds them to the branch — as a member or sub-owner, whichever they asked for
Deletion	A branch's own owner who wants it removed	Lets the level above authorise the deletion
Visibility	An owner whose branch is hidden by a level above	Asks that level to unhide the chain

Course requests are special: because the decider configures placement at approval time, the course arrives on the branch correctly set up, not as a raw drop-in.


How it flows

1. Someone raises a request — from the library (Course), a public star (Join), or a Group configuration panel (Deletion, Visibility).
2. It lands in the **inbox** of whoever has authority — the branch's handler or the level above.
3. That person **decides**. Approvals take effect immediately; the requester sees the status change live.
4. Decided requests **clean themselves up automatically after 7 days**, keeping inboxes tidy.


You can always **withdraw** a request you raised while it's still pending.

Flows at a glance


The request lifecycle (all types share this shape):




Course request — configured *before* approval:




Join request — carries the desired position:



Deletion request — needs the level above:



Visibility request — unhide a chain:



Tips

- **Watch the badge.** The live count on the Requests tab is your cue that a colleague is waiting on you — decisions unblock people.
- **Configure course requests thoughtfully.** Approving one is your chance to set the right deadline and recurrence for *your* branch, not just accept a default.
- **Join requests carry intent.** They state whether the person wants to be a *member* or a *sub-owner* — check that before approving.


Next: [Chapter 12 — Compliance tracking](#) →

Chapter 12 — Compliance tracking

What it is

Compliance is the manager's view of "who has completed what." For any branch you govern, it shows per-course completion across the whole subtree, highlights who's behind, and lets you **remind** them with one click. It's how you turn mandatory training from a hope into a number.

The **Compliance** tab appears in the navigation only if you're an owner somewhere. Open it to begin.



Choosing a branch

At the top, a **Branch** selector lets you pick any branch you govern — and because ownership can sit on several levels at once, you may have several to choose from. Pick one, and the dashboard reports on that branch and everything beneath it.

Three summary cards give you the headline:

- **people in this branch** — the population being measured.
- **overall compliance** — the single percentage that says how you're doing.
- **overdue items** — assignments past their deadline.

Per-course breakdown

Below the summary, every course in scope gets a row showing:

- the course **title** and **code**,
- whether it's **mandatory** or **opt-in**,
- where it comes from (e.g. *via Executive Office*, *via Engineering*), and
- a **progress bar** with a count like **1 / 7 compliant**.

Select a course row to expand it and see the **list of people** — who's compliant and who isn't.

Reminding the non-compliant

This is the part that saves managers time. Once a course is expanded:

1. **Select the people** who still need to complete it (or select all non-compliant).
2. Choose to send a **reminder**.
3. Use the **default message**, or write your **own**.

Each reminder lands as a notification for that person, deep-linked to the exact course — so they're one click from doing it. No spreadsheets, no chasing by email.

Tips

- **Start at the top for a company-wide picture, drill down to act.** Select *Executive Office* to see overall compliance; switch to a team branch to chase specific people.
- **Zero overdue is the goal.** Pair deadlines (Chapter 7) with periodic reminder sweeps to keep that number at zero.
- **Recurring courses re-open automatically.** When an annual course expires, previously compliant people become pending again — the dashboard reflects it, and a reminder gets them back on track.


Next: [Chapter 13 — Notifications](#) →

Chapter 13 — Notifications

What it is

Notifications keep you informed the moment something needs you — a new request to decide, a course assigned to you, a reminder from a manager, a decision on something you asked for. They're categorised, informative, and clickable, so each one takes you straight to the thing it's about.

The **bell** lives in the top-right corner of every screen. A small dot marks unread messages; select the bell to open the panel.



Reading a notification

Each message tells you **what happened** and belongs to a **category** (shown as a chip — e.g. *Requests*, *Courses*, *Inbox*). In the sample, Avery Stone has a **Requests** notification: “New request waiting on you — Join request for Robotics QA.”

- **Select a message** to jump directly to the relevant place — the request, the course, the branch. No hunting.
- **Dismiss a single message** with its ×.
- **Clear all** with the button at the top of the panel.

How they behave

- **Live** — notifications arrive in real time; you don't need to refresh. The bell's dot appears the instant something lands.
 - **Deep-linked** — clicking a message opens the exact request or course it refers to.
 - **Self-cleaning** — messages **auto-clear after 7 days**, so the panel never becomes a graveyard.
 - **A gentle nudge** — if your unread count climbs past ten, the platform prompts you to tidy up.
-

What generates a notification?

Common triggers include:

- a **request** you have the authority to decide (Join, Course, Deletion, Visibility),
 - a **decision** on a request you raised (approved or rejected),
 - a **course assigned** to your position,
 - a **reminder** sent from the Compliance dashboard, and
 - a **document review** waiting for your approval.
-

Tips

- **Treat the bell dot as your to-do light.** If it's lit, someone or something is waiting on you — clearing it usually means unblocking a colleague.
- **Click, don't search.** Every notification is a shortcut; use it rather than navigating manually to the request or course.
- **Let them expire.** You don't need to clear everything by hand — informational messages tidy themselves after a week.


Next: [Chapter 14 — The Supreme zone: custody & recovery](#) →

Chapter 14 — The Supreme zone: custody & recovery

What it is

The **Supreme zone** is the most powerful — and most protected — area in Knowledge Vault. It lives on the **root role** of your organization and is the practical expression of the **custody** promise from Chapter 2: your organization's existence, ownership and revival are all in *your* hands, guarded by the **Supreme password** that only you know.

You reach it by clicking the **root star**, choosing **Group configuration**, and scrolling to the **Supreme zone** (visible only to the organization's top-level owners).



Because these actions are so consequential, they require you to enter the **Supreme password**, which unlocks a 10-minute window of Supreme access.

What lives in the Supreme zone

Top-level owners

The Supreme zone lists the owners of the root role — the people who hold ultimate authority. In the sample, that's *Avery Stone* and *Priya Raman*. From here you can:

- **Add a supreme co-owner** by username, and

- **Remove** an owner (you can't remove the last one).

Adding or removing a top-level owner is exactly the kind of change the Supreme password protects.

The `.main` existence backup

Your organization's `.main` file is its **existence backup** — a single encrypted file, keyed to your Supreme password, that can **revive the entire organization** even after it's been deleted and the retention period has passed.

Select **Download** to export it. **Keep it somewhere safe and offline.**

Deleting the organization


The **Delete organization** action begins a **30-day retention** period, after which the org is purged and **only the `.main` file can bring it back**. The platform insists you download the `.main` file *first* and confirms before proceeding.

The other backup: per-branch `.bkp` files

Separate from the org-wide `.main`, every branch can be backed up on its own from the **Backup** section of its action panel. A `.bkp` file is an **encrypted snapshot of that branch** — its roles, people and course placements — that you can restore later.

To create one:

1. Click a branch you govern → **Backup**.
2. Choose **Download .bkp of this branch** and set a backup password (you'll need it to restore).



To restore, upload a `.bkp` into a node and enter its password; the platform shows a report of what was **applied** and what was **skipped**.

Reviving a deleted organization


If an organization has been deleted, its founder can bring it back from the **Organizations** page:

1. Expand **Revive a deleted organization from a `.main` file**.
2. Upload the `.main` file and enter the **Supreme password** that encrypted it.


Without both the file and the password, revival is impossible — which is precisely what keeps your organization in your custody and no one else's.

Flows at a glance


Supreme-protected actions (on the root):



Branch backup and restore (`.bkp`):



Reviving a deleted organization:



Tips

- **Back up the `.main` the day you found the org, and after big structural changes.** It is your ultimate insurance policy.
- **Never store the Supreme password with the `.main` file.** Together they're the keys to the kingdom; keep them separately.
- **Use `.bkp` before risky edits.** About to restructure a division? Export its `.bkp` first so you can roll back cleanly.


Next: [Chapter 15 — Help & support](#) →

Chapter 15 — Help & support

What it is

Knowledge Vault includes a built-in **Help** page — a plain-language guide to every part of the platform. It's **public**, so both prospective and signed-in users can read it, and it's linked from the app sidebar so it's always a click away.

Open it from the **Help** link in the navigation (available on the landing page and inside the app).



What Help covers

The page walks through each component of the platform in short, friendly topics, including:

- **Profile & signing in** — your one global username-and-password identity, and how admins add you by username.
- **Organizations & the Supreme** — what an organization is, and the Supreme password that protects its root.
- **The constellation, roles and people** — how the tree works and how positions are placed.
- **Courses, the library and learning** — publishing, browsing and completing knowledge.
- **Requests, compliance and notifications** — the day-to-day flows for managers and learners.

Each topic is written for people, not engineers — no setup or code, just how to use the product.

Where to look when you're stuck

If you want to...	Go to...
Understand a term	The Appendix glossary , or in-app Help
Change your name or picture	Account (Chapter 1)
See what you must complete	My Learning (Chapter 10)
Add a person or role	The constellation → People / Group configuration (Chapters 5–6)
Publish a course	A role's Courses panel, or the Studio (Chapters 7–8)
Find an existing document	The Library (Chapter 9)
Approve something	Requests , or the notifications bell (Chapters 11, 13)
Check who's trained	Compliance (Chapter 12)
Back up or recover your org	The Supreme zone and Backup (Chapter 14)

Tips

- **Bookmark the Help page** — it's the fastest in-product reference and it's always current with the live app.
- **Share Help with newcomers** before their first sign-in — because it's public, they can read it while their profile is being set up.
- **This guide book goes deeper.** Help is the quick tour; the chapters here are the full walkthrough with real screenshots.

Next: [Chapter 16 — Flow diagrams: every setting at a glance](#) →

Chapter 16 — Flow diagrams: every setting at a glance


This chapter is the **visual reference** for the whole platform. It pairs a **flow diagram** with a **screenshot** for each setting, grouped into three topics:

- **A. What an owner can do** — every management setting.
- **B. What a member can have / do** — the learner side.
- **C. Request ↔ response flows** — ask-and-approve.

The flow diagrams below are drawn with Mermaid and render automatically on GitHub. Each setting also links back to the chapter where it's explained in full.



A — Owner settings & actions

Owners act from the **constellation**: click a star you govern to open its action panel, then choose a section (Group configuration · People · Courses · Backup).




A1 · Create a sub-role

Where: *Group configuration* → + *Sub-role* · [Chapter 5](#)




A2 · Set visibility (public / hidden)

Where: Group configuration → Visibility · [Chapter 5](#)





A3 · Delete a branch (direct or by request)

Where: Group configuration → Delete / Request deletion · [Chapter 5](#)





A4 · Add a person (member or co-owner)

Where: *People* → + Add person · [Chapter 6](#)




A5 · Grant a co-owner's rights (least privilege)


Where: *People* → Add a co-owner · [Chapter 6](#)



A6 · Grant a member the “create content” right


Where: People → Add a member · [Chapter 6](#) & [7](#)






A7 · Publish a course


Where: Courses → + Upload course / Create in Studio · [Chapter 7](#)






A8 · Configure a placed course


Where: Courses → per-course controls · [Chapter 7](#)






A9 · Back up / restore a branch (. bkp)


Where: Backup section · [Chapter 14](#)






A10 · The Supreme zone (root only)

Where: *root* → *Group configuration* → *Supreme zone* · [Chapter 14](#)







B — What a member can have / do

A member *learns* from the branches they're placed on. Everything assigned to them gathers in **My Learning**.

B1 · Complete assigned courses

Where: *My Learning* · [Chapter 10](#)






B2 · Read in the in-app viewer

Where: *My Learning / Library* → *Open* · [Chapter 10](#)

The viewer opens every document in the organization's standard frame (cover, classification, version, author) — never in a second tab.



Information Security Essentials

100-100-0002 Public mandatory

✕

Aurora Robotics

PUBLIC

v1

Public

AURORA ROBOTICS

Information Security Essentials

PUBLISHED

2026-07-26

VERSION

1

AUTHOR

Avery Stone

REFERENCE

100-100-0002

Description & scope

DESCRIPTION

How we protect customer data, handle credentials, and recognise phishing across the company.



SCOPE

—

Skip to content


B3 · Propose content (if granted)

Where: Studio → Propose a document · [Chapter 8](#)




B4 · Ask to join a public branch

Where: click a public star → Send Join request · [Chapter 11](#)




Member capability map




C — Request ↔ response flows


Requests route sensitive actions to whoever has the authority. Deciders act from the **Requests inbox**; everyone is kept informed by **notifications**.




C0 · The lifecycle every request shares




C1 · Course request




C2 · Join request



C3 · Deletion request




C4 · Visibility request



C5 · How you hear about it — notifications

Every request, decision, assignment and reminder arrives as a **live, clickable notification** that deep-links to the exact item.



Master index — setting → where → screenshot

Setting	Who	Chapter	Screenshot
Create a sub-role	Owner	5	sub-role-form.png
Set visibility (public/hidden)	Owner	5	group-configuration.png
Delete / request branch deletion	Owner	5	group-configuration.png
Add a person (member/co-owner)	Owner	6	add-person-choose.png
Grant co-owner rights	Owner	6	add-coowner-form.png
Grant member “create content”	Owner	6	add-member-form.png
Publish a course	Owner	7	upload-course-form.png
Configure placement (mandatory/inherit/archive)	Owner	7	courses-panel.png
Back up / restore a branch (.bkp)	Owner	14	backup-panel.png
Supreme zone (owners, .main , delete)	Top owner	14	group-configuration.png
Complete assigned courses	Member	10	my-learning.png
Read in the in-app viewer	Member	10	course-viewer.png
Propose content	Member	8	studio.png
Send a join request	Member	11	requests.png
Decide a request (inbox)	Decider	11	requests.png
Notifications	Everyone	13	notifications.png

Back to: [Table of contents](#) · **Reference:** [Appendix — Glossary & quick reference](#)

Appendix — Glossary & quick reference

A one-stop reference for the terms, codes and rules you'll meet across Knowledge Vault.

Glossary

Term	Meaning
Profile	Your single global identity — a username and password, no email. Works across every organization.
Organization	A company/team on the platform, structured as a tree of roles. Has a number, e.g. <code>#100</code> .
Constellation	The organization's main page: its structure drawn as a top-down star map.
Role / branch / node	A position in the tree. The three words are used interchangeably.
Root role	The single role at the top of the tree; its owners hold the Supreme.
Owner	Someone who <i>manages</i> a branch (adds people, publishes courses, etc.).
Co-owner	An additional owner appointed to a branch, with specific granted rights.
Member	Someone who <i>learns</i> from a branch — its courses appear in their My Learning.
Supreme	The protected root of your organization.
Supreme password	The unrecoverable password that guards top-level changes and encrypts the <code>.main</code> file.
Course	Any published knowledge: Document, Book, Link, Audio or Video.
Classification	The compulsory sensitivity label on every course (Public/Confidential/Private/Secret).
Category / shelf	The tag that groups a course on a library shelf (e.g. <i>Safety</i>).
Mandatory	A course people <i>must</i> complete (vs. <i>opt-in</i>).
Inherit	A course setting that pushes it down to every branch beneath the one it's placed on.
Prerequisite	A course that must be completed before another can be started.
Placement	A course's presence on a particular role, with its mandatory/inherit settings.
Studio	The visual drag-and-drop document builder.
Library	The org-wide catalogue of published courses, shelved by category.
My Learning	A learner's page of assigned, completed and overdue courses.
Viewer	The in-app reader that opens courses in the standard document frame.
Request	A formal ask (Course, Join, Deletion, Visibility) that an authorised person approves.
Compliance	The manager dashboard showing per-course completion across a branch.
Notification	A live, categorised, clickable message about something needing your attention.
<code>.main</code> file	The encrypted existence backup that can revive an entire organization.
<code>.bkp</code> file	An encrypted backup of a single branch (roles, people, placements).
Custody	The principle that your data and your org's existence stay in your hands, not the platform's.

Course codes

Every course has a code like **100-101-0001** . Read it as:

100	-	101	-	0001
org #		uploading		sequence
		role #		number

- **100** — the organization number.
- **101** — the number of the role the course was uploaded from.
- **0001** — a running sequence number.

So **100-100-0002** is the second course uploaded from *Aurora Robotics*' root role.

Classifications at a glance

Badge colour	Classification	Use it for
 Green	Public	Anyone in the organization
 Amber	Confidential	Need-to-know material
 Purple	Private	A specific, restricted group
 Red	Secret	The most tightly held material

Request types at a glance

Request	Raised from	Decided by	On approval
Course	The Library	The target branch's handler	Configured, then placed on the branch
Join	A public star on the constellation	The branch's owners / level above	Person added as member or sub-owner
Deletion	Group configuration	The level above	The branch is deleted
Visibility	Group configuration	The level above	The hidden chain is unhidden

Decided requests auto-clean after 7 days. You can withdraw your own while still pending.

Owner rights (least privilege)

Right	Lets an owner...	Rule
Create sub-groups	Add sub-roles beneath the branch	—
Appoint co-owners	Add other owners to the branch	—
Create content (<i>members</i>)	Propose documents for review	Publishes only after owner approval

The golden rule: an owner can only grant a right they hold themselves.

Automatic housekeeping

Thing	Behaviour
Decided requests	Auto-clean after 7 days
Notifications	Auto-clear after 7 days ; nudge past 10 unread
Deleted organization	30-day retention, then purged (revive with <code>.main</code>)
Sessions	Refresh automatically in the background

The sample organization (for reference)

Aurora Robotics (#100) — used in every screenshot in this book.

Executive Office	Avery Stone (owner), Priya Raman (co-owner)
└─ Engineering	Priya Raman (owner), Noah Kim (member)
└─ Firmware Team	Marco Diaz (member, creates content)
└─ Robotics QA	Jade Li (member)
└─ Operations	Sam Okoro (owner)
└─ Safety & Compliance	Lena Novak (member)
└─ People & Culture	Jade Li (member)
└─ Research Lab	(hidden / private branch)

Sample courses include *Code of Conduct & Ethics* (`100-100-0001` , Confidential, mandatory), *Information Security Essentials* (`100-100-0002` , Public, video, annual), *Embedded C Best Practices*, *Firmware Release Checklist*, *Workplace Safety Induction* and the *New Joiner Handbook*.

End of the Main Guide Book. Return to the [table of contents](#).