Technical Report: Exploiting Deep-Features Diversity in [Dataset Type] Classification

Michael Jordan*, Homer Simpson[†], Edson A. Nascimento[‡], Michael Jackson[‡] and Lewis Hamilton[§]

*School of Electrical and Computer Engineering

Georgia Institute of Technology, Atlanta, Georgia 30332–0250

Email: see http://www.michaelshell.org/contact.html

†Twentieth Century Fox, Springfield, USA

Email: homer@thesimpsons.com

\$\frac{1}{2}\$Starfleet Academy, San Francisco, California 96678-2391

Telephone: (800) 555–1212, Fax: (888) 555–1212 $\,^\S{}$ Tyrell Inc., 123 Replicant Street, Los Angeles, California 90210–4321

I. Introduction

II. EXPERIMENTAL SETUP

A. Dataset

[Describe the dataset in details. Do not forget to include information on number of samples and number of classes. It is also interesting to include some sample images..]

[Include a brief description of the problem addressed by the chosen dataset. Include a brief explanation of the importance of your research regarding image classification .]

B. Implementation details

[Frameworks, Machine configuration, etc..]

III. RESULTS AND DISCUSSION

C. Diversity evaluation

[Comment on Figure 3.]

A. Deep features comparison

[Comment on Figure 1.]

[Comment on Table I.]

[Comment on Table III.]

TABLE I: Classification results with different deep representation levels.

Approach	O.A. (%)	A.A. (%)
C1	00.00 ± 00.00	00.00 ± 00.00
C5	00.00 ± 00.00	00.00 ± 00.00
FC2	00.00 ± 00.00	00.00 ± 00.00

TABLE III: Classification results by using ensemble methods in comparison with original deep features.

Approach	O.A. (%)	A.A. (%)
SVM-RBF (FC2)	00.00 ± 00.00	00.00 ± 00.00
Random Forest	00.00 ± 00.00	00.00 ± 00.00
Majority Voting	00.00 ± 00.00	00.00 ± 00.00
Bagging	00.00 ± 00.00	00.00 ± 00.00

B. Deep features combination

[Comment on Figure 2.]

IV. CONCLUSIONS

[The conclusion goes here.]

[Comment on Table II.]

TABLE II: Classification results by using early fusion, late fusion, and [best feature].

Approach	O.A. (%)	A.A. (%)
Early fusion	00.00 ± 00.00	00.00 ± 00.00
Late fusion	00.00 ± 00.00	00.00 ± 00.00
[best feature]	00.00 ± 00.00	00.00 ± 00.00

ACKNOWLEDGMENT
The authors would like to thank...
REFERENCES




Fig. 1: Classification results for each class by using SVM-RBF with features C1, C5, and FC2, respectively.




Fig. 2: Classification results for each class by using early fusion, late fusion, and [best feature].




Fig. 3: Classification results for each class by using ensemble approaches.