

# Dokumentacija

Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Internet tehnologije: Web programiranje

Predmet: Web programiranje PHP1



1.Uvod.....	4
Korišćeni programski jezici i okruženja.....	4
Opis funkcionalnosti.....	4
Template.....	5
2.Organizacija.....	5
Organizaciona šema.....	5
Organizaciona šema baze podataka.....	6
Mapa sajta.....	6
Slike stranica i opisi funkcionalnosti.....	7
Home.....	8
Shop.....	9
About us.....	10
Contact.....	10
Author.....	11
Login/Register.....	12
Poll.....	14
Cart.....	14
Admin Panel.....	15
3.Kodovi.....	17
PHP.....	17
index.php.....	17
shop.php.....	20
aboutus.php.....	23
contact.php.....	23
author.php.....	25
Includes.....	25
head.php.....	25
header.php.....	26
cover.php.....	28
modal.php.....	28

login.php.....	28
register.php.....	29
footer.php.....	31
config.....	32
connection.php.....	33
functions.....	33
functions.php.....	33
cart.php.....	41
manageCart.php.....	42
insertCart.php.....	44
paneAdd.php.....	44
addProd.php.....	51
deleteAdminProd.php.....	52
editProd.php.....	53
updateCategories.php.....	53
deleteCategories.php.....	54
insertCategories.php.....	55
checkLogin.php.....	56
checkRegistration.php.....	57
verification.php.....	58
poll.php.....	59
insertPoll.php.....	60
pcontact.php.....	61
paganacion.php.....	63
logOut.php.....	64
getDataProducts.php.....	64
filter.php.....	65
CSS.....	65
JavaScript.....	74

# 1.UVOD

## Korišćeni programski jezici i okruženja

- 1.HTML/CSS
- 2.Bootstrap
- 3.Photo Shop
- 4.JavaScript
- 5.PHP
- 6.Jquery
- 7.Visual Studio Code

## Opis funkcionalnosti

- 1.Linkovi ka stranicama u headeru I footeru su dinamički isčitani iz baze podataka
- 2.Brand sekcija na index stranici je učitana dinamički iz baze
3. Prikaz proizvoda se vrši upitom iz baze
- 4.Na klik na dugme apply filter se filtrira i sortira sadržaj proizvoda koji je dinamički isčitan iz baze
5. Korpa koja je povezana sa korisničkim nalogom, sa ukupnom sumom i opcijama za brisanje i izmenu količine, vidljiva je samo za registrovane korisnike I podaci o kupovini tj. količina se upisuje u bazu
- 6.Registracija i logovanje provereno i sa klijentske i sa serverske strane regularnim izrazima, prilikom registracije se salje link na mejl za potvrdu registracije i tek onda je korisnik registrovan
- 7.Podaci o anketi se upisuju u bazu podataka

8.Na admin panelu se mogu dodavati, brisati ili editovati podaci o kategorijama, brendovima, velicinama i proizvodima. Administrator ima uvid u korisničke naloge


9.Kontak forma je proverena regularnim izrazima i upisuju se podaci o porukama u bazu

## Template


Nije korišćen nijedan template.

## 2.Organzacija

### Organizaciona šema



## Organizaciona sema baze podataka



Mapa sajta


```
<?xml version="1.0" encoding="UTF-8"?>
<urlset
    xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9
        http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
    <!-- created with Free Online Sitemap Generator www.xml-sitemaps.com -->

    <url>
        <loc>https://tireshop.000webhostapp.com/</loc>
        <lastmod>2022-03-12T16:28:52+00:00</lastmod>
        <priority>1.00</priority>
    </url>
    <url>
        <loc>https://tireshop.000webhostapp.com/index.php</loc>
        <lastmod>2022-03-12T16:28:52+00:00</lastmod>
        <priority>0.80</priority>
    </url>
    <url>
        <loc>https://tireshop.000webhostapp.com/shop.php</loc>
        <lastmod>2022-03-12T16:28:52+00:00</lastmod>
        <priority>0.80</priority>
    </url>
    <url>
        <loc>https://tireshop.000webhostapp.com/aboutus.php</loc>
        <lastmod>2022-03-12T16:28:52+00:00</lastmod>
        <priority>0.80</priority>
    </url>
    <url>
        <loc>https://tireshop.000webhostapp.com/contact.php</loc>
        <lastmod>2022-03-12T16:28:52+00:00</lastmod>
        <priority>0.80</priority>
    </url>
    <url>
        <loc>https://tireshop.000webhostapp.com/author.php</loc>
        <lastmod>2022-03-12T16:28:52+00:00</lastmod>
        <priority>0.80</priority>
    </url>

</urlset>
```

## Slike stranica i opisi funkcionalnosti

### Home stranica



#### Our Brands



**Continental**  
Founded in 1871, Continental is an international company which manufactures tires, automotive products, industrial products, and services for passenger cars, light trucks, medium trucks, mobile homes and racing tires. It focuses on the manufacture and sale of passenger road, light truck replacement tires. Cooper's headquarters is in Findlay, Ohio, with manufacturing sites, distribution centers, technical and design operations and a network of sales offices located in more than one dozen countries around the world. As of 2019, the company has 20,077 employees and a revenue of \$27.3 billion.



#### Cooper

Cooper Tire & Rubber Company is the largest company of its kind in the world, specializing in passenger, commercial, and off-the-road tires. We produce medium trucks, mobile homes and racing tires. It focuses on the manufacture and sale of passenger road, light truck replacement tires. Cooper's headquarters is in Findlay, Ohio, with manufacturing sites, distribution centers, technical and design operations and a network of sales offices located in more than one dozen countries around the world. As of 2019, the company has 20,077 employees and a revenue of \$27.3 billion.



Dunlop  
Proven driving experience is at the core of what Dunlop can offer. We deliver a better driving experience for drivers and a better riding experience for riders.



#### Good Year

The Goodyear Tire & Rubber Company is an American multinational tire manufacturing company founded in 1898 by Frank Seiberling and based in Akron, Ohio.



Michelin  
An international leading tire company, is dedicated to enhancing its customers' mobility, sustainability, designing and distributing the most innovative tires, services and solutions for its customers' needs, providing digital services, maps and guides to help with trip and travel and unique driving experiences.



#### Pirelli

Invented in Milan in 1872, today Pirelli stands as a global brand known for its cutting edge technology, high-end products, excellence and passion for innovation that drives freely on its Italian roots.



Linkovi u headeru i footeru su dinamički isčitani iz baze kao i sekcije brandova

## Shop stranica

The screenshot shows a shop page for 'TireStore'. At the top, there's a navigation bar with a search icon, social media links, and a 'Login / Register' button. The main header features a red sports car wheel and the text 'Choose your dream tires!'. Below the header is a large 'SHOP' button. To the left, there are several filter dropdowns: 'Brand type' (Choose Brand), 'Sort type' (Choose sort type), 'Category' (checkboxes for All seasons, Winter, Summer), and 'Sizes' (checkboxes for 18", 19", 20", 21", 22"). A blue 'Apply Filter' button is located at the bottom of these filters. To the right, there's a grid of six tire products:


Tire Model	Price	Original Price	Action Buttons
Pilot Sport Cup2	\$130.00	\$150.00	Add to Cart, See More
X-Ice Snow	\$176.00	\$200.00	Add to Cart, See More
Cross Contact LX Spt	\$130.00	\$164.00	Add to Cart, See More
Terrain Contact AT	\$200.00	\$220.00	Add to Cart, See More
SP Sport Maxx RT2	\$130.49	\$169.99	Add to Cart, See More
Signature HP	\$199.99	\$220.00	Add to Cart, See More

At the bottom of the grid, there are page navigation buttons: 1, 2, 3.


The footer is dark with white text. It features the 'TireStore' logo with a stylized tire tread icon. Below the logo are three columns: 'Links' (Home, Shop, About Us, Contact, Author), 'Find Us' (SiteMap, Documentacion, Author), and a copyright notice 'Ignjat Koički 2022'.

Mogućnost filtriranja i sortiranja kao i straničenja dodavanja proizvoda u korpu naravno ako je korisnik ulogovan i mogućnost pregleda još informacija o proizvodu.

## About us




The Tire Store was founded in 1978. Current owners Dave and Nick purchased the business in 1989 and have been running the operation since. There are three The Tire Store locations today, two of which have been in the same spot for the last 30 years. The first location is at 43923 N. Sierra Highway Lancaster, California. The second is at 21011 Santa Barbara Drive Tehachapi, CA. The third shop is at 1816 Rosamond Blvd. Rosamond, CA. It's our mission to get customers in and out of the shop as quickly as possible, while keeping prices as low as possible. Contact us online for more information. Prices are born at The Tire Store, but they are raised elsewhere! For over 30 years, customers who live or work in the communities of Tehachapi, Lancaster and Palmdale, California have been receiving great automotive service. Now, we offer a tire size finder on our website, for customers to use from the convenience of home. By entering the make, model and year of a vehicle, customers are taken to a world of brand name tires that are perfect for their vehicle. New tire sales are not all we do at The Tire Store. We offer tire rotations, low profile installations, flat repairs and computerized spin balancing.



## Obična statička stranica sa tekstom o nama

## Contact




Fill out the form and stay in touch with us

First Name:  Last Name:


Email:

Message:




Forma za kontakt proverena regularnim izrazima i sa klijenteske i sa servrske strane prenosom podataka putem AJAXa

## Author



The screenshot shows a landing page for a tire store. At the top right is a navigation bar with 'Login / Register'. Below it is a logo for 'TireStore' featuring a stylized tire tread icon and the word 'TireStore' in red. A horizontal menu bar includes links for 'Home', 'Shop', 'About Us', 'Contact', and 'Author'. The main image is a close-up of the rear side of a red sports car, specifically focusing on the wheel and body. A white rectangular overlay box contains the text 'About author!'. To the right of the image, under the heading 'About Author', is a portrait photo of a young man with short dark hair, wearing a grey t-shirt. Below the photo, his personal information is listed: First name: Ignjat, Last name: Koički, Index: 220/21. His biography states he was born on January 26, 1997 in Novi Sad, attended elementary and high school in Belgrade, and is currently attending ICT college. Social media links for LinkedIn profile (381601110387) and address (Nede Špasovjević 4/9, Beograd, Srbija) are also provided.



The footer section of the website has a dark background. On the left is the 'TireStore' logo. In the center, there's a 'Links' section with links to 'Home', 'Shop', 'About Us', 'Contact', and 'Author'. To the right is a 'Find Us' section with links to 'SiteMap', 'Documentacion', and 'Author'. At the bottom left of the footer is the text 'Ignjat Koički 2022'.

Obična statička stranica sa informacijama o autoru

Login, Register



Forme za login i registraciju proverene regularnim izrazima i na klijentskom i na serverskom delu

## Poll stranica

Do you like our website?

Yes  
 No

What brand do you like the most?

Michelin  
 Dunlop  
 Pirelli

Submit Poll

Moze samo novi korisnik ili onaj koji nije odgovorio na nju da vidi ovu stranicu i odgovori se upisuju u bazu

## Cart stranica

Mogu je videti i koristiti samo ulogovani korisnici

The screenshot shows the admin panel of a website called "TireStore". At the top, there is a navigation bar with links for "Admin Panel / Log Out / Register", "Home", "Shop", "About Us", "Contact", "Author", and a shopping cart icon indicating 2 items. Below the navigation is a large image of a red car's front wheel and bumper. A "Cart" button is overlaid on the image. The main content area displays a table of items in the cart:


Name	Picture	Quantity	Price	Total	Remove
Pilot Sport Cup2		<input type="text" value="1"/>	130.00	130.00	<button>Remove</button>
X-Ice Snow		<input type="text" value="1"/>	176.00	176.00	<button>Remove</button>

Total: \$ 306 [Buy](#)

At the bottom of the page, there is a footer with the TireStore logo, links to "Home", "Shop", "About Us", "Contact", and "Author", and a "Find Us" section with links to "SiteMap", "Documentation", and "Author". The footer also includes the text "Ignjat Koički 2022".

## Admin panel stranica

Nju moze videti samo admin koji ima uvid u korisnicke naloge. Moze da dodaje  
brise ili menja brandove, kategorije, proizvode i veličine



**Admin Panel / Log Out / Register**

**TireStore**

Home Shop About Us Contact Author

Cart 2

**AdminPanel**

**Users**

First	Last	Username	Role
Ignjat	Koicki	ignjat977	admin
Jovan	Jovanovic	jovon99	user
Ignjatije	Koicki	admin	admin
Petar	Petrovic	pera	user
Petar	Petrovic	peraaq11	user
Ignjat	Koicki	ignjat98	user

**Add new Product**

**Choose Brand**

Choose Brand

Type here brand name

Add

**Choose Category**

Choose Category

Type here category name

Add

**Choose Size**


Choose Size

Type here size name

Add

Product	Price	Price	Price
Pilot Sport Cup2	\$130.00	\$150.00	\$130.00
X-Ice Snow	\$176.00	\$200.00	\$164.00
Cross Contact LX Spt			
Terrain Contact AT	\$200.00	\$220.00	\$199.99
SP Sport Maxx RT2	\$130.49	\$169.99	\$220.00
Signature HP			

1 2 3



**TireStore**

**Links**

Home  
Shop  
About Us  
Contact  
Author

**Find Us**

Sitemap  
Documentacion  
Author

Ignjat Koicki 2022

### 3.Kodovi

#### PHP

##### index.php

```
<?php
    $headerImage = "assets/img/cover-wheel.jpg";
    $coverText = "Be prepared for best tires ever!";
    include("assets/models/functions.php");
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <?php
        include("assets/includes/head.php");
    ?>
</head>
<body>

    <!-- Start header -->
    <?php
        include("assets/includes/header.php");
    ?>
    <!-- End -->

    <!-- Start Login -->
    <?php
        include("assets/includes/login.php");
    ?>
    <!-- End -->

    <!-- Start Register -->
    <?php
        include("assets/includes/register.php");
    ?>
    <!-- End -->

    <!-- Start cover -->
    <?php
        include("assets/includes/cover.php");
    ?>
    <!-- End -->
    <?php include("assets/includes/modal.php"); ?>
```

```
<main>
    <section id="ik-why-us">
        <div class="container">
            <div class="row">
                <div class="col-4 mx-auto">
                    <div class=
"ik-circle mx-auto d-flex align-items-center justify-content-center">
                        <h4 class="ik-color-white">Why Us</h4>
                    </div>
                </div>
            </div>
            <div class="container mt-4">
                <div class="row">
                    <div class="col-12 col-md-4 text-center mt-4">
                        <div class=
"ik-circle-x mx-auto d-flex align-items-center justify-content-center">
                            <i class="fas fa-shipping-fast"></i>
                        </div>
                        <h4>Free Shipping</h4>
                    </div>
                    <div class="col-12 col-md-4 text-center mt-4">
                        <div class=
"ik-circle-x mx-auto d-flex align-items-center justify-content-center">
                            <i class="fas fa-truck-loading"></i>
                        </div>
                        <h4>Fast Delivery</h4>
                    </div>
                    <div class="col-12 col-md-4 text-center mt-4">
                        <div class=
"ik-circle-x mx-auto d-flex align-items-center justify-content-center">
                            <i class="fas fa-certificate"></i>
                        </div>
                        <h4>Best Quality</h4>
                    </div>
                </div>
            </div>
        </section>
```

```
<section id="ik-brands">
    <div class="container py-4">
        <div class="row">
            <div class="col-12 text-center ik-color-red">
                <h1>Our Brands</h1>
            </div>
        </div>
        <?php $data = selectAll("home_section");
        foreach($data as $d):?>
        <div class="<?= $d->background_color;?> py-5">
            <div class="container">
                <div class="row align-items-center align-content-center">
                    <div class="col-12 col-md-6 <?=$d->order_one;?> d-flex">
                        name;?>" class="img-fluid d-block">
                    </div>
                    <div class="col-12 col-md-6 ik-color-red <?=$d->order_two;?>">
                        <h3><?=$d->name;?></h3>
                        <p><?=$d->description;?></p>
                    </div>
                </div>
            </div>
        <?php endforeach;?>
    </section>

</main>
```

```
<!-- Start Footer -->
<?php
    include("assets/includes/footer.php");
?>
<!-- End -->

<!-- Bootstrap JS -->
<script src=
"https://cdn.jsdelivr.net/npm/jquery@3.5.1/dist/jquery.slim.min.js"
    integrity=
"sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
    crossorigin="anonymous"></script>
<script src=
"https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/js/bootstrap.bundle.min.js"

    integrity=
"sha384-fQybjgWLrvvRgtW6bFlB7jaZrFsaBXjsOMm/tB9LTS58ONXgqbR9W8oWht/amnpF"
    crossorigin="anonymous"></script>
<!-- End -->
<!-- Jquery -->
<script src="https://code.jquery.com/jquery-3.6.0.js"
    integrity="sha256-H+K7U5CnXl1h5ywQfKtSj8PCmoN9aaq30gDh27Xc0jk="
    crossorigin="anonymous"></script>
<!-- End -->
<!-- my JS -->
<script type="text/javascript" src="assets/js/main.js"></script>
<!-- End -->
</body>
</html>
```

```

<main>
    <div class="container py-4">
        <div class="row">
            <div class="col-12 text-center">
                <h2>SHOP</h2>
            </div>
        </div>
        <div class="container py-5">
            <div class="row">
                <div class="col-md-3 col-12">
                    <div class="row">
                        <div class="col-12 col-sm-6 col-md-12 mt-2">
                            <h3>Brand type</h3>
                            <li class="list-group-item" id="ik-brands-list">
                                <select name="ddlBrands" id="ddlBrands" class=
"form-control">
                                    <option value="0">Choose Brand</option>
                                    <?php $data = selectAll("brands");
                                    foreach($data as $d):?>
                                        <option value="<?= $d->brand_id?>"><?= $d->
brand_name?></option>
                                    <?php endforeach;?>
                                </select>
                            </li>
                        </div>
                        <div class="col-12 col-sm-6 col-md-12 mt-2">
                            <h3>Sort type</h3>
                            <li class="list-group-item">
                                <select name="ddlSort" id="ddlSort" class=
"form-control">
                                    <option value="0">Choose sort type</option>
                                <?php $data = selectAll("sort");
                                foreach($data as $d):?>
                                    <option value="<?= $d->value?>"><?= $d-
>name?></option>
                                    <?php endforeach;?>
                                </select>
                            </li>
                        </div>
                        <div class="col-12 col-sm-6 col-md-12 mt-2">
                            <ul class="list-group" id="ik-category-list">
                                <li class=
"list-group-item-dark list-group-item rounded-0">Category</li>
                                <?php $data = selectAll("categories");
                                foreach($data as $d):?>
                                    <li class="list-group-item rounded-0">
                                        <input type="checkbox" name="category"
value="<?= $d->category_id?>" class="categories" /><?= $d->category_name?></li>
                                    <?php endforeach; ?>
                            </ul>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```
<div class="col-12 col-sm-6 col-md-12 mt-2">
    <ul class="list-group" id="ik-size-list">
        <li class=
"list-group-item-dark list-group-item rounded-0">Sizes</li>
            <?php $data = selectAll("sizes");
foreach($data as $d):?>
            <li class="list-group-item rounded-0">
                <input type="checkbox" name="size" value="
<?=$d->size_id?>" class="sizes" /><?=$d->size_name?>'</li>
            <?php endforeach; ?>
        </ul>

    </div>
    <div class="col-12 d-flex justify-content-end">
        <input type="button" value="Apply filter" class=
"btn btn-primary" name="filterBtn" id="btn-filter">
    </div>

</div>
<div class="col-md-9 col-12">

    <?php

    ?>
    <div class="row ik-products-div">

        </div>
        <div class="row">
            <div class="col-12">
                <nav aria-label="Page navigation example">
                    <?php
                        $num = numberProd();
                        $numpages = ceil($num->num/6);
                    ?>

                    <ul class="pagination" id="ik-pagin">
                        <?php for($i=0; $i<$numpages; $i++):?>
                        <li class="page-item"><a class=
"page-link ik-page" data-limit ="<?=$i?>" href="#"><?=( $i+1)?></a></li>
                        <?php endfor; ?>
                    </ul>
                </nav>
            </div>
        </div>
    </div>
</div>
</main>
<!-- End main -->
```

## aboutus.php

```
<main>
    <div class="container py-5">
        <div class="row">
            <div class="col-12">
                <p>
                    The Tire Store was founded in 1978. Current owners Dave
                    and Nick purchased the business in 1989 and have been running
                    the operation since. There are three The Tire Store locations
                    today, two of which have been in the same spot for the last 3
                    0
                    years. The first location is at 43923 N. Sierra Highway Lanca
                    ster,
                    California. The second is at 21011 Santa Barbra Drive Tehach
                    api, CA.
                    The third shop is at 1816 Rosamond Blvd. Rosamond, CA.
                    It's our mission to get customers in and out of the shop as qu
                    ickly as
                    possible, while keeping prices as low as possible. Contact us
                    online for more
                    information. Prices are born at The Tire Store, but they are
                    raised elsewhere!
                    For over 30 years, customers who live or work in the commun
                    ities of Tehachapi, Lancaster
                    and Palmdale, California have been receiving great automotive
                    service. Now, we offer a ti
                    re size finder on our website, for customers to use from the
                    convenience of home. By ente
                    ring the make, model and year of a vehicle, customers are tak
                    en to a world of brand name t
                    ires that are perfect for their vehicle. New tire sales are n
                    ot all we do at The Tire Store
                    . We offer tire rotations, low profile installations, flat re
                    pairs and computerized spin bal
                    ancing.
                </p>
            </div>
        </div>
    </div>
</main>
```

## contact.php

```
<main>

    <div class="container py-5">
        <div class="row">
            <div class="col-12">
                <form action="">
                    <div class="form-row">
                        <div class="col-12 mb-4">
                            <h2><span class="ik-color-blue">Fill</span>
                                out <span class="ik-color-blue">the</span> form <span class="ik-color-blue">
                                and</span> stay <span class="ik-color-blue">in</span> touch <span class=
                                "ik-color-blue">with</span> us</h2>
                        </div>
                    </div>
                    <div class="form-row">
                        <div class="form-group col-12 col-sm-6">
                            <label for="">First Name:</label>
                            <div class="d-flex align-items-center">
                                <input type="text" name="tbName" id=
                                "tbName" placeholder="Example(John)" class="form-control rounded-0"/>
                            </div>
                        </div>
                        <div class="form-group col-12 col-sm-6">
                            <label for="">Last Name:</label>
                            <div class="d-flex align-items-center">
                                <input type="text" name="tbLast" id=
                                "tbLast" placeholder="Example(James)" class="form-control rounded-0"/>
                            </div>
                        </div>
                    <div class="form-row">
                        <div class="col-12 form-group">
                            <label for="">Email:</label>
                            <div class="d-flex align-items-center">
                                <input type="email" name="tbMail" id=
                                "tbMail" placeholder="example@gmail.com" class="form-control rounded-0"/>
                            </div>
                        </div>
                    <div class="form-row">
                        <div class="col-12 form-group">
                            <label for="">Message:</label>
                            <div class="d-flex align-items-center">
                                <textarea name="tbMessage" id="tbMessage"
                                rows="10" placeholder="Ask question/Write comment(Min length 6 characters)" class="form-control rounded-0"></textarea>
                            </div>
                        </div>
                    <div class="form-row">
                        <div class=
                        "col-12 form-group d-flex justify-content-end">
                            <input type="button" value="Contact Us" id=
                            "btnCus" class="btn btn-primary">
                        </div>
                    </div>
                </form>
            </div>
        </div>
    </div>
</main>
```

## Author.php

```
<main>
    <div class="container py-5">
        <div class="row">
            <div class="col-12 col-md-6">
                
            </div>
            <div class="col-12 col-md-6">
                <h3 class="text-capitalize mb-5">About author</h3>
                <p>First name: Ignjat</p>
                <p>Last name: Koički</p>
                <p>Index: 220/21</p>
                <p>
                    Biography: I was born on January 26, 1997 in Novi Sad. Elementary school and
                    and high school I finished in Belgrade. I'm attending
                    ICT college now.
                </p>
                <ul id="ik-about-ul">
                    <li><a href=
                    "https://www.linkedin.com/in/ignjat-koicki-687378221/">
                        <i class="fab fa-linkedin"></i> Linkedin profil</a>
                    </li>
                    <li><i class="fas fa-phone"></i> +381601110387</li>
                    <li><i class="fas fa-map-marker-alt"></i>
                    Nede Spasojević 4/9,
                    Beograd, Srbija</li>
                </ul>
            </div>
        </div>
    </div>
</main>
```

## Includes

### head.php

```
<meta charset="UTF-8"/>
<meta http-equiv="X-UA-Compatible" content="IE=edge"/>
<meta name="viewport" content="width=device-width, initial-scale=1.0"/>
<title>Tire Store</title>
<!-- Bootstrap CSS -->
<link rel="stylesheet"
      href=
      "https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/css/bootstrap.min.css"
      integrity=
      "sha384-zCbKRCUGaJDkqS1kPbPd7TveP5iyJE0EjAuZQTgFLD2ylzuqKfdKlfG/eSrtxUkn"
      crossorigin="anonymous"/>
<!--End -->

<!-- AOS -->
<link href="https://unpkg.com/aos@2.3.1/dist-aos.css" rel="stylesheet">
<script src="https://unpkg.com/aos@2.3.1/dist-aos.js"></script>
<!-- End -->

<!-- Font Awesome -->
<link rel="stylesheet" href="assets/css/all.min.css"/>
<!-- end -->

<!-- My CSS -->
<link rel="stylesheet" href="assets/css/style.css" type="text/css"/>
<!--End -->

<!-- My responsive -->
<link rel="stylesheet" href="assets/css/responsive.css" type="text/css"/>
<!-- End -->
```

## header.php

```

<?php
    session_start();
    require_once("assets/models/functions.php");
?>
<header>
    <div id="header-first" class="ik-bg-black">
        <div class="container">
            <div class="row">
                <div class=
"col-12 col-md-4 d-flex align-items-center justify-content-end">
                    <input type="search" name="header-search" id="header-search"
placeholder="Search...." class="form-control rounded-0"/>
                    <a href="#" class="ik-search-btn"><i class="fas fa-search"></i></a>
                >
                </div>
                <div class="col-3 col-md-2 d-flex align-items-center">
                    <ul class="d-flex align-items-center justify-content-center">
                        <li><a href="facebook.com"><i class="fab fa-facebook"></i></a>
</li>
                        <li><a href="twitter.com"><i class="fab fa-twitter"></i></a></li>
                        <li><a href="instagram.com"><i class="fab fa-instagram"></i></a></li>
                    </ul>
                </div>
                <div class=
"col-9 col-md-6 ik-lr-div d-flex ik-color-white align-items-center justify-content-end">
                    <?php if(isset($_SESSION["role"]) && $_SESSION["role"] == "admin"
):?>
                        <a href="panelAdd.php" class="ik-color-white">Admin Panel</a>
                    <?php endif;?>
                    <?php if(!isset($_SESSION["user"])):?>
                        <a href="#" id="ik-login-btn" class="ik-color-white">Login</a>
/
                    <?php endif;?>
                    <?php if(isset($_SESSION["user"]) && ($_SESSION["role"]=="admin" ||
$_SESSION["role"]=="user")):?>
                        <a href="logOut.php" class="ik-color-white">Log Out</a>
                    <?php endif;?>
                    <?php
                        if(isset($_SESSION["userId"])){
                            $x = $_SESSION["userId"];
                        }else{
                            $x=1;
                        }
                        global $conn;
                        $sql="SELECT COUNT(*) as `num` FROM user_poll Where user_id =
$x";
                        $select = $conn->query($sql)->fetch();
                        $y = $select->num;
                        if($y==0):?>
                            <a href="poll.php" class="ik-color-white">Poll</a>
                        <?php endif;?>
                        <a href="#" id="ik-register-btn" class="ik-color-white"> Register
</a>
                    </div>
                </div>
            </div>
        </div>
    </div>
</header>

```

## Cover.php

```
<section id="ik-cover" style="background-image: url('<?= $headerImage ?>');">
    <div class="container d-flex align-items-center ik-cover-container">
        <div class="row">
            <div class="col-12 ml-3 ik-cover-div ik-bg-white">
                <h2 class="ik-color-black"><?= $coverText ?></h2>
            </div>
        </div>
    </div>
</section>
```

## modal.php

```
<div class="ik-contact-modal py-4 px-4">
    <div class="container-fluid">
        <div class="row">
            <div class="col-12 d-flex justify-content-end">
                <a href="#" class="ik-contact-modal-close"><i class="far fa-times-circle"></i></a>
            </div>
            <div class="col-12">
                <h2 id="contact-response"></h2>
            </div>
        </div>
    </div>
</div>
```

## login.php

```
<section id="ik-login" class="ik-lr-modal ik-bg-white shadow">
    <div class="col-12 mb-4">
        <div class="ik-login-header d-flex justify-content-between">
            <h2 class="ik-color-blue">My account</h2>
            <a href="#" class="ik-login-btn-close"><i class="far fa-times-circle"></i></a>
        </div>
        <form action="">
            <div class="form-group col-12">
                <label for="">Username: </label>
                <div class="d-flex align-items-center">
                    <input type="text" name="tbUsername" id="tbUsername" class="form-control rounded-0"/>
                </div>
            </div>
            <div class="form-group col-12">
                <label for="">Password: </label>
                <div class="d-flex align-items-center">
                    <input type="password" name="tbpass" id="tbpass" class="form-control rounded-0"/>
                </div>
            </div>
            <div class="form-group col-12">
                <input type="button" value="Log In" id="btnLogin" class="btn btn-primary">
            </div>
        </form>
    </div>
</section>
```

## register.php

```
<section id="ik-register" class="ik-lr-modal ik-bg-white shadow">
    <div class="col-12 mb-4">
        <div class="ik-login-header d-flex justify-content-between">
            <h2 class="ik-color-blue">Register</h2>
            <a href="#" class="ik-login-btn-close"><i class="far fa-times-circle"></i></a>
        </div>
        <form action="">
            <div class="col-12">
                <label for="">First Name: </label>
                <div class="d-flex align-items-center">
                    <input type="text" name="tbname" id="tbname" placeholder="Example(John)" class="form-control rounded-0"/>
                </div>
            </div>
            <div class="col-12">
                <label for="">Last Name: </label>
                <div class="d-flex align-items-center">
                    <input type="text" name="tblast" id="tblast" placeholder="Example(James)" class="form-control rounded-0"/>
                </div>
            </div>
            <div class="form-group col-12">
                <label for="">Username: </label>
                <div class="d-flex align-items-center">
                    <input type="text" name="tbUserName" id="tbUserName" placeholder="Example(johanjames78)" class="form-control rounded-0"/>
                </div>
            </div>
        </form>
    </div>
</section>
```

```
<div class="form-group col-12">
    <label for="">Email: </label>
    <div class="d-flex align-items-center">
        <input type="email" name="tbmail" id="tbmail" placeholder="Example(example@gmail.com)" class="form-control rounded-0"/>
    </div>
</div>
<div class="form-group col-12">
    <label for="">Address: </label>
    <div class="d-flex align-items-center">
        <input type="email" name="tbAddress" id="tbAddress" placeholder="Example(Example Street 18)" class="form-control rounded-0"/>
    </div>
</div>
<div class="form-group col-12">
    <label for="">Password: </label>
    <div class="d-flex align-items-center">
        <input type="password" name="tbPass" id="tbPass" placeholder="Example(At least 8 caraters up to 20)" class="form-control rounded-0"/>
    </div>
</div>
<div class="form-group col-12">
    <label for="">Confirm Password: </label>
    <div class="d-flex align-items-center">
        <input type="password" name="tbCon" id="tbCon" placeholder="Must be same like password" class="form-control rounded-0"/>
    </div>
</div>
<div class="col-12">
    <h4>You need to activate your email!</h4>
</div>
<div class="form-group col-12">
    <input type="button" value="Register" id="btnRegister" class="btn btn-primary">
</div>
</form>
</section>
```

## footer.php

```
<?php
    require_once("assets/models/functions.php");
?>
<footer>
    <div class="footer-first ik-bg-grey ik-color-white py-5">
        <div class="container">
            <div class="row">
                <div class="col-12 col-md-6 d-flex align-items-start mb-3">
                    
                    <h1 class="ik-color-white mt-2 ml-2">TireStore</h1>
                </div>
                <div class="col-6 col-md-3">
                    <h3>Links</h3>
                    <ul>
                        <?php $data = selectAll("navigation");
                            foreach($data as $r):?>
                            <li><a href=<?= $r->href ?>><?= $r->name ?></a></li>
                        <?php endforeach;?>
                    </ul>
                </div>
                <div class="col-6 col-md-3">
                    <h3>Find Us</h3>
                    <ul>
                        <li><a href="sitemap.html">SiteMap</a></li>
                        <li><a href="documentacion.pdf">Documentacion</a></li>
                        <li><a href="author.php">Author</a></li>
                    </ul>
                </div>
            </div>
        </div class="footer-second ik-bg-black py-3">
            <div class="container">
                <div class="row">
                    <div class="col-12 ik-color-white">
                        Ignjat Koicki 2022
                    </div>
                </div>
            </div>
        </div>
    </footer>
```

## Config

## connection.php

```
<?php

define("SERVER", "localhost");
define("DATABASE", "tire_store");
define("USERNAME", "root");
define("PASSWORD", "");
try {
    $conn = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8",
    USERNAME, PASSWORD);

    $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);

    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $ex){
    echo $ex->getMessage();
}
```

## Functions

### functions.php

```
<?php
include("assets/config/connection.php");

function selectAll($x){
    global $conn;
    $sql = "SELECT * FROM $x";
    $data = $conn->query($sql)->fetchAll();
    return $data;
}

function selectAllUsers(){
    global $conn;
    $sql = "SELECT * FROM users u JOIN roles r ON u.role_id=r.role_id";
    $data = $conn->query($sql)->fetchAll();
    return $data;
}

function selectAllProducts($l){
    global $conn;

    $limit = $l *6;
    $sql = "SELECT * FROM products LIMIT $limit, 6";
    $data = $conn->query($sql)->fetchAll();
    return $data;
}
```

```
functionselectAllProducts1($l=0){  
    global $conn;  
    $limit = (int)$l *6;  
    $sql = "SELECT * FROM products LIMIT :limit, :offset";  
    $select = $conn->prepare($sql);  
    $offset = 6;  
    $select->bindParam(":limit", $limit, PDO::PARAM_INT);  
    $select->bindParam(":offset", $offset, PDO::PARAM_INT);  
  
    $select->execute();  
  
    $data = $select->fetchAll();  
    return $data;  
}  
function deleteProd($id){  
    global $conn;  
    $sql = "DELETE FROM products WHERE prod_id= :id";  
  
    $delete = $conn->prepare($sql);  
    $delete->bindParam(":id", $id);  
  
    $result = $delete->execute();  
}
```

```
function deleteBCS($id, $x, $c){
    global $conn;
    $sql = "DELETE FROM $x WHERE $c = :id";
    $delete = $conn->prepare($sql);
    $delete->bindParam(":id", $id);

    $result = $delete->execute();

}

function insertContactMessage($first,$last,$email,$message){
    global $conn;
    $sql = "INSERT INTO contact_messages(first_name, last_name, email, message_text)
VALUES
(:firstN, :lastN, :mail, :mess)";

$insert = $conn->prepare($sql);
$insert->bindParam(":firstN", $first);
$insert->bindParam(":lastN", $last);
$insert->bindParam(":mail", $email);
$insert->bindParam(":mess", $message);

$result = $insert->execute();

return $result;
}
```

```
function insertUser($first,$last,$user,$email,$adress,$pass){  
    global $conn;  
    $sql = "INSERT INTO users(username, password  
, first_name, last_name, adress, email, role_id)  
VALUES(:u, :p, :f, :l, :a, :e, :r)";  
    $role = 2;  
  
    $insert = $conn->prepare($sql);  
    $insert->bindParam(":u", $user);  
    $insert->bindParam(":p", $pass);  
    $insert->bindParam(":f", $first);  
    $insert->bindParam(":l", $last);  
    $insert->bindParam(":a", $adress);  
    $insert->bindParam(":e", $email);  
    $insert->bindParam(":r", $role);  
  
    $result = $insert->execute();  
    return $result;  
}  
function insertCategory($x, $y, $z){  
    global $conn;  
    $sql = "INSERT INTO $y($z)  
VALUES(:x)";  
  
    $insert = $conn->prepare($sql);  
    $insert->bindParam(":x",$x);  
  
    $result = $insert->execute();  
    return $result;  
}
```

```
function updateCategory($id, $value, $table, $name, $i){  
    global $conn;  
    $sql = "UPDATE $table  
    SET $name = :v  
    WHERE $i = :x";  
  
    $update = $conn->prepare($sql);  
    $update->bindParam(":v", $value);  
    $update->bindParam(":x", $id);  
  
    $result = $update->execute();  
    return $result;  
}  
  
function checkUser($username, $password){  
    global $conn;  
    $sql = "SELECT * FROM users u JOIN roles r ON u.role_id = r.role_id  
    WHERE u.username = :u AND u.password = :p";  
    $select = $conn->prepare($sql);  
    $select->bindParam(":u", $username);  
    $select->bindParam(":p", $password);  
  
    $select->execute();  
    $result = $select->fetch();  
    return $result;  
}
```

```
function filterItems($brandId, $sortId, $categoryId, $sizeId){
    global $conn;
    $cate = "";
    $size = "";
    $s = "";
    $c = "";
    if($brandId == 0){
        $brand = "WHERE p.brand_id IN ('1','2','3','4','5','6')";
    }else{
        $brand = "WHERE p.brand_id = $brandId";
    }
    if($sortId == 0){
        $sortId = "";
    }
    if($sortId == "priceAsc"){
        $sortId = "ORDER BY prod_price_new ASC";
    }
    if($sortId == "priceDesc"){
        $sortId = "ORDER BY prod_price_new DESC";
    }
    if($sortId == "letterAsc"){
        $sortId = "ORDER BY prod_name ASC";
    }
    if($sortId == "letterDesc"){
        $sortId = "ORDER BY prod_name DESC";
    }
    if($categoryId == NULL){
        $cate = "AND p.category_id IN ('1','2','3') ";
    }else{
        foreach($categoryId as $key => $cat){
            if(count($categoryId)==1){
                $cate = "AND p.category_id = $cat";
            }else{
                $cate = "AND p.category_id IN(";
                $c .= $cat;
                if(count($categoryId)>$key+1){
                    $c.=", ";
                }
                $cate = $cate . $c . ")";
            }
        }
    }
}
```

```
if($sizeId == NULL){
    $size = "AND p.size_id IN ('1','2','3','4','5')";
}else{
    foreach($sizeId as $key => $siz){
        if(count($sizeId)==1){
            $size = "AND p.size_id = $siz";
        }else{
            $size = "AND p.size_id IN(";
            $s .= $siz;
            if(count($sizeId)>$key+1){
                $s.=", ";
            }
            $size = $size . $s . ")";
        }
    }
}
$sql = "SELECT * FROM products p JOIN brands b ON p.brand_id = b.brand_id
JOIN categories c ON p.category_id = c.category_id JOIN sizes s ON p.size_id =
s.size_id
$brand $cate $size $sortId";

$data = $conn->query($sql)->fetchAll();
return $data;

}

function numberProd(){
    global $conn;

    $sql = "SELECT COUNT(*) as num FROM products";

    $result = $conn->query($sql)->fetch();
    return $result;
}
```

## cart.php

```
<div id="ik-modal">

</div>
<main>
    <div class="container py-5">
        <div class="row">
            <div class="col-12">
                <?php if(!empty($_SESSION["cart"])):?>
                <table class="table">
                    <thead class="thead-dark">
                        <tr>
                            <th scope="col">Name</th>
                            <th scope="col">Picture</th>
                            <th scope="col">Quantity</th>
                            <th scope="col">Price</th>
                            <th scope="col">Total</th>
                            <th scope="col">Remove</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php $total = 0; foreach($_SESSION["cart"] as $key => $value
):
                            $x=[];
                            array_push($x, $value[ "Id"]);
                        ?>
                        <tr>
                            <th><?=$value[ "Name"]?></th>
                            <td><img src=<?=$value[ "Img"]?>" width="100" height="100"
                                alt="<?=$value[ "Name"]?>"/></td>
                            <td><input type="number" min="0" max="10" onchange='subTotal()
                                ' id="ik-quantity" value=<?=$value[ "Quantity"]?>"/></td>
                            <td><?=$value[ "Price"]?><input type="hidden" value=<?=$value[
                                "Price"]?>" id="ik-price"/></td>
                            <td><p class="ik-total-item"><?=$value[ "Price"]?></p></td>
```

```
<td>
    <form action="manageCart.php" method="POST">
        <button name="removeBtnCart" class=
"btn btn-danger btn-sm">Remove</button>
        <input type="hidden" name="remItem" value=<?=$value[
"Name"]?>" />
    </form>
</td>
</tr>
<?php $total = $total + $value["Price"]; endforeach;
?>
</tbody>
</table>
<div class="col-12 d-flex justify-content-end">
    <h4> Total: $ <span id="ik-tot"><?= $total?></span> </h4>
    <form action="insertCart.php" method="POST">
        <button class="ml-2 btn btn-primary rounded-0" name=
"buyBtnCart" id="buyBtnCart">Buy</button>
    </form>
</div>
</div>
<?php else:>
    <h2>Your cart is empty!</h2>
<?php endif;>
</div>
</div>
</main>
```

## managecart.php

```
<?php
session_start();
if($_SERVER["REQUEST_METHOD"]=="POST"){
    if(isset($_POST["btn"])){
        if(isset($_SESSION["user"])){
            if(isset($_SESSION["cart"])){
                $myitems = array_column($_SESSION["cart"], "Name");
                if(in_array($_POST["name"], $myitems)){
                    echo "<script>alert('Item already added!')\nwindow.location.href='shop.php'</script>";
                }
                else{
                    $count = count($_SESSION["cart"]);
                    $_SESSION["cart"][$count] = array("Name"=>$_POST["name"], "Id"=>$_POST["idd"], "Price"=>$_POST["price"], "Img"=>$_POST["img"], "Quantity"=> 1);
                    echo "<script>alert('Item added!')\nwindow.location.href='shop.php'</script>";
                }
            }
            else{
                $_SESSION["cart"][0] = array("Name"=>$_POST["name"], "Price"=>$_POST["price"], "Id"=>$_POST["idd"], "Img"=>$_POST["img"], "Quantity"=> 1);
                echo "<script>alert('Item added!')\nwindow.location.href='shop.php'</script>";
            }
        }
        else{
            echo "<script>alert('You need to log in!')\nwindow.location.href='shop.php'</script>";
        }
    }
    if(isset($_POST["removeBtnCart"])){
        foreach($_SESSION["cart"] as $key=>$value){
            if($value["Name"] == $_POST["remItem"]){
                unset($_SESSION["cart"][$key]);
                $_SESSION["cart"] = array_values($_SESSION["cart"]);
                echo"<script>\n    window.location.href='cart.php'\n</script>";
            }
        }
    }
    else{
        header("Location: 404.php");
    }
}
```

## insertcart.php

```
<?php
header("Content-type: application/json");
include("assets/models/functions.php");
session_start();
if($_SERVER["REQUEST_METHOD"]=="POST"){
    if(isset($_POST["buyBtnCart"])){
        $userId = $_SESSION["userId"];
        $prodIds = [];
        $prodQu = [];
        foreach($_SESSION["cart"] as $key=>$value){
            array_push($prodIds, $value["Id"]);
            array_push($prodQu, $value["Quantity"]);
        }
        $count = count($_SESSION["cart"]);

        for($i=0; $i<$count;$i++){
            global $conn;
            $sql = "INSERT INTO ik_cart (user_id, prod_id, quantity)
VALUES(:u,:p,:q)";
            $insert = $conn->prepare($sql);
            $insert->bindParam(":u", $userId);
            $insert->bindParam(":p", $prodIds[$i]);
            $insert->bindParam(":q", $prodQu[$i]);

            $x = $insert->execute();
            $y = $i+1;
        }
        echo "You successfully add $count. items";
    }else{header("Location: 404.php");}
}
?>
```

## panelAdd.php

```
<?php if(isset($_SESSION["user"])&&$_SESSION["role"]=="admin")?:>
<main>
    <div class="container">
        <div class="row">
            <div class="col-12 py-4 text-center">
                <h2>Users</h2>
            </div>
        </div>
        <div class="container">
            <div class="row">
                <div class="col-12">
                    <table class="table table-dark">
                        <thead>
                            <tr>
                                <th>First</th>
                                <th>Last</th>
                                <th>Username</th>
                                <th>Role</th>
                            </tr>
                        </thead>
                        <tbody>
                            <?php $result = selectAllUsers();
                                foreach($result as $r):?>
                            <tr>
                                <td><?=$r->first_name; ?></td>
                                <td><?=$r->last_name; ?></td>
                                <td><?=$r->username; ?></td>
                                <td><?=$r->role_name; ?></td>
                            </tr>
                            <?php endforeach;?>
                        </tbody>
                    </table>
                </div>
            </div>
        </div>
    </div>
```

```
<div id="ik-edit-modal" class="py-3 px-3">
    <div class="d-flex justify-content-between">
        <h3>Edit</h3>
        <a href="#" class="ik-edit-modal-close ik-color-red"><i class="far fa-times-circle"></i></a>
    </div>
    <input type="text" name="ik-catt-edit" id="ik-catt-edit" class="form-control" />
    <a href="#" class="btn btn-primary float-right mt-3" id="ik-btn-edit-cat">Edit</a>
</div>
<div id="ik-edit-prod-modal">
    <div class="col-12 mb-4">
        <div class="ik-login-header d-flex justify-content-between">
            <h2 class="ik-color-blue">Product</h2>
            <a href="#" class="ik-edit-modal-btn-close"><i class="far fa-times-circle"></i></a>
        </div>
    </div>
    <form>
        <div class="form-group col-12">
            <label for="">Product Name </label>
            <div class="d-flex align-items-center">
                <input type="text" name="tbProdName" id="tbProdName" placeholder="" class="form-control rounded-0"/>
            </div>
        </div>
        <div class="form-group col-12">
            <label for="">Product image description</label>
            <div class="d-flex align-items-center">
                <input type="text" name="tbImgAlt" id="tbImgAlt" placeholder="" class="form-control rounded-0"/>
            </div>
        </div>
    </form>

```

```
<div class="form-group col-12">
    <label for="">Product Description</label>
    <textarea name="prodDes" id="prodDes" class="form-control" cols="30" rows="10"></textarea>
</div>
<div class="form-group col-12">
    <label for="">Product Price New: </label>
    <input type="text" name="prodPN" id="prodPN" class="form-control"/>
</div>
<div class="form-group col-12">
    <label for="">Product Price Old: </label>
    <input type="text" name="prodPO" id="prodPO" class="form-control"/>
</div>

<div class="form-group col-12">
    <input type="button" value="OK" name="btnEditProd" id="btnEditProd" class="btn btn-primary">
</div>
</form>
</div>
```

```
<div class="container py-5">
    <div class="row">
        <div class="col-md-3 col-12">
            <div class="row">

                <div class="col-12 col-md-12 mt-2 ik-border">
                    <h3>Choose Brand</h3>
                    <select name="panBrand" id="panBrand" class=
"form-control mb-3">
                        <option value="0">Choose Brand</option>
                        <?php $data = selectAll("brands");
foreach($data as $d):?>
                            <option value="<?= $d->brand_id?>"><?=$d->brand_name?>
                    </option>
                    <?php endforeach;?>
                </select>
                <div class="col-12 d-flex justify-content-end mb-2">
                    <a href="#" class=
"btn btn-primary ik-edit-brand-btn rounded-0 mr-2 mb-1">Edit</a>
                    <a href="#" class=
"btn btn-danger ik-delete-brand-btn rounded-0 mb-1">Delete</a>
                </div>
                <input type="text" name="addBrand" id="addBrand" placeholder=
"Type here brand name" class="form-control mb-2">
                    <a href="#" class=
"btn btn-primary ik-add-brand-btn float-right mr-3 rounded-0 mb-2">Add</a>
                </div>
                <div class="col-12 col-md-12 mt-2 ik-border">
                    <h3>Choose Category</h3>
                    <select name="panCat" id="panCat" class="form-control mb-3">
                        <option value="0">Choose Category</option>
                        <?php $data = selectAll("categories");
foreach($data as $d):?>
                            <option value="<?= $d->category_id?>"><?=$d->
category_name?></option>
                        <?php endforeach;?>
                    </select>
                    <div class="col-12 d-flex justify-content-end">
                        <a href="#" class=
"btn btn-primary ik-edit-cat-btn rounded-0 mr-2 mb-1">Edit</a>
                        <a href="#" class=
"btn btn-danger ik-delete-cat-btn rounded-0 mb-1">Delete</a>
                    </div>
                    <input type="text" name="addCat" id="addCat" placeholder=
"Type here category name" class="form-control mb-2">
                        <a href="#" class=
"btn btn-primary ik-add-cat-btn float-right mr-3 rounded-0 mb-2">Add</a>
                    </div>
```

```
<div class="col-12 col-md-12 mt-2 ik-border">
    <h3>Choose Size</h3>
    <select name="panSize" id="panSize" class="form-control mb-3">
        <option value="0">Choose Size</option>
        <?php $data = selectAll("sizes");
        foreach($data as $d):?>
            <option value="<?= $d->size_id?>"><?=$d->size_name?></
        option>
        <?php endforeach;?>
    </select>
    <div class="col-12 d-flex justify-content-end">
        <a href="#" class=
"btn btn-primary ik-edit-size-btn rounded-0 mr-2 mb-1">Edit</a>
        <a href="#" class=
"btn btn-danger ik-delete-size-btn rounded-0 mb-1">Delete</a>
    </div>
    <input type="text" name="addSize" id="addSize" placeholder=
"Type here size name" class="form-control mb-2">
        <a href="#" class=
"btn btn-primary ik-add-size-btn float-right mr-3 rounded-0 mb-2">Add</a>
    </div>

    </div>
</div>
<div class="col-md-9 col-12">
    <div class="col-12 col-md-12 mt-2 mb-4">
        <a href="#" class=
"btn btn-primary ik-addprod-btn form-control rounded-0">Add new Product</a>
    </div>
```

```
<div class="row ik-products-div">
    <?php $limit = isset($_GET["limit"]) ? $_GET["limit"] : "0";?>
    <?php $result = selectAllProducts($limit);
        foreach($result as $r):?>
            <div class="col-md-4 col-sm-6 col-12 ik-item-div mb-3">
                <div class="ik-item shadow">
                    prepare($sql);
        $insert->bindParam(":n", $name);
        $insert->bindParam(":d", $des);
        $insert->bindParam(":w", $pn);
        $insert->bindParam(":o", $po);
        $insert->bindParam(":a", $alt);

        $result = $insert->execute();

        if($result){
            $response = ["resMessage"=>"You successfully added new product"];
            $status = 200;
        }else{
            $response = ["resMessage"=>
"An error occurred while entering data into the database."];
            $status = 500;
        }
        echo json_encode($response);
        http_response_code($status);

    }else{header("Location: 404.php");}
}
```

## deleteAdminProd.php

```
<?php
    header("Content-type: application/json");
    include("assets/models/functions.php");

    if(isset($_POST["btn"])){
        $id = $_POST["id"];
        $status="";
        $response = "";

        $x = deleteProd($id);

        if(!$x){
            $response = ["resMessage"=>"You deleted product successfully"];
            $status = 200;
        }else{
            $status = 500;
            $response = ["resMessage"=>
"An error occurred while deleting data from the database."];
        }
        echo json_encode($response);
        http_response_code($status);

    }else{
        header("Location: 404.php");
    }
}
```

## editProd.php

```
<?php
    header("Content-type: application/json");
    include("assets/models/functions.php");
    if(isset($_POST["btn"])){
        $id = $_POST["id"];
        $name = $_POST["tbProdName"];
        $alt = $_POST["tbImgAlt"];
        $des = $_POST["prodDes"];
        $pn = $_POST["prodPN"];
        $po = $_POST["prodPO"];
        $status="";
        $response = "";

        global $conn;
        $sql="UPDATE products
        SET prod_name=:n, prod_description=:d, prod_price_new = :w,prod_price_old=:o,
        prod_img_alt=:a
        WHERE prod_id = :i";

        $update = $conn->prepare($sql);
        $update->bindParam(":n", $name);
        $update->bindParam(":d", $des);
        $update->bindParam(":w", $pn);
        $update->bindParam(":o", $po);
        $update->bindParam(":a", $alt);
        $update->bindParam(":i",$id);

        $result = $update->execute();

        if($result){
            $response = ["resMessage"=>"You successfully update product"];
            $status = 200;
        }else{
            $response = ["resMessage"=>
            "An error occurred while entering data into the database."];
            $status = 500;
        }
        echo json_encode($response);
        http_response_code($status);

    }else{header("Location: 404.php");}
}
```

## updateCategories.php

```
<?php
    header("Content-type: application/json");
    include("assets/models/functions.php");

    if(isset($_POST["btn"])){
        $value = $_POST["value"];
        $tableName = $_POST["tableName"];
        $name = $_POST["name"];
        $id = $_POST["id"];
        $i = $_POST["idd"];
        $status="";
        $response = "";

        $updateCat= updateCategory($id ,$value, $tableName, $name, $i);
        if($updateCat){
            $response = ["resMessage"=>"You successfully update $value to $tableName"];
            $status = 200;
        }
        else{
            $response = ["resMessage"=>
                "An error occurred while entering data into the database."];
            $status = 500;
        }
        echo json_encode($response);
        http_response_code($status);

    }else{
        header("Location: 404.php");
    }
}
```

## deleteCategories.php

```
<?php
    header("Content-type: application/json");
    include("assets/models/functions.php");

    if(isset($_POST["btn"])){
        $id = $_POST["id"];
        $tableName = $_POST["nameId"];
        $key = $_POST["key"];
        $status="";
        $response = "";

        $x = deleteBCS($id, $tableName, $key);

        if(!$x){
            $response = ["resMessage"=>"You deleted one of $tableName successfully"];
            $status = 200;
        }else{
            $status = 500;
            $response = ["resMessage"=>
"An error occurred while deleting data from the database."];
        }
        echo json_encode($response);
        http_response_code($status);
    }else{
        header("Location: 404.php");
    }
}
```

## insertCategories.php

```
<?php
    header("Content-type: application/json");
    include("assets/models/functions.php");

    if(isset($_POST["btn"])){
        $value = $_POST["value"];
        $tableName = $_POST["tableName"];
        $name = $_POST["name"];
        $status="";
        $response = "";

        $insertCat= insertCategory($value, $tableName, $name);
        if($insertCat){
            $response = ["resMessage"=>"You successfully add new item to $tableName"];
            $status = 200;
        }
        else{
            $response = ["resMessage"=>
"An error occurred while entering data into the database."];
            $status = 500;
        }
        echo json_encode($response);
        http_response_code($status);

    }else{
        header("Location: 404.php");
    }
}
```

## checkLogin.php

```
<?php
session_start();
header("Content-type: application/json");
include("assets/models/functions.php");
if(isset($_POST["btn"])){
    $error = 0;
    $status = "";
    $response = "";

    $username = $_POST["username"];
    $password = $_POST["password"];

    $userReg = "/^[\w\W]{3,15}$/";
    $passReg = "/^[\w\W]{8,20}$/";

    if(!preg_match($userReg, $username)){
        $error++;
    }
    if(!preg_match($passReg, $password)){
        $error++;
    }
    if($error != 0){
        $status = 422;
        $response = ["resMessage"=>"An error occurred while processing the data."];
    }else{
        $pass = md5($password);

        $user = checkUser($username, $pass);
        $status = 200;
        $response = ["resMessage"=>"You successfully loged in!"];
        if($user){
            $_SESSION["role"] = $user->role_name;
            $_SESSION["user"] = $user;
            $_SESSION["userId"]=$user->user_id;
        }else{
            $response = ["resMessage"=>"Wrong password or username!"];
        }
    }
    echo json_encode($response);
    http_response_code($status);
}

}else{header("Location: 404.php");}
}
```

## checkRegistration.php

```
if($error != 0){
    $status = 422;
    $response = ["resMessage"=>"An error occurred while processing the data."];
}else{
    $pass = md5($password);
    try{
        $username= '██████████';
        $password = '████████';
        $mail = new PHPMailer(true);
        $mail->IsSMTP();
        $mail->Host = "smtp.gmail.com";
        $mail->SMTPDebug = 2;
        $mail->SMTPSecure = 'tls';
        $mail->Port = 587;
        $mail->Username = $username; // GMAIL username
        $mail->Password = $password;
        $mail->setFrom($username, "User Registracion",0);
        $mail->SMTPAuth = true;
        $mail->addAddress($email);
        $mail->isHTML(true);
        $mail->Subject = "Confirm your email";
        $mail->Body =
'Activate your email:<a href="http://localhost/projects/PHP1-sajt/verification.php?first='
.'$first.'&last='.$last.'&user='.$user.'&email='.$email.'&adr='.$adress.'&pass='.$pass.
'">Confirm</a>';
        $mail->send();
        if($mail){
            $response = ["resMessage"=>"Please activate your email"];
            $status = 200;
        }
        }catch(Exception $e){
            $response = ["resMessage"=>"Message could not be sent"];
            $status = 500;
        }
    }

    echo json_encode($response);
    http_response_code($status);
}

else{header("Location: 404.php");}
}
```

## verification.php

```
<?php
    header("Content-type: application/json");
    include("assets/models/functions.php");

    if($_GET){
        $f = $_GET["first"];
        $l = $_GET["last"];
        $a = $_GET["adr"];
        $u = $_GET["user"];
        $e = $_GET["email"];
        $p = $_GET["pass"];

        $x = insertUser($f,$l,$u,$e,$a,$p);

        if($x){
            echo "You successfully registered!";
        }else{
            echo "Please try to register again!";
        }
    }
}
```

## poll.php

```
<main>
    <div class="container py-5">
        <div class="row">
            <?php
                $x = selectAll("poll_questions");
                foreach($x as $y):?>
                    <div class="col-12 col-md-6">
                        <input type="hidden" name="<?= $y->name?>" value="<?=$y->id?>"/>
                        <h3><?= $y->name?></h3>
                        <?php
                            global $conn;
                            $sql = "Select * from poll_choices where question_id = $y->id";
                            $z = $conn->query($sql)->fetchAll();
                            foreach($z as $c):?>
                                <form action="insertPoll.php" method="post">
                                    <div class="form-check">
                                        <input class="form-check-input" type="radio" name="<?=$y->id?>
" id="<?=$c->name?>" value="<?=$c->choice_id?>"/>
                                        <label class="form-check-label" for="exampleRadios1">
                                            <?= $c->name?>
                                        </label>
                                    </div>

                                    <?php endforeach;?>
                                </div>
                                <?php endforeach; ?>

                                <div class="col-12 d-flex justify-content-end">
                                    <input type="submit" value="Submit Poll" name="pollBtn" class=
"btn btn-primary">
                                </div>
                            </div>
                        </form>
                    </div>
                </div>
            </main>
```

## insertPoll.php

```
<?php
session_start();
include("assets/models/functions.php");
if($_SERVER["REQUEST_METHOD"]=="POST"){
    if(isset($_POST["pollBtn"])){
        $x = $_POST["3"];
        $y= $_POST["4"];
        $id = $_SESSION["userId"];

        global $conn;
        $sql = "INSERT INTO user_poll (choice_id, user_id)
VALUES(:x,:u)";

        $insert = $conn->prepare($sql);
        $insert->bindParam(":x", $x);
        $insert->bindParam(":u", $id);

        $insert->execute();

        $sql1 = "INSERT INTO user_poll (choice_id, user_id)
VALUES(:y,:u)";

        $insert1 = $conn->prepare($sql1);
        $insert1->bindParam(":y", $y);
        $insert1->bindParam(":u", $id);

        $insert1->execute();
        echo "<script>
                window.location.href='shop.php'</script>";

    }else{
        header("Location: 404.php");
    }
}
else{header("Location: 404.php");}
```

## pcontact.php

```
<?php
    header("Content-type: application/json");
    include("assets/models/functions.php");
    if(isset($_POST["btn"])){
        $error = 0;
        $status = "";
        $response = "";
        $first = $_POST["fName"];
        $firstRegEx = "/^[\A-Z][a-z]{2,15}(\s[A-Z][a-z]{2,15})?$/";
        $last = $_POST["lName"];
        $lastRegEx = "/^[\A-Z][a-z]{2,15}(\s[A-Z][a-z]{2,15})?$/";
        $email = $_POST["cEmail"];
        $emailRegEx = "/^[\A-z][\w\.\-\+]@\[\A-z0-9]{2,15}(\.[\A-z]{2,4}){1,2}\$/";
        $message = $_POST["message"];
        if(!preg_match($firstRegEx, $first)){
            $error++;
        }
        if(!preg_match($lastRegEx, $last)){
            $error++;
        }
        if(!preg_match($emailRegEx, $email)){
            $error++;
        }
        if(strlen($message)<=5){
            $error++;
        }
    }
}
```

```
\

if($error != 0){
    $response = ["resMessage"=>"An error occurred while processing the data."];
    $status = 422;
} else{
    $insertMessage = insertContactMessage($first,$last,$email,$message);
    if($insertMessage){
        $response = ["resMessage"=>"Message is sent successfully."];
        $status = 200;
    }
    else{
        $response = ["resMessage"=>
"An error occurred while entering data into the database."];
        $status = 500;
    }
}
echo json_encode($response);
http_response_code($status);

} else{
    header("Location: 404.php");
}
?>
```

## paganacion.php

```
<?php
    header("Content-type: application/json");
    include("assets/models/functions.php");
    if($_SERVER[ "REQUEST_METHOD"]=="POST"){

        try{

            $limit = $_POST["limit"];

            $prod = selectAllProducts($limit);
            $numProd = numberProd();

            echo json_encode([
                "products"=>$prod,
                "num"=>$numProd
            ]);
            http_response_code(200);

        }catch(PDOException $ex)
        {
            http_response_code(500);
        }

    }else{
        http_response_code(404);
    }
```

## logOut.php

```
<?php
    session_start();
    if(isset($_SESSION["user"])){
        unset($_SESSION["user"]);
        unset($_SESSION["role"]);

        header("Location:shop.php");
    }
```

## getDataProducts.php

```
<?php
    header("Content-Type: application/json");
    include("assets/models/functions.php");
    $prod = selectAllProducts1();
    echo json_encode($prod);
```

## filter.php

```
<?php

    header("Content-type: application/json");
    include("assets/models/functions.php");
    if(isset($_POST["btn"])){
        $brand = $_POST["brandId"];
        $sort = $_POST["sortId"];
        $cat = json_decode(stripslashes($_POST['categoryId']));
        $siz = json_decode(stripslashes($_POST['sizeId']));
        $result = filterItems($brand, $sort, $cat, $siz);
        echo json_encode($result);
    }else{
        header("Location: 404.php");
    }
```

## CSS

```
@import url('https://fonts.googleapis.com/css2?family=Mulish:ital,wght@0,200;0,400;0,700;0,800;1,200;1,700;1,800&display=swap');
```

```
});
```

```
$black: #000000;
```

```
$mediumBlue: #6899b0;
```

```
$lightBlack: #3d3837;
```

```
$red: #ef0000;
```

```
$grey: #3d3837;
```

```
$lightGrey: #eaeaea;
```

```
$white: #ffffff;
```

```
*{
```

```
    margin: 0;
```

```
    padding: 0;
```

```
}
```

```
.ik-bg-black{
```

```
    background-color: $black;
```

```
}
```

```
.ik-bg-white{
```

```
    background-color: $white;
```

```
}
```

```
.ik-bg-light-grey{
```

```
    background-color: $lightGrey;
```

```
}
```

```
.ik-bg-grey{
```

```
    background-color: $grey !important;
```

```
}
```

```
.ik-bg-white{
```

```
    background-color: $white;
```

```
}
```

```
.ik-color-black{
```

```
    color: $black !important;
```

```
}
```

```
.ik-color-red{
    color: $red !important;
}
.ik-color-white{
    color:$white !important;
}
.ik-color-blue{
    color:$mediumBlue;
}
.ik-border{
    border: 3px solid $black;
}
body{
    font-family: 'Mulish', sans-serif;
}
ul{
    list-style-type: none !important;
    margin-bottom: 0 !important;
    padding-bottom: 0 !important;
}
a{
    text-decoration: none !important;
}
header{
    #header-first{
        #header-search{
            display:none;
            background-color: $lightBlack;
            border: none !important;
            color:$white !important;
            &:focus{
                outline: none !important;
            }
        }
    }
}
```

```
.ik-search-btn{  
    border: none !important;  
    padding: 7px;  
    &:hover{  
        background-color: $lightBlack;  
    }  
    i{  
        color:$white;  
    }  
}  
ul{  
    li{  
        a{  
            color: $white;  
            padding: 7px;  
            i{  
                color:$white;  
            }  
        }  
    }  
}  
.ik-lr-div{  
    a{  
        padding: 4px !important;  
        font-size: 20px;  
        &:hover{  
            color: $red !important;  
        }  
    }  
}
```

```
#header-second{
    h1{
        font-weight: 900 !important;
        font-style: italic;
    }
    border-bottom: 1px solid $black;

    ul{
        li{
            a{
                color: $black;
                padding: 12px;
                &:hover{
                    color: $red !important;
                    border-bottom: 3px solid red;
                }
            }
        }
    }
}
```

```
.ik-cart-btn{  
    &:hover i{  
        color:$lightBlack;  
    }  
    i{  
        color: $black;  
        font-size: 30px;  
    }  
}  
.ik-ham-div{  
    display:none;  
    margin-top: 19px;  
    a{  
        i{  
            font-size: 30px;  
            color: $black;  
        }  
    }  
}  
#ik-nav{  
    padding-left: 60px;  
}  
}  
#ik-cover{  
    height: 400px;  
    width: 100%;  
    background-position: center;  
    background-size: cover;  
    .ik-cover-container{  
        height: inherit;  
        h2{  
            font-size: 40px;  
        }  
        p{  
            font-size: 20px;  
        }  
    }  
}
```

```
footer {  
    ul{  
        li{  
            a{  
                color: $white;  
                i{  
                    color: $white;  
                }  
            }  
        }  
    }  
.ik-cover-div{  
    z-index: 0;  
}  
.ik-lr-modal{  
    display:none;  
    position: fixed;  
    top: 10%;  
    left:20%;  
    right:20%;  
    bottom: 10%;  
    overflow: scroll;  
    z-index: 15;  
    border: 5px solid $black;  
    a{  
        margin-top:5px;  
        margin-left: 5px;  
        i{  
            font-size: 33px;  
            color: $red;  
        }  
    }  
}
```

```
#ik-login{
    bottom: 35% !important;
}
main{
    #ik-why-us{
        .ik-circle{
            width:130px;
            height: 130px;
            background-color: $red;
            border-radius: 50%;
            margin-top:-65px;
            i{
                font-size: 30px;
                color:$black;
            }
        }
    }
    .ik-circle-x{
        width:200px;
        height: 200px;
        background-color: $white;
        border-radius: 50%;
        border: 7px solid $mediumBlue;
        i{
            font-size: 70px;
            color:$black;
        }
    }
    .ik-alert{
        padding: 7px;
    }
}
```

```
.ik-no-margin-bot{  
    margin-bottom: 0px !important;  
}  
.ik-contact-modal{  
    border: 5px solid $black;  
    position: fixed;  
    top: 20%;  
    left: 20%;  
    right: 20%;  
    background-color: $white;  
    z-index: 20;  
    i{  
        font-size: 33px;  
        color: $red;  
    }  
    h2{  
        text-align:center;  
    }  
    display: none;  
}  
.ik-img{  
    width: 100%;  
}  
#ik-modal{  
    position: fixed;  
    top:20%;  
    left:20%;  
    right:20%;  
    bottom: 10%;  
    z-index:14;  
    border: 5px solid $black;  
    background-color: $white;
```

```
display: none;
overflow: scroll;
.ik-img-see-more{
    width:100%;
    height: auto;
}
p{
    font-size: 13px;
}
}
#ik-edit-modal{
    position:fixed;
    border: 3px solid $black !important;
    left: 10%;
    right:10%;
    top:20%;
    z-index: 15;
    background-color: $white;
    display: none;
}
.ik-edit-modal-close{
    margin-top: -20px;
    font-size: 40px;
}
```

## JavaScript

```
var url = window.location.pathname;

$(document).ready(function(){
    $(".ik-search-btn").click(function(e){
        e.preventDefault();
        $("#header-search").slideToggle();
    })
    $(".ik-ham-btn").click(function(e){
        e.preventDefault();
        $("#ik-nav").slideToggle();
    })
    $("#ik-login-btn").click(function(e){
        $("#ik-login").fadeIn();
    })
    $("#ik-login-btn-close").click(function(e){
        $(".ik-lr-modal").fadeOut();
    })
    $("#ik-register-btn").click(function(e){
        $("#ik-register").fadeIn();
    })
    $("#btnRegister").click(function(){
        var error=0;
        var nameField = $("#tbname")
        var nameValue = nameField.val()
        var nameRegEx = /^[A-Z][a-z]{2,15}(\s[A-Z][a-z]{2,15})?$/;
        checkRegex(nameRegEx, nameField, nameValue)

        var lastField = $("#tblast")
        var lastValue = lastField.val()
        var lastRegEx = /^[A-Z][a-z]{2,15}(\s[A-Z][a-z]{2,15})?$/;
        checkRegex(lastRegEx, lastField, lastValue)
    })
})
```

```
var userField = $("#tbUserName")
var userValue = userField.val()
var userRegEx = /^[a-z0-9]{3,15}$/;
checkRegex(userRegEx, userField, userValue)

var emailField = $("#tbmail");
var emailValue = emailField.val();
var emailRegEx = /^[a-z][\w\.-]+@[a-z0-9]{2,15}(\.[a-z]{2,4}){1,2}$/;
checkRegex(emailRegEx, emailField, emailValue);

var adressField = $("#tbAdress");
var adressValue = adressField.val();
var adressRegEx = /^[A-ZČĆŠĐŽ][a-zććšđž]{2,15}(\s[A-ZČĆŠĐŽ][a-zććšđž]{2,15})?\s[1-9]
]([0-9])?([0-9])?$/;
checkRegex(adressRegEx, adressField, adressValue);

var passFiled = $("#tbPass")
var passValue = passFiled.val()
var passRegEx = /^[a-zA-Z0-9~!@#$%^&*()_+{}]{8,20}$/,
checkRegex(passRegEx, passFiled, passValue)

if($("#tbCon").val() != "" && $("#tbCon").val() == passValue){
    insertSuccess($("#tbCon"))
} else{
    error++
    insertDanger($("#tbCon"))
}
```

```
if(error == 0){
    var data = {
        "first": nameValue,
        "last": lastValue,
        "user": userValue,
        "email": emailValue,
        "adress": adressValue,
        "password": passValue,
        "btn": true
    }
    ajaxCB("checkRegistro.php", data, "POST");
}

function checkRegex(reg, field, value){
    if(reg.test(value)){
        insertSuccess(field);
    }else{
        error++;
        insertDanger(field);
    }
}
function insertSuccess(field){
    field.next().remove()
    $(
"<p class='ik-no-margin-bot ik-alert alert-success'><i class='fas fa-check-circle'></i></p>"
).insertAfter(field);
}
function insertDanger(field){
    field.next().remove()
    $(
"<p class='ik-no-margin-bot ik-alert alert-danger'><i class='fas fa-exclamation-circle'></i></p>"
).insertAfter(field);
}
})
```

```
$("#btnLogin").click(function(){
    var error=0;
    var passFiled = $("#tbpass")
    var passValue = passFiled.val()
    var passRegEx = /^[a-zA-Z0-9~!@#$%^&*()_+{}]{8,20}$/;
    checkRegex(passRegEx,passFiled,passValue)

    var userField = $("#tbUsername")
    var userValue = userField.val()
    var userRegEx = /^[a-zA-Z0-9]{3,15}$/;
    checkRegex(userRegEx, userField, userValue)

    if(error == 0){
        var data = {
            "username": userValue,
            "password": passValue,
            "btn": true
        }

        ajaxCB("checkLogin.php", data, "POST");
    }

    function checkRegex(reg, field, value){
        if(reg.test(value)){
            insertSuccess(field);
        }else{
            error++;
            insertDanger(field);
        }
    }
})
```

```
function insertSuccess(field){
    field.next().remove()
    $(
"<p class='ik-no-margin-bot ik-alert alert-success'><i class='fas fa-check-circle'></i></p>"
).insertAfter(field);
}
function insertDanger(field){
    field.next().remove()
    $(
"<p class='ik-no-margin-bot ik-alert alert-danger'><i class='fas fa-check-circle'></i></p>"
).insertAfter(field);
}
})
if(url=="/projects/PHP1-sajt/panelAdd.php"){
    $(".ik-delete-brand-btn").click(function(e){
        var error=0
        e.preventDefault()
        var x = $("#panBrand").val()
        if(x==0){
            error++
            $("#panBrand").next("p").remove()
            $("<p class='alert alert-danger'>You have to choose Brand!</p>").
            insertAfter($("#panBrand"))
        }else{
            $("#panBrand").next("p").remove()
        }
        if(error==0){
            data = [
                "id":x,
                "nameId": "brands",
                "key":"brand_id",
                "btn": true
            ]
            ajaxCB("deleteCategories.php",data,"POST");
        }
    })
}
```

```
$(".ik-delete-size-btn").click(function(e){
    var error=0
    e.preventDefault()
    var x = $("#panSize").val()
    if(x==0){
        error++
        $("#panSize").next("p").remove()
        $("<p class='alert alert-danger'>You have to choose size!</p>").
        insertAfter($("#panSize"))
    }else{
        $("#panSize").next("p").remove()
    }
    if(error==0){
        data = {
            "id":x,
            "nameId": "sizes",
            "key": "size_id",
            "btn": true
        }
        ajaxCB("deleteCategories.php",data,"POST");
    }
})
$(".ik-delete-cat-btn").click(function(e){
    var error=0
    e.preventDefault()
    var x = $("#panCat").val()
    if(x==0){
        error++
        $("#panCat").next("p").remove()
        $("<p class='alert alert-danger'>You have to choose category!</p>").
        insertAfter($("#panCat"))
    }else{
```

```
$("#panCat").next("p").remove()
}
if(error==0){
    data = {
        "id":x,
        "nameId": "categories",
        "key":"category_id",
        "btn": true
    }
    ajaxCB("deleteCategories.php",data,"POST");
})
})
var reg = /^[A-Z][a-z]{2,15}$/
$(".ik-add-brand-btn").click(function(e){
    e.preventDefault()
    var val = $("#addBrand").val()
    var f = $("#addBrand")
    if(reg.test(val)){
        f.next("p").remove()
        data={
            "btn": true,
            "name": "brand_name",
            "value":val,
            "tableName": "brands"
        }
        ajaxCB("insertCategories.php", data, "POST")
    }
    else{
        f.next("p").remove()
        $(
        "<p class='alert alert-danger'>First letter must be upper, length at least 3 up to 15 characters</p>"
        ).insertAfter(f)
    }
})
```

```
})
$(".ik-add-size-btn").click(function(e){
    e.preventDefault()
    var val = $("#addSize").val()
    var f = $("#addSize")
    var regEx = /^[1-9][0-9]|([A-Z][a-z]{2,15})/
    if(regEx.test(val)){
        f.next("p").remove()
        data={
            "btn": true,
            "name": "size_name",
            "value": val,
            "tableName": "sizes"
        }
        ajaxCB("insertCategories.php", data, "POST")
    }
    else{
        f.next("p").remove()
        $(
        "<p class='alert alert-danger'>Can be model of tires(13-22) or full name of tire</p>").
        insertAfter(f)
    }
})
$(".ik-add-cat-btn").click(function(e){
    e.preventDefault()
    var val = $("#addCat").val()
    var f = $("#addCat")
    if(reg.test(val)){
        f.next("p").remove()
        data={
            "btn": true,
            "name": "category_name",
            "value": val,
            "tableName": "categories"
        }
        ajaxCB("insertCategories.php", data, "POST")
    }
    else{
        f.next("p").remove()
        $(
        "<p class='alert alert-danger'>First letter must be upper, length at least 3 up to 15 characters</p>").
        insertAfter(f)
    }
})
```

```
$(".ik-edit-brand-btn").click(function(e){
    e.preventDefault()
    var x = $("#panBrand");
    var y = x.val();
    var z = $("#panBrand option:selected").text()
    console.log(z)
    if(y==0){
        $("#panBrand").next("p").remove()
        $("<p class='alert alert-danger">You have to choose brand!</p>").
        insertAfter($("#panBrand"))
    }else{
        $("#panBrand").next("p").remove()
        $("#ik-edit-modal").fadeIn()
        $("#ik-catt-edit").val(z)
        $(".ik-edit-modal-close").click(function(e){
            e.preventDefault()
            $("#ik-edit-modal").fadeOut()
        })
        $("#ik-btn-edit-cat").click(function(e){
            var data = {
                "id":y,
                "tableName":"brands",
                "name":"brand_name",
                "idd": "brand_id",
                "btn":true,
                "value": $("#ik-catt-edit").val()
            }
            ajaxCB("updateCategories.php", data, "POST");
        })
    }
})
```

```
$(".ik-addprod-btn").click(function(){
    $("#ik-edit-prod-modal").fadeIn();
    $(".ik-edit-modal-btn-close").click(function(){
        $("#ik-edit-prod-modal").fadeOut();
    })
    $("#btnEditProd").click(function(){

        var data = {
            "btn": true,
            "tbProdName": $("#tbProdName").val(),
            "tbImgAlt": $("#tbImgAlt").val(),
            "prodDes": $("#prodDes").val(),
            "prodPN": $("#prodPN").val(),
            "prodPO": $("#prodPO").val(),
        }
        ajaxCB("addProd.php", data, "POST")
    })
})
$(".ik-edit-cat-btn").click(function(e){
    e.preventDefault()
    var x = $("#panCat");
    var y = x.val();
    var z = $("#panCat option:selected").text()
    console.log(z)
})
```

```
if(y==0){
    $("#panCat").next("p").remove()
    $("<p class='alert alert-danger'>You have to choose category!</p>").
insertAfter($("#panCat"))
}else{
    $("#panCat").next("p").remove()
    $("#ik-edit-modal").fadeIn()
    $("#ik-catt-edit").val(z)
    $(".ik-edit-modal-close").click(function(e){
        e.preventDefault()
        $("#ik-edit-modal").fadeOut()
    })
    $("#ik-btn-edit-cat").click(function(e){
        var data = {
            "id":y,
            "tableName":"categories",
            "name":"category_name",
            "idd": "category_id",
            "btn":true,
            "value": $("#ik-catt-edit").val()
        }
        ajaxCB("updateCategories.php", data, "POST");
    })
}
})
$(".ik-edit-size-btn").click(function(e){
    e.preventDefault()
    var x = $("#panSize");
    var y = x.val();
    var z = $("#panSize option:selected").text()
```

```
if(y==0){
    $("#panCat").next("p").remove()
    $("<p class='alert alert-danger'>You have to choose category!</p>").
insertAfter($("#panCat"))
}else{
    $("#panCat").next("p").remove()
    $("#ik-edit-modal").fadeIn()
    $("#ik-catt-edit").val(z)
    $(".ik-edit-modal-close").click(function(e){
        e.preventDefault()
        $("#ik-edit-modal").fadeOut()
    })
    $("#ik-btn-edit-cat").click(function(e){
        var data = {
            "id":y,
            "tableName":"categories",
            "name":"category_name",
            "idd": "category_id",
            "btn":true,
            "value": $("#ik-catt-edit").val()
        }
        ajaxCB("updateCategories.php", data, "POST");
    })
}
})
$(".ik-edit-size-btn").click(function(e){
    e.preventDefault()
    var x = $("#panSize");
    var y = x.val();
    var z = $("#panSize option:selected").text()
```

```
if(url=="/projects/PHP1-sajt/cart.php"){
    $("#buyBtnCart").click(function(){
        var a=$("#proIds").val();
        var b =$("#userId").val();
        console.log(a)
        console.log(b);
    })
}

if(url =="/projects/PHP1-sajt/contact.php"){
    $("#btnCus").click(function(){
        var error = 0

        var nameField = $("#tbName")
        var nameValue = nameField.val()
        var nameRegEx = /^[A-Z][a-z]{2,15}(\s[A-Z][a-z]{2,15})?$/;
        checkRegex(nameRegEx, nameField, nameValue)

        var lastField = $("#tbLast")
        var lastValue = lastField.val()
        var lastRegEx = /^[A-Z][a-z]{2,15}(\s[A-Z][a-z]{2,15})?$/;
        checkRegex(lastRegEx, lastField, lastValue)

        var emailField = $("#tbMail");
        var emailValue = emailField.val();
        var emailRegEx = /^[a-z][\w\.\-]+\@[a-z0-9]{2,15}\([a-z]{2,4}\){1,2}$/;
        checkRegex(emailRegEx, emailField, emailValue);

        if($("#tbMessage").val().length>5){
            insertSuccess($("#tbMessage"))
        }else{
            insertDanger($("#tbMessage"))
            error++
        }
        if(error == 0){
            let sendData = {
                "fName": $(nameField).val(),
                "lName": $(lastField).val(),
                "cEmail": $(emailField).val(),
                "message": $("#tbMessage").val(),
                "btn": true
            }
            ajaxCB("pcontact.php",sendData, "POST");
        }
    })
}
```

```
function checkRegex(reg, field, value){
    if(reg.test(value)){
        insertSuccess(field);
    }else{
        error++;
        insertDanger(field);
    }
}
function insertSuccess(field){
    field.next().remove();
    $(
"<p class='ik-no-margin-bot ik-alert alert-success'><i class='fas fa-check-circle'></i></p>"
).insertAfter(field);
}
function insertDanger(field){
    field.next().remove();
    $(
"<p class='ik-no-margin-bot ik-alert alert-danger'><i class='fas fa-times-circle'></i></p>"
).insertAfter(field);
}
)
}
if(url =="/projects/PHP1-sajt/shop.php"){

$.post("getDataProducts.php" , function(data){
    localStorage.setItem("products",JSON.stringify(data))
    localStorage.setItem("prod", JSON.stringify(data))
    console.log(data);
}).fail(function(){
    alert("Cant load page. Please try later!");
});
}
```

```
$("#btn-filter").click(function(){
    var brand = $("#ddlBrands").val()
    var sort = $("#ddlSort").val()
    var valCat = []
    $(".categories:checked").each(function(){
        valCat.push(Number($(this).val()))
    })
    var valsiz = []
    $(".sizes:checked").each(function(){
        valsiz.push(Number($(this).val()))
    })
    valCat = JSON.stringify(valCat)
    valsiz = JSON.stringify(valsiz)
    let sendData = {
        "brandId": brand,
        "sortId": sort,
        "categoryId": valCat,
        "sizeId": valsiz,
        "btn": true
    }
    $.ajax({
        url: "filter.php",
        method: "POST",
        data: sendData,
        dataType: "json",
        success: function(result){
            localStorage.setItem("products", JSON.stringify(result))
            document.location.reload()
        },
        error: function(xhr){
            console.log(xhr)
        }
    })
})
```

```
var dataProd = JSON.parse(localStorage.getItem("products"));
showProducts(dataProd)
$(".ik-page").click(function(e){
    e.preventDefault();

    let limit = $(this).data("limit")
    let data = {
        "limit": limit
    }

    $.ajax({
        method: "POST",
        url:"paganacion.php",
        dataType: "json",
        data:data,
        success: function(data){
            localStorage.setItem("products",JSON.stringify(data.products))
            document.location.reload();
            printPaganation(data.num);
        },
        error: function(xhr){
            console.log(xhr);
        }
    })
})
```



```
function printPaganation(num){
    var html=""
    for(let i=0; i<num; i++){
        html+= `<li class="page-item"><a class="page-link ik-page" data-limit ="${i}" href="#">${i+1}</a></li>`
    }

    $("#"ik-pagin").html(html)
}
});

function seeMore(id){
    var dataProd = JSON.parse(localStorage.getItem("prod"));
    var item = dataProd.filter(x=> x.prod_id == id);
    var html=""
    item.forEach(i=>{
        html+=`<div class="d-flex flex-wrap">
            <div class="col-12 col-md-6">
                
            </div>
            <div class="col-12 col-md-6 d-flex flex-column justify-content-cente
r">
                <h2>${i.prod_name}</h2>
                <p></p>
                <p></p>
                <p class="mb-2">
                    ${i.prod_description}
                </p>
                <a href="#" class="btn btn-danger align-self-end mr-4" id="ik-clos
e-btn">Close</a>
            </div>
        </div>`
    })
    $("#"ik-modal").html(html);
    $("#"ik-modal").fadeIn();
    $("#"ik-close-btn").click(function(){
        $("#"ik-modal").fadeOut();
    })
}
}
```

```
function deleteItem(x){
    var data = {
        "id": x,
        "btn": true
    }
    ajaxCB("deleteAdminProd.php", data, "POST");
}

function editItem(id){
    $("#ik-edit-prod-modal").fadeIn();
    $(".ik-edit-modal-btn-close").click(function(){
        $("#ik-edit-prod-modal").fadeOut();
    })
    var dataProd = JSON.parse(localStorage.getItem("prod"));
    var filteredItem = dataProd.filter(x=> x.prod_id == id);
    filteredItem.forEach(f=>{
        $("#tbProdName").val(f.prod_name);
        $("#tbImgAlt").val(f.prod_img_alt);
        $("#prodDes").val(f.prod_description);
        $("#prodPN").val(f.prod_price_new)
        $("#prodPO").val(f.prod_price_old)
    })
}

$("#btnEditProd").click(function(){

    var data = {
        "btn": true,
        "id": id,
        "tbProdName": $("#tbProdName").val(),
        "tbImgAlt": $("#tbImgAlt").val(),
        "prodDes": $("#prodDes").val(),
        "prodPN": $("#prodPN").val(),
        "prodPO": $("#prodPO").val(),
    }
    ajaxCB("editProd.php", data, "POST")
})

}
```

```
function ajaxCB(url,data, method){  
    $.ajax({  
        url: url,  
        data: data,  
        method: method,  
        dataType: "json",  
        success: function(result){  
            $("#contact-response").html(result.resMessage);  
            $(".ik-contact-modal").fadeIn();  
            $(".ik-contact-modal-close").click(function(){  
                $(".ik-contact-modal").fadeOut();  
            })  
        },  
        error: function(xhr){  
            if(xhr.status == 422){  
                var y = JSON.parse(xhr.responseText)  
                $("#contact-response").html(y.resMessage);  
                $(".ik-contact-modal").fadeIn();  
                $(".ik-contact-modal-close").click(function(){  
                    $(".ik-contact-modal").fadeOut();  
                })  
            }  
            if(xhr.status == 500){  
                var y = JSON.parse(xhr.responseText)  
                $("#contact-response").html(y.resMessage);  
                $(".ik-contact-modal").fadeIn();  
                $(".ik-contact-modal-close").click(function(){  
                    $(".ik-contact-modal").fadeOut();  
                })  
            }  
        }  
    })  
}
```

```
var a=document.querySelectorAll("#ik-price");
var b=document.querySelectorAll("#ik-quantity")
var c =document.querySelectorAll(".ik-total-item");
var d = document.querySelector("#ik-tot");

function subTotal(){

    var tot=0;
    for(let i=0; i<a.length;i++){
        c[i].innerHTML=a[i].value*b[i].value;
        tot += a[i].value*b[i].value;
    }
    d.innerHTML=tot;
}
```