Informe Fase 1 (Full) — WL vs 1-dropWL-LOG vs 1-dropWL-MLP

Fuente: results/fase1_simple_all

Incluye TRAIN & TEST, barras con error, curvas por seed, curvas n→accuracy para C4, violin/box, scatter train vs test y tiempos por etapa.

Tabla global TEST · media ± DE (5 seeds)

	WL	1drop-LOG	1drop-MLP
C4 (n=8)	0.606 ± 0.040	0.678 ± 0.021	0.687 ± 0.023
C4 (n=16)	0.806 ± 0.010	0.888 ± 0.007	0.853 ± 0.040
C4 (n=24)	0.922 ± 0.011	0.972 ± 0.009	0.936 ± 0.030
C4 (n=32)	0.994 ± 0.005	0.994 ± 0.005	0.982 ± 0.021
C4 (n=40)	1.000 ± 0.000	1.000 ± 0.000	0.996 ± 0.002
C4 (n=44)	0.995 ± 0.007	0.996 ± 0.005	0.991 ± 0.008
LIMITS-1	0.500 ± 0.000	0.500 ± 0.000	0.500 ± 0.000
LIMITS-2	0.500 ± 0.000	0.500 ± 0.000	0.800 ± 0.274
Skip-Circles (n=32)	0.500 ± 0.000	1.000 ± 0.000	1.000 ± 0.000
LCC (node, n=32)	0.892 ± 0.004	0.892 ± 0.004	0.892 ± 0.004
Triangles (node, n=32)	0.547 ± 0.007	0.547 ± 0.007	0.548 ± 0.008

Tabla global TRAIN · media ± DE (5 seeds)

	WL	1drop-LOG	1drop-MLP
C4 (n=8)	0.634 ± 0.017	0.710 ± 0.014	0.688 ± 0.020
C4 (n=16)	0.805 ± 0.004	0.893 ± 0.004	0.845 ± 0.041
C4 (n=24)	0.924 ± 0.005	0.971 ± 0.003	0.663 ± 0.225
C4 (n=32)	0.993 ± 0.002	0.993 ± 0.002	0.770 ± 0.251
C4 (n=40)	0.999 ± 0.000	0.999 ± 0.000	0.972 ± 0.027
C4 (n=44)	0.996 ± 0.001	0.997 ± 0.001	0.977 ± 0.007
LIMITS-1	0.500 ± 0.000	1.000 ± 0.000	0.600 ± 0.418
LIMITS-2	0.500 ± 0.000	1.000 ± 0.000	0.500 ± 0.354
Skip-Circles (n=32)	0.500 ± 0.000	1.000 ± 0.000	0.800 ± 0.274
LCC (node, n=32)	0.894 ± 0.002	0.894 ± 0.002	0.894 ± 0.002
Triangles (node, n=32)	0.550 ± 0.003	0.550 ± 0.003	0.548 ± 0.003


Familia C4 · TEST
WL
1drop-LOG
1drop-MLP
Accuracy (TEST)
n (nodos)
1.0
0.9
0.8
0.7
0.6
0.5
10
15
20
25
30
35
40
45


Familia C4 · TRAIN
WL
1drop-LOG
1drop-MLP
Accuracy (TRAIN)
n (nodos)
1.0
0.9
0.8
0.7
0.6
0.5
10
15
20
25
30
35
40
45


C4 (n=8) · TEST (media±DE)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=8) · TRAIN (media±DE)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=8) · curvas por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP
C4 (n=8) · curvas por seed (TRAIN)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
Seed
+2.025092e7


C4 (n=8) · dispersión por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=8) · scatter train vs test (puntos=seeds)
Accuracy (TEST)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
0.5
0.6
0.7
0.8
0.9
1.0
WL
1drop-LOG
1drop-MLP


C4 (n=8) · tiempos por etapa (media en seeds)
t_repr_s
t_fit_s
t_eval_s
t_total_s
Tiempo medio (s)
0
1
2
3
4
5
WL
1drop-LOG
1drop-MLP


C4 (n=16) · TEST (media±DE)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=16) · TRAIN (media±DE)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=16) · curvas por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP
C4 (n=16) · curvas por seed (TRAIN)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
Seed
+2.025092e7


C4 (n=16) · dispersión por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=16) · scatter train vs test (puntos=seeds)
Accuracy (TEST)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
0.5
0.6
0.7
0.8
0.9
1.0
WL
1drop-LOG
1drop-MLP


C4 (n=16) · tiempos por etapa (media en seeds)
t_repr_s
t_fit_s
t_eval_s
t_total_s
Tiempo medio (s)
0
2
4
6
8
10
WL
1drop-LOG
1drop-MLP


C4 (n=24) · TEST (media±DE)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=24) · TRAIN (media±DE)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=24) · curvas por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP
C4 (n=24) · curvas por seed (TRAIN)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
Seed
+2.025092e7


C4 (n=24) · dispersión por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=24) · scatter train vs test (puntos=seeds)
Accuracy (TEST)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
0.5
0.6
0.7
0.8
0.9
1.0
WL
1drop-LOG
1drop-MLP


C4 (n=24) · tiempos por etapa (media en seeds)
t_repr_s
t_fit_s
t_eval_s
t_total_s
Tiempo medio (s)
17.5
15.0
12.5
10.0
7.5
5.0
2.5
0.0
WL
1drop-LOG
1drop-MLP


C4 (n=32) · TEST (media±DE)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=32) · TRAIN (media±DE)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=32) · curvas por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP
C4 (n=32) · curvas por seed (TRAIN)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
Seed
+2.025092e7


C4 (n=32) · dispersión por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=32) · scatter train vs test (puntos=seeds)
Accuracy (TEST)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
0.5
0.6
0.7
0.8
0.9
1.0
WL
1drop-LOG
1drop-MLP


C4 (n=32) · tiempos por etapa (media en seeds)
t_repr_s
t_fit_s
t_eval_s
t_total_s
Tiempo medio (s)
0
5
10
15
20
WL
1drop-LOG
1drop-MLP


C4 (n=40) · TEST (media±DE)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=40) · TRAIN (media±DE)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=40) · curvas por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP
C4 (n=40) · curvas por seed (TRAIN)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
Seed
+2.025092e7


C4 (n=40) · dispersión por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=40) · scatter train vs test (puntos=seeds)
Accuracy (TEST)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
0.5
0.6
0.7
0.8
0.9
1.0
WL
1drop-LOG
1drop-MLP


C4 (n=40) · tiempos por etapa (media en seeds)
t_repr_s
t_fit_s
t_eval_s
t_total_s
Tiempo medio (s)
0
5
10
15
20
25
30
WL
1drop-LOG
1drop-MLP


C4 (n=44) · TEST (media±DE)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=44) · TRAIN (media±DE)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=44) · curvas por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP
C4 (n=44) · curvas por seed (TRAIN)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
Seed
+2.025092e7


C4 (n=44) · dispersión por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


C4 (n=44) · scatter train vs test (puntos=seeds)
Accuracy (TEST)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
0.5
0.6
0.7
0.8
0.9
1.0
WL
1drop-LOG
1drop-MLP


C4 (n=44) · tiempos por etapa (media en seeds)
t_repr_s
t_fit_s
t_eval_s
t_total_s
Tiempo medio (s)
0
5
10
15
20
25
30
35
WL
1drop-LOG
1drop-MLP


LIMITS-1 · TEST (media±DE)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


LIMITS-1 · TRAIN (media±DE)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


LIMITS-1 · curvas por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP
LIMITS-1 · curvas por seed (TRAIN)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
Seed
+2.025092e7


LIMITS-1 · dispersión por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


LIMITS-1 · scatter train vs test (puntos=seeds)
Accuracy (TEST)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
0.5
0.6
0.7
0.8
0.9
1.0
WL
1drop-LOG
1drop-MLP


LIMITS-1 · tiempos por etapa (media en seeds)
t_repr_s
t_fit_s
t_eval_s
t_total_s
Tiempo medio (s)
0
1
2
3
4
5
6
7
WL
1drop-LOG
1drop-MLP


LIMITS-2 · TEST (media±DE)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


LIMITS-2 · TRAIN (media±DE)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


LIMITS-2 · curvas por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP
LIMITS-2 · curvas por seed (TRAIN)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
Seed
+2.025092e7


LIMITS-2 · dispersión por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


LIMITS-2 · scatter train vs test (puntos=seeds)
Accuracy (TEST)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
0.5
0.6
0.7
0.8
0.9
1.0
WL
1drop-LOG
1drop-MLP


LIMITS-2 · tiempos por etapa (media en seeds)
Tiempo medio (s)
0
2
4
6
8
10
t_repr_s
t_fit_s
t_eval_s
t_total_s
WL
1drop-LOG
1drop-MLP


Skip-Circles (n=32) · TEST (media±DE)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


Skip-Circles (n=32) · TRAIN (media±DE)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


Skip-Circles (n=32) · curvas por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP
Skip-Circles (n=32) · curvas por seed (TRAIN)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
Seed
+2.025092e7


Skip-Circles (n=32) · dispersión por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


Skip-Circles (n=32) · scatter train vs test (puntos=seeds)
Accuracy (TEST)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
0.5
0.6
0.7
0.8
0.9
1.0
WL
1drop-LOG
1drop-MLP


Skip-Circles (n=32) · tiempos por etapa (media en seeds)
t_repr_s
t_fit_s
t_eval_s
t_total_s
Tiempo medio (s)
0
2
4
6
8
10
12
WL
1drop-LOG
1drop-MLP


LCC (node, n=32) · TEST (media±DE)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


LCC (node, n=32) · TRAIN (media±DE)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


LCC (node, n=32) · curvas por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP
LCC (node, n=32) · curvas por seed (TRAIN)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
Seed
+2.025092e7


LCC (node, n=32) · dispersión por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


LCC (node, n=32) · scatter train vs test (puntos=seeds)
Accuracy (TEST)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
0.5
0.6
0.7
0.8
0.9
1.0
WL
1drop-LOG
1drop-MLP


LCC (node, n=32) · tiempos por etapa (media en seeds)
t_repr_s
t_fit_s
t_eval_s
t_total_s
Tiempo medio (s)
0.0
0.2
0.4
0.6
0.8
1.0
WL
1drop-LOG
1drop-MLP


Triangles (node, n=32) · TEST (media±DE)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


Triangles (node, n=32) · TRAIN (media±DE)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


Triangles (node, n=32) · curvas por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP
Triangles (node, n=32) · curvas por seed (TRAIN)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
5.0
5.5
6.0
6.5
7.0
7.5
8.0
8.5
9.0
Seed
+2.025092e7


Triangles (node, n=32) · dispersión por seed (TEST)
Accuracy (TEST)
1.0
0.9
0.8
0.7
0.6
0.5
WL
1drop-LOG
1drop-MLP


Triangles (node, n=32) · scatter train vs test (puntos=seeds)
Accuracy (TEST)
Accuracy (TRAIN)
1.0
0.9
0.8
0.7
0.6
0.5
0.5
0.6
0.7
0.8
0.9
1.0
WL
1drop-LOG
1drop-MLP


Triangles (node, n=32) · tiempos por etapa (media en seeds)
t_repr_s
t_fit_s
t_eval_s
t_total_s
Tiempo medio (s)
0.0
0.2
0.4
0.6
0.8
1.0
1.2
WL
1drop-LOG
1drop-MLP

Resumen final (TEST): mejor modelo por dataset

	Modelo ganador	Accuracy (media±DE)	Margen vs 2º
C4 (n=16)	1drop-LOG	0.888 ± 0.007	0.035
C4 (n=24)	1drop-LOG	0.972 ± 0.009	0.036
C4 (n=32)	WL	0.994 ± 0.005	0.000
C4 (n=40)	WL	1.000 ± 0.000	0.000
C4 (n=44)	1drop-LOG	0.996 ± 0.005	0.001
C4 (n=8)	1drop-MLP	0.687 ± 0.023	0.009
LCC (node, n=32)	1drop-MLP	0.892 ± 0.004	0.000
LIMITS-1	WL	0.500 ± 0.000	0.000
LIMITS-2	1drop-MLP	0.800 ± 0.274	0.300
Skip-Circles (n=32)	1drop-LOG	1.000 ± 0.000	0.000
Triangles (node, n=32)	1drop-MLP	0.548 ± 0.008	0.001