


DETENTION DOORS AND HARDWARE

PRODUCTS CATALOG



NAVIGATION

ABOUT US	3	SECURITY HOLLOW METAL	29
About Hallmark Hardware	3	Detention windows	30
		Transaction drawers	31
SECURITY ELECTRONICS	4	PROPERTY STORAGE	32
Touch screen control systems	5	In-cell organizers	33
Intercom systems	5	Evidence security packs	33
CCTV/Digital video storage	5		
System types	6		
DOORS, FRAMES, HARDWARE	7	PLUMBING EQUIPMENT	34
Detention doors and frames	9	Showers	35
Hollow metal doors and frames	9	Toilets	35
Southern folger/folger adam/southern steel locks	10		
RR Brink locks	10		
Airteq electro-mechanical locks	11		
Airteq pneumatic locks	12		
Airteq retrofit solutions	13		
Airteq mechanical locks	14		
Food pass/cuff port assembly	15		
Switches	15		
Airteq detention hardware	15		
Fasteners and tools	17		
MATTRESSES AND PILLOWS	18	GLASS AND GLAZING	37
Inmate mattresses	19	All types	38
Mattress covers	20		
Pillows	20		
DETENTION FURNITURE	21	CONSTRUCTION SERVICES	42
Detention tables and end tables	22	Remodel, retrofit and renovation	43
Detention seats and benches	23	Padded cells and padded cell repair kits	44
Detention beds and desks	25	Detention coat	45
Detention shelves and hooks	26	Security ceiling	46
Security gun lockers and key cabinets	26	Security gates	47
Washroom accessories	27	Guard towers	48
Detention mirrors	27		
		GENERAL INFORMATION	49
		Terms and conditions	50
		Contact information	50

Don't see what you're looking for?

This is just a sample of the items we can provide for your institution. Contact us today for a full product offering.

ABOUT HALLMARK HARDWARE

Hallmark Hardware specializes in the supply of architectural hollow metal and wood doors and hardware. We provide a full life-cycle and in-depth technical expertise in doors and hardware, along with the knowledge and ability to meet your construction needs at any scale.

We supply, install and maintain new and modify existing doors, hardware, restroom accessories and hollow metal windows, as well as auto door operators. We also offer distribution and installation of institutional detention equipment and products.

Due to the increasing prisoner population and persistent overcrowding in the past, the need for institutional supplies continues to grow. Hallmark Hardware has positioned itself as one of the leading suppliers of detention products in Canada. We provide a full line of products from Correctional Supplies, Detention Furniture, Security Electronics and Security Hardware.



CONSULTATION

We offer the expertise of in-house Architectural Hardware Consultant (AHC) who is responsible for developing precise door hardware specifications for project consultants. Our shop drawings are highly regarded in the industry for their exceptional quality.



ESTIMATION

Our team, consisting of a number of proficient estimators, is available to provide your company with comprehensive project quotations on a full scope for doors and hardware.



SUPPLY

We operate a local hollow metal workshop where we produce welded metal frame assemblies and doors in accordance with project specifications. We also stock some hollow metal materials and hardware to expedite lead times.



DELIVERY

We operate a large delivery vehicle that enables us to provide cost-effective transportation of materials to various job sites across British Columbia.



INSTALLATION

We employ a knowledgeable team of in-house technicians who specialize in the installation of automatic door operators, mechanical and electrified hardware, hanging of doors, on-site modification and welding of hollow metal doors and frames.



MAINTENANCE

We offer maintenance contracts for doors, hardware and automatic door / gate operators. Our experts ensure they operate safely and smoothly, helping to prevent breakdowns and extend their lifespan.



A certified AirTeq supplier and installer of detention hardware.

SECURITY ELECTRONICS



SECURITY ELECTRONICS



PROGRAMMABLE LOGIC CONTROL SYSTEM (PLC)

The heart of the control system is the Programmable Logic Control System (PLC). These systems are generally off-the-shelf industrial systems used to control the doors and other integrated systems. Proven in the world of industry they need periodic maintenance to keep them performing at peak reliability. Hallmark Hardware provides service and upgrades to the most popular industrial brands.

Security Electronics are paramount to the safety of the facility personnel. When the systems do not work correctly the staff is at risk. These systems allow for the smooth flow of day to day operations. Without proper maintenance of these systems, facilities may need to increase their staffing to accommodate the systems down time or being on a key only structure. This increases costs in overtime and diminishes safety in the facility.



OPERATOR INTERFACE

Operator Interface is performed in a couple of ways. Hard graphic panels and Touch Screen panels. Hard panels have a graphical representation of the area being controlled using physical tactile buttons and LED's. Making changes to the functions or adding new control to these panels can get costly. Maintenance includes replacing the buttons and the panel overlays. Touch Screen Control units are touch sensitive monitors utilizing graphical representation and are internally programmed for their functions. This makes additions more cost efficient. Maintenance of these units include cleaning out the PC's and updating of the operating systems and software.



INTERCOMMUNICATIONS

Intercommunications work hand in hand with the control system for efficient flow of traffic. These systems are either based on PLC control or integrated stand-a-alone systems. These systems help in the identification of individuals moving throughout the facility. Testing is necessary for clear sound quality.



VIDEO SURVEILLANCE

Surveillance is essential to the safety of the personnel in the facility. Cameras and recorded video are the eyes of the facility. Video allows the operators to identify who is moving through doorways and provides incident management. Historically video systems have been analog cameras and switchers, and Digital Video Recorders (DVR). However, the past several years have seen the advancement to Internet Protocol (IP) cameras and Network Video Recorder (NVR) based systems. Hallmark Hardware has the expertise to service the existing analog systems and to provide upgrades to advanced systems that are IP based.

SYSTEM TYPES

Our experience covers a multitude of systems, from the engineering and development of the systems to the installation. We work with all the top equipment suppliers to provide state of the art systems.



CARD ACCESS / PHOTO IMAGING

- AMAG Technology
- Honeywell Integrated/ProWatch
- Avigilon
- Genetec
- Hirsch Electronics
- Infinias
- TAC
- DSX

CCTV SYSTEMS

- Bosch
- Pelco
- DvTel
- Exacq
- Milestone
- OnSSI
- Vicon
- Genetec

DOOR CONTROL

- TrenTech
- Creative Technologies
- OSSl/Intelli-Site
- Secure-Tech/E-Tech
- EOISI
- Engineered Control Systems

PLC CONTROLS

- Omron
- Allen Bradley
- GE
- Modicon/Schneider Electronics

DURESS SYSTEMS

- Actall
- Guard 1
- Magal Senstar, Inc.(FKA: Perimeter Products)
- AiRISTA Flow

TOUCHSCREEN GRAPHICS

- Indusoft
- Wonderware
- R.S. View Allen Bradley
- OSSl/Intelli-Site
- Citect
- Magelis
- Siemens
- Creative Technologies

INTERCOM/PAGING

- Harding Instruments
- Quam
- TOA
- Secure-Tech/E-Tech
- Stentofon
- Tech Works
- Aiphone Systems

MISCELLANEOUS SYSTEMS

- EST Fire Alarm
- Guard 1
- Dell/HP/ELO/CISCO

FENCE SYSTEMS


- Integrated Security Corp.
- Magal Senstar, Inc.(FKA: Perimeter Products)
- Gallagher NLEF
- Fiber SenSys

DETENTION DOORS, FRAMES, LOCKS AND HARDWARE



DETENTION DOORS, FRAMES, LOCKS AND HARDWARE

Hallmark Hardware offers HM doors, frames, sliding devices, wire mesh, bar grating and all related security door hardware. We have numerous styles, sizes and configurations available to fit any detention or security requirement.



HOLLOW METAL DOORS & FRAMES

- Meet Industry Performance Standards
- Test Performed: static load, rack, door impact, glazing stop impact & bullet resistant
- Continuously welded frame corner joint
- Grade 8 torx drive security glass stop screws
- Unitized jamb mounted lock preparation furnished with threaded mounting studs equipped with lock nuts
- Other options available: detention louvers, additional ankle cuff port, shutters
- Chase doors also available

REF# SHHD



Flush

Single Light

Narrow Light



Vision Light

Two Light

Food Pass

SLIDING DEVICES

- Available for new installations and retrofit applications
- Door types: interior cell, corridor, sallyport, vehicle gates and holding cell for maximum security
- Durable track and hanger systems with plug-in relays
- Remote operation with manual override
- Sliding door hanger and track assemblage available
- Sliding door operators for manual move system also available for medium security applications

REF# SHSD

Retrofit your sliding devices

Our sliding door operators are designed to upgrade most manufacturers' sliding door locking and operating devices without replacing the existing door and mechanism housing. This makes upgrades very cost effective. Contact us to learn more about how an upgrade can benefit your facility.



ELECTRICAL LOCKS TYPES

SOLENOID & MOTOR OPERATED ELECTRO-MECHANICAL DEADLATCH

- Used for various security swing doors
- Can be unlocked from a remote location
- Jamb mounted
- Use in conjunction with door position indicator switch, door closer & heavy duty door pull

REF# ELSM



INSTITUTIONAL MORTISE LOCK

- Used for min & max security areas where remote electrical or manual control of lever or knob is desired
- Must be used with a 204E power transfer hinge
- Use in conjunction with door position switch & door closure

REF# ELIM



MECHANICAL LOCKS TYPES

10 SERIES DEADLOCKS

- Ideal for small swinging doors such as: access panels, plumbing chases & control cabinets

REF# ML10



17 SERIES COMBINATION SNAP LOCKS

- Suitable for small swinging doors such as: food passes & observation shutters

REF# ML17



70 SERIES COMBINATION SPRING & DEADLOCKS

- Ideal for high security swinging doors
- Suitable for slam locking

REF# ML70



80 SERIES DEADLOCKS

- Ideal for swinging doors in cells, corridors & storage rooms
- High security lock NOT suitable for slam locking

REF# ML80



10500 INSTITUTIONAL MORTISE LOCK

- Available with various deadbolt latchbolt combinations
- Suitable for use in min and medium security areas

REF# ML15



ELECTRO-MECHANICAL SWING LOCKS

Proven Performance

Designed for use by both Juvenile and Adult Correction Facilities in the following areas: Inmate housing areas, entrances, corridors, safety vestibules, administrative areas.

All Airteq Swing Locks perform to ASTM F1577-01



MOTORLOCK 9424

- Remote controlled 2" latchbolt lock with deadlatch
- Mortise key release
- 1 1/2 hr. certified fire rating



MOTORLOCK 9524

- Remote controlled 2" internal latchbolt
- Mortise key release
- Surface-mount retrofit kit available
- 3 hr. certified fire rating



MOTORLOCK 9624

- Remote controlled 4" latchbolt lock
- Mogul key release
- 3 hr. certified fire rating



MOTORLOCK 9724/9724P

- Remote controlled 7" latchbolt lock with deadlatch
- Mogul or paracentric key release
- 3 hr. certified fire rating



MOTORLOCK 9924/9912M

- Remote controlled 7" latchbolt lock with deadlatch
- Mogul key release
- 3 hr. certified fire rating (pending)
- 9924: 24 VDC
- 9912M: 120 VAC

ELECTRO-MECHANICAL SOLENOID LOCKS



SOLENOID 9912S

- Remote controlled 7" latchbolt lock with deadlatch
- Mogul key release
- 3 hr. certified fire rating (pending)



SOLENOID 9712P

- Remote controlled 7" latchbolt lock with deadlatch
- Paracentric key release



HALLMARK
HARDWARE IS A
CERTIFIED AIRTEQ
SUPPLIER AND
INSTALLER.

PNEUMATIC SWING LOCKS

AIR/TEQ

Proven Dependability & Energy Efficiency

Designed for use by both Juvenile and Adult Correction Facilities in the following areas: Inmate housing areas, entrances, corridors, safety vestibules, administrative areas.

All Airteq Swing Locks perform to ASTM F1577-01



AIRLOCK 9400

- Remote controlled 2" latch bolt lock with deadlatch
- Mortise key release
- 1 1/2 hr. certified fire rating



AIRLOCK 9500

- Remote controlled 2" internal latch bolt lock
- Mortise key release
- Surface-mount retrofit kit available
- 3 hr. certified fire rating



AIRLOCK 9600

- Remote controlled 4" latchbolt lock with deadlatch
- Mogul key release
- 3 hr. certified fire rating





AIRLOCK 9700/9700P

- Remote controlled 7" latchbolt lock with deadlatch
- Mogul or paracentric key release
- 3 hr. certified fire rating

RETROFIT

SOLUTIONS

Great affordable solutions for replacing obsolete or sub-standard locks and adding remote capability to existing manual doors.



AIRTEQ® DEFENDER™ Patent pending

Allows for the replacement of existing locks from any manufacturer with a high security UL Listed electric lock.

- ASTM 1450-12 - Lock Pocket assembly impact tested
- Surface Mounted
- Anti-Suicide design
- Designed to prevent 'sheeting' or 'popping' of the latchbolt
- Existing mogul or mortise key cylinders may be reused if desired
- Integral security door position switch (dps) available
- LED secure door indicator option
- Clean out port option

AIRTEQ® LITTLE RICKY™ Patent pending

Allows for the replacement of existing locks from any manufacturer with high security Airteq motorized (9524) or pneumatic (9500) lock.

- Kit consists of a lock-tube which is welded to the existing frame and a strike/pull plate which is mounted to the door. Available for keyed one side and keyed both sides app.
- Existing door position sensor can be tied into the new lock, or a new Airteq 6200 DPS can be integrated into the locktube and strike/pull.
- Lock-tubes can be provided in standard 36" height, a custom height to run from floor to ceiling, or any size in between. Existing mortise key cylinders can be reused if desired.
- Easily replaces obsolete or deficient locks without frame or door modification.
- Available with integral DPS, secure indication light(s), cleanout port.
- Existing mortise key cylinders can be reused if desired.

CUSTOM MODIFICATION OF EXISTING DOORS

We provide custom modification of existing detention doors and frames to upgrade door with old locks to accept new Airteq locksets. This way there is no need to demolish and discard of existing door and frame, thus reducing time and cost required for implementation of upgrade of existing aging detention locksets.

At the same time we offer to upgrade worn out hardware on the door and/or add more hardware for door protection and function as required.

MECHANICAL

Proven Durability & Cost Efficiency

**DEADBOLT 5010/5016**

- For use on access panels, plumbing chases and other small swinging doors where the security of a deadbolt is required.

5010B - Deadbolt with mortise cylinder

5010M - Deadbolt with mogul cylinder

**LATCH 5017-5017-6**

- A medium security paracentric keyed lever tumbler latch for use on food pass, gun locker and small swinging doors where slam-locking is preferred and deadlocking is not required.

5017B - Slam lock with mortise cylinder


5017M - Slam lock with mogul cylinder

**DEADLATCH
5030/5036/5030K**


A high security dead latch for use on cell, corridor, dayroom and other sliding doors where slam-locking and the security of an automatic deadlatch are required.

**DEADLOCK
5030D/5036D**


- A high security deadlock for use on cell, corridor, dayroom and other sliding doors.
- Recommended for doors which, at times, may be left open and unattended.

**DEADLOCK 5060/5066**


A high security latch with key operated deadlock for use on cell, corridor, dayroom and other large doors where the convenience of a latch with key operation is preferred and the ability to deadlock is required.

**DEADLOCK
5060K/5066K**

A high security latch with key operated deadlock for use on cell, corridor, dayroom and other large doors where the convenience of a latch with key operation is preferred and the ability to dead lock is required.

**DEADLATCH 5070/5076**

A high security deadlatch for use on cell, corridor and other high use swinging doors where slam-locking and the security of an automatic deadlatch are required.

**DEADBOLT 5080/5086**

- A high security deadbolt for use on cell, corridor, dayroom and other large doors where the security of a deadbolt is required.


5080M - Deadbolt with mogul cylinder

**INSTITUTIONAL
MORTISE LOCK
90000/92000**

- Mortise lock sets designed for medium and minimum security applications (cylinders ordered separately)
- Lock sets prepared for mogul cylinder(s) - specify 90000
- Lock sets prepared for mortise cylinder(s) - specify 92000
- Lever handles standard, knobs optional
- Finish US32D

FOOD PASS/CUFF PORT ASSEMBLY

- For use on access panels, plumbing chases and other small swinging doors where the security of a deadbolt is required.
- 5010B - Deadbolt with mortise cylinder
5010M - Deadbolt with mogul cylinder



DETENTION DOOR STOP

- This door stop is designed for use with door hardware with up to a 2 1/4" projection. The 2" diameter, black silicone rubber bumper is mounted on a 5/8" x 2 1/2" steel shank for permanent attachment in grout filled masonry or concrete. It can be wall or floor mounted.

Item #650 , 2" dia. w/ 2 ." proj.

Item #651 , 2" dia. w/ 1.*** proj.



DOOR CLOSERS

- Provide optimized door control
- Available mount options: hinge (pull side), top jamb (push side) or parallel arm (push side)
- Extend interior doors to 5' & exterior doors to 4'
- Delay options available



SWITCHES



CONCEALED DOOR POSITION SWITCH

- Tamper-proof
- Mortised into door & frame
- Activated when door is moved from a closed position
- Adjustable to fit various field conditions
- Security fasteners provided

SURFACE MOUNT DOOR POSITION SWITCH

- Activates a lamp indicator or audible device when door is moved from closed position
- Activated by pivoting operator
- Attaches to door face with security screws & fasteners (provided)
- Compatible with 4.5" or 5" door hinges

MAGNETIC SWITCH

DPS 6200

- Tamper-proof
- Features an actuating magnet recessed into the door edge
- Built-in door indicator switch mortised into door frame
- Security fasteners provided

PULLS AND KNOBS



PULL HANDLE 612

- Cast in bronze with a clear coated satin finish of approx. US32D (US4 available)
- Overall length - 8 3/4"



FLUSH PULL 614

- Cast in bronze with a clear coated satin finish of approx. US32D (US4 avail.)
- Face Plate is 4" x 5" x 1/8"



DOOR KNOB 613

- Machined from solid brass bar with a clear coated US4 finish (US32D available)
- Diameter at the base - 3 1/4"
- Projection - 2 1/4"

HINGES



INSTITUTIONAL MORTISE HINGE WITH SECURITY STUD 604 FMCS

- This hinge is made from investment cast 304 stainless steel.
- Hinge is 4 1/2" x 4 1/2" x 3/16" thick, with hospital tip & maintenance-free bearing assemblies.

Available options

- With security stud
- With concealed through wire for electronic applications



PRISON HINGE 603

- This hinge can be used for many prison applications, including access panels and weapons lockers.
- Hinge is 3" x 4" x .210" thick with a fully welded pin.



FOOD PASS HINGE WITH STOP 603FP

- This surface mounted hinge is used on food pass doors.
- Hinge is provided with a stop that restricts hinge rotation to 90 degrees, allowing the food pass door to act as a shelf.
- Hinge is 3" x 4" x .210" thick steel, with a fully welded pin.



PRISON HINGE 605

- This heavy duty surface mounted hinge is designed for use with the heaviest of doors.
- Hinge is 5" x 6" x 1/2" thick cold rolled steel.
- This 800 lb. capacity hinge features selflubricating radial and thrust bearings for ease of operation in high use areas and a hardened alloy steel pin for added security.
- Available for full surface, full mortise, half mortise and gap applications.

FASTENERS AND TOOLS


Hallmark Hardware offers a complete assortment of fasteners & tools needed for the installation of doors, locks and other door accessories specially manufactured for the detention industry. While the options are endless, it can sometimes prove difficult to find the exact part needed. Not to worry! Contact our specialists today. We'll handle it for you. Ordering is easy! Simply determine the following:



1. ITEM	2. TYPE	3. MATERIAL	4. SIZE	5. DRIVER
<ul style="list-style-type: none"> Sleeve Anchor Wedge-Bolt Anchor Barrel Nut Cap Screw Concrete Screw Hex Socket Screw Machine Screw Self-Drilling Screw Sheet Metal Screw Shoulder Screw Spanner Screw Trident Nut Trident Screw 	<ul style="list-style-type: none"> Button Button/Pan Pan Flat Flat/Oval Round 	<ul style="list-style-type: none"> Steel Stainless Steel 	6" x 1/2" (Example)	1/8 bit (Example)

TOOLS

- One-Way Removal Tools
- Pin-in-hex Sockets
- Torx - bits, power bits, keys, screwdrivers, tool sets
- Trident Nut Sockets
- Tri-Wing Bits



DETENTION MATTRESSES



DETENTION MATTRESSES

Hallmark Hardware offers a complete line of Institutional Mattresses that are manufactured to the highest standards. We use only quality materials on our detention mattresses which have been laboratory tested and have a warranty to prove it. We manufacture most of the popular jail mattress styles with a variety of colors available. We can produce correctional mattresses to meet or exceed any specification. Whether you need one mattress or a thousand, we can provide a solution that fits your needs.

SEALED PREMIUM MATTRESS

- Anti-microbial
- Hypo-allergenic
- Resistant to delaminating from flexing action
- Polyurethane coated, nylon backed fabric

Sizes available: (with or without pillow):

- ITEM# DSPF452575PX - 25" x 75" x 4.5"
- ITEM# DSPF452775PX - 27" x 75" x 4.5"
- ITEM# DSPF453075PX - 30" x 75" x 4.5"
- ITEM# DSPF453675PX - 36" x 75" x 4.5"



SEALED CLEAR COVER MATTRESS

- Transparent cover material exposes more contraband
- High density fiber core
- Anti-microbial
- Seam strength in excess of 50 lbs.
- Resistant to delaminating from flexing

Sizes available (with or without pillow):

- ITEM# DSCF452575PX - 25" x 75" x 4.5"
- ITEM# DSCF452775PX - 27" x 75" x 4.5"
- ITEM# DSCF453075PX - 30" x 75" x 4.5"
- ITEM# DSCF453675PX - 36" x 75" x 4.5"



SEALED VINYL MATTRESS

- 1000 Denier scrim covered with durable vinyl
- Resistant to body fluids & other contaminates
- Seam strength in excess of 50 lbs.

Sizes available (with or without pillow):

- ITEM# DSVF452575PX - 25" x 75" x 4.5"
- ITEM# DSVF452775PX - 27" x 75" x 4.5"
- ITEM# DSVF453075PX - 30" x 75" x 4.5"
- ITEM# DSVF453675PX - 36" x 75" x 4.5"



SEWN VINYL MATTRESS

- 1000 Denier scrim covered with durable vinyl
- 100% Recyclable
- Anti-microbial

Sizes available (with or without pillow):

- ITEM# DWVF452575XX - 25" x 75" x 4.5"
- ITEM# DWVF452775XX - 27" x 75" x 4.5"
- ITEM# DWVF453075XX - 30" x 75" x 4.5"
- ITEM# DWVF453675XX - 36" x 75" x 4.5"



	durability	security	comfort	material	seam	hygiene	price
Sealed Premium	●	◐	●	●	●	●	○
Sealed Clear Cover	◐	●	◐	◐	●	●	○
Sealed Vinyl	○	○	○	○	◐	●	◐
Sewn Vinyl	○	○	○	○	○	○	●

○ good ◐ better ● best

PILLOWS

- Vinyl-covered
 - Constructed to resist tears & other damage
 - Antibacterial, non-allergenic & self-deodorizing
 - Flame Resistant
 - 20" x 26"
 - Four per case
- ITEM# BLVP



MATTRESS COVERS

- Vinyl with 1000D polyester scrim cover
 - Water/bacteria resistant
 - Abrasion resistant
 - Seam strength in excess of 50 lbs.
- ITEM# BLMC



FURNITURE AND ACCESSORIES



FURNITURE AND ACCESSORIES

DETENTION PICNIC TABLES

- Durable 12-14 gauge mild steel or Stainless Steel top and benches (specify)
- Floor Mount or Free Standing
- Available in four, six or eight-person units
- Table height is 30", seat height is 18"
- 4 Person Table, REF# DFPT-FM -4, floor mounted, 48" long
- 6 Person Table, REF# DFPT-FM -6, floor mounted, 72" long
- 8 Person Table, REF# DFPT-FM -8, floor mounted, 96" long

Hallmark Hardware offers a broad range of detention furniture and accessories. We can outfit your entire facility from new construction to replacement furniture and parts. Below is just a sampling of the products we offer. Contact us today for additional information.



DETENTION DAYROOM PEDESTAL TABLES

- Available in four, six or eight seat units
- 12-14 gauge mild steel or 14-gauge Stainless Steel tops and seats (specify)
- REF# DFDT



COFFEE TABLES AND END TABLES

- Seamless
- Cleans and repairs easily
- Rotationally molded vinyl
- 200/250 Mil seamless vinyl
- Foam filled, adhere to shell
- Molded, rigid base
- Heavy and bulky
- Available in burgundy, huckleberry, slate blue, aqua dark, fern, sandstream, beige, ginger snap, flannel grey, and black
- Coffee Table REF# C520-80, 30"d x 30"W x 16"H
- End Table REF# C520-70, 30"d x 54"W x 16"H



ATTACHED SEAT TABLES

**Tops:**

- Octagonal, round, square or rectangle
- Metal to metal fastened to legs
- Game or plain tops
- Stainless steel
- Laminate (color options available)

Base:

- 4 Seat | 6 seat | 8 seat
 - Epoxy powder coated
 - Floor levelling glides
 - Bolt down option
- REF# C5000-3

Edge:

- Pressure-fused poured resin
- Heavy-duty secure bumper
- Stainless steel

Seats:

- Metal to metal fastened to legs
- Stainless steel
- Melamine

Hardware:

- Tamper resistant

CAFÈ TABLES

**Tops:**

- 30" x 48" or 30" x 72"
- Metal to metal fastened to frame
- Laminate (color options available)

Base:

- 4 Seat stationary or swivel
- Epoxy powder coated
- Bolt down

Edge:

- Pressure-fused poured resin
- Heavy-duty secure bumper
- Solid oak

Seats:

- Metal to metal fastened to base
- Rotationally molded vinyl or plastic
- 18" seat height

Hardware:

- Tamper resistant
- 4 Seat Table, REF# C4000-3048, 48"d x 72"w x 31"h FP
- 4 Seat ADA Table REF# C4000-3072, 72"d x 72"w x 31"h FP

X BASE TABLES

**Tops:**

- Round, square, or rectangle
- Embedded t-nuts
- Game or Plain Tops
- Stainless steel
- Laminate (color options avail.)

Base:

- Rotationally molded, one piece
- High impact polyethylene
- Formulated fire retardant
- Ballast for added weight

Hardware:

- Tamper resistant, metal to metal
- 4 Seat Round, REF# C5000-542R, 42" diameter x 29.5" h
- 4 Seat Square, REF# C5000-536S, 36"d x 36"w x 29.5" h
- 4 Seat Square, REF# C5000-542S, 42"d x 42"w x 29.5" h

Edge:

- Pressure-fused poured resin
- Heavy-duty secure bumper
- Stainless steel

MULTIPURPOSE TABLES

**Tops:**

- Round, square, or rectangle
- Embedded t-nuts in top
- Game or Plain Tops
- Stainless steel
- Laminate (color options avail.)

Base:

- 4" Diameter or 2" square
- Steel apron on 2" square
- Epoxy powder coated steel
- Non-removable glides | bolt down

Hardware:

- Tamper resistant
- REF#5000-4, 4" tubular steel legs
- REF#5000-2, 2" square steel legs

Edge:

- Pressure-fused poured resin
- Heavy-duty secure bumper
- Stainless steel
- Solid oak

CHAIRS AND SOFAS

- Seamless
- Cleans and repairs easily
- Rotationally molded vinyl
- 200/250 Mil seamless vinyl
- Foam filled / adhere to shell
- Molded / rigid base
- Heavy and bulky
- Available in burgundy, huckleberry, slate blue, aqua dark, fern, sandstream, beige, ginger snap, flannel grey, and black

- Armless Chair, REF# C520-50
- Armed Chair, REF# C520-20
- Corner Chair, REF# C520-60
- Sofa, REF# C520-10
- Armless Junior Chair, REF# C520-55



STACKING ARM CHAIRS

- Reinforced
 - Stackable (up to 20 high)
 - Matte finish for easy cleaning
 - Bowed ribs for added strength
 - Uv stabilizers prevent fading
 - Injection molded, one piece
 - High impact polypropylene
 - Call 133 certified
 - Available in burgundy, slate blue, sandstream, flannel grey
- REF# C5000-20



MAXIMUM SECURITY INMATE STOOLS

- Durable 10-14 gauge mild steel or 14-gauge Stainless Steel seat (specify)
- Base plate is punched for anchoring to floor (hardware not included)
- Choose from Fixed Floor, Fixed Wall or Swivel Wall mount styles

- REF # DFIS-FM, Fixed Floor Mount
- REF # DFIS-WM , Fixed Wall Mount
- REF# DFIS-SWM, Swivel Wall Mount



SECURITY BENCHES

- Durable 10 -12 gauge mild steel or 12-gauge Stainless Steel bench top (specify)
- Choose from bolt-on floor mount or wall mount style
- Comes with cuff hooks
- Available in 4 ft. or 6 ft. lengths

- REF# DFSBFM-4, 4' length, floor mounted
- REF# DFSBFM-6, 6' length, floor mounted
- REF# DFSBWM-4, 4' length, wall mounted
- REF# DFSBWM-6, 6' length, wall mounted



SINGLE, DOUBLE & TRIPLE BUNKS

- Floor mount heavy gauge steel thoroughly welded construction
 - Available primed, painted or powder coated
 - Standard pan size: 27" x 76"
 - Options: safety rails, ladders, knock-down
- REF# DFBU



SECLUSION BEDS

- Seamless
 - Cleans and repairs easily
 - Rotationally molded vinyl
 - 200/250 Mil seamless vinyl
 - Foam filled / adhere to shell
 - Molded, rigid base
 - Heavy and bulky
 - Available in burgundy, huckleberry, slate blue, aqua dark, fern, sandstream, beige, ginger snap, flannel grey, black
- REF# C450-10

Floor Mounting Kit : sold separately from bed



WALL MOUNTED BUNK

- Durable steel construction thoroughly welded for safety
- Available primed, painted or powder coated
- Standard pan size: 27" x 80"

ITEM# DFWM



INMATE DESKS

- Durable 10 -12 gauge mild steel or 12-gauge Stainless Steel desk top and seat (specify)
- Available in bolt-on floor mount, single pedestal style desk with book cubby, or wall mounted desk top and seat combination
- REF # DFID-FMBC, Single Pedestal w/ Book Cubby, 30"H x 36"W. Seat Ht. 18"
- REF# DFID-DTWM, Wall Mounted Desk Top Surface, 18"Wx18"D
- REF# DFID-SWM, Wall Mounted Seat Surface, 12"Wx18"D



EZ BUNK

- Designed for temporary sleep surface
 - Ideal for continuous, intensive use in extreme environments
 - Durable one piece construction, no seams or holes
 - Space saving - 21 units stack 6.5 feet high
 - Optional factory drain holes available for easy cleaning
 - Flame retardant
 - Easily fits under most wall mount bunks
- ITEM# DFEZ



TV SHELF

- Constructed from heavy-duty 10-gauge one-piece construction, mild steel
 - Size 24"Wx 24"D w/ . flange and gusseted each end for support
 - Pre-drilled mounting holes (hardware not included)
- REF# DFTVS-MS-2424



MULTIPLE COLLAPSIBLE HOOK

- 14 gauge Stainless Steel housing with slope top design
 - 5 1/2" x 18" x 2 1/4"
- ITEM# DFCMH-4



NEW 'HIGH SECURITY' SAFETY HOOK

- New Wall-Mounted, Ball-Style is tamper and jam resistant
 - 14-gauge, Stainless Steel housing with open back for tension adjustment
 - 2-1/4" x 5-1/2"
- REF# DFHSCSH



SINGLE COLLAPSIBLE HOOK

- Stainless Steel with nylon insert
 - 14 gauge housing
 - Slope top design
 - Weld-on or bolt-on
 - 5/8" x 3 1/8" x 3"
 - Several sizes and styles available
- ITEM# DFCS



FLAT BAR STYLE SAFETY HOOK

- Hooks are held in tension bracket with a rubber washer that allows weight capacity adjustment
 - Tension brackets are welded to a wall mounting plate
 - Stainless Steel: #4 finish
 - 1-1/2" x 5"
- ITEM# DFFBSH

WALL MOUNTED SHELF

- Designed specifically for correctional facilities
 - Features 4 tamper-resistant hooks below shelf
 - Several sizes and styles available
- ITEM# DFWS

SECURITY GUN LOCKERS

- Heavy guage steel construction
 - Pre-drilled for wall anchoring
 - Felt lined
 - Locks & keys included
 - Several sizes and styles available
- REF# DFLK



FOLDED TOILET TISSUE HOLDER CHASE, FRONT OR PARTITION MOUNTED MODEL SA13, SA14, SA15

- Folded Tissue
- Heavy Duty Stainless Steel
 - Model SA13 - Chase Mounted
 - Model SA14 - Front Mounted
 - Model SA15 - Partition Mounted



SURFACE MOUNTED HEAVY DUTY SOAP DISH CHASE OR FRONT MOUNTED MODEL SA21, SA22

- Heavy Duty Stainless Steel
 - Model SA21 - Chase Mounted
 - Model SA22 - Front Mounted



RECESSED SOAP DISH MODEL SA16

- Beveled edge for tight fit against wall
- Heavy Duty Stainless Steel
- One-piece drawn, seamless construction
- Chase-mounted
- Recess design



SECURITY MIRRORS

- Stainless steel polished to a mirror finish
- Security mounting screws provided
 - ITEM# DFSMS1 - Small 1 piece: 9 1/2" x 11 1/4" x 1/4"
 - ITEM# DFSMS2 - Small 2 piece: 10" x 11 1/2" x 5/16"
 - ITEM# DFSML1 - Large 1 piece: 11 1/4" x 17 1/4" x 1/4"
 - ITEM# DFSML2 - Large 2 piece: 12 3/8" x 16 3/8" x 5/16"




TISSUE ROLL HOOK CHASE OR FRONT MOUNTED MODEL SA09, SA10

- Heavy Duty Stainless Steel
 - Model SA09 - Chase Mounted
 - Model SA10 - Front Mounted



RECESSED TOILET TISSUE ROLL HOLDER CHASE OR FRONT MOUNTED MODEL SA11, SA12

- Wall Mounted
- Heavy Duty Stainless Steel
 - Model SA11 - Chase Mounted
 - Model SA12 - Front Mounted



BALL TIP TOILET PAPER HOLDER

- 14-gauge Stainless Steel housing w/ nylon insert
 - Anti-Ligature Slope top design
 - Collapsible ball-joint with ball-tip design
 - Size 4"H x4"W x4" projection
- REF# DFTPH-SS-BT



SECURITY GRAB BARS MODEL SA70 SERIES

- 1-1/2" O.D.
- Front Mounted
- Heavy Duty Stainless Steel
- Stainless Steel Closure Plate
 - Model SA70-001240 (24" Long)
 - Model SA70-001360 (36" Long) BradEX
 - Model SA70-001420 (42" Long) BradEX



SHOWER CURTAINS

- Surcheck. nylon reinforced vinyl break-a-way
 - Permanently flame resistant
 - Self-deodorizing, fluid proof, anti-bacterial, self-sanitizing
- ITEM# BLSC



SUICIDE RESISTANT GRAB BAR

- Anti-Ligature design for Suicide Resistance
 - Constructed from 16-gauge formed stainless steel with 10-gauge stainless steel endcaps welded to ends. 1/8" hole on each end for drainage
 - Available in 18", 24", 36" 42" and 48"
- REF# DFSRGB-SS-18
For other sizes, add "24", "36", "42" or "48" to REF# suffix

DETENTION SECURITY HOLLOW METAL



DETENTION SECURITY HOLLOW METAL



MONEY CART PASSER

Money Cart Passers are used to pass bulk quantities or heavy items upon rolling carts from a non-secure to a secure area. We offer a standard size MCP in all protection levels. The door release buttons are mounted upon the interior/secure side head frame. Only one door can be opened at a time.



BALLISTIC TRANSACTION WINDOW

These windows are designed to allow both voice communication and the passing of documents or currency without compromising the safety of the teller. Our design professionals can help solve your transaction requirements.



SLIDING TRANSACTION WINDOW

This window is ideal for customers that have varying degrees of threat depending on the time of day or circumstances. The unit is offered with aluminum, prime finish steel or stainless steel frames. Call to customize.



PACKAGE PASSER

The SPP Series transfers device allows for larger parcels to be passed without compromising security. Standard and custom configurations are also available with key locks on the doors as an option.



TRANSPARENT PACKAGE PASSER

Available in protection levels 1-3 per UL 752, the TPP is ideal for countertop applications where protection from handguns is desired. Standard or custom sizes are available.



DRAWER PACKAGE PASSER

The 670330 is an industry favorite which offers a large transfer area, all stainless steel construction and stainless steel ball bearing slides for smooth operation and durability.



BAFFLE VOICE TRANSACTION WINDOW

The BVTW Series transaction windows are available with extruded aluminum frames. These transaction windows are intended for use in interior applications. Odd sizes and customization of this transaction window is possible.



HOPPER PACKAGE PASSE

Our HPP Series stainless steel pass hopper is a pivoting transaction device that provides level 3 bullet resistant protection. Can be sold by themselves or incorporated into a window or door.

PROPERTY STORAGE



PROPERTY STORAGE



REUSABLE VALUABLES POUCH™

- Reduces your liabilities through effective property control
- Yellow or clear
- 9" x 12" per dozen

ITEM# PSVP

Hallmark Hardware offers durable inmate property storage products that will withstand daily abuse. We also offer law enforcement supplies including evidence secure packs. The items listed below are only a sampling of the product assortment that we carry. Contact us today to learn more about our full product offering.



CLEARBOX™ IN-CELL ORGANIZER

- Rugged & dependable
- Efficient storage of typical items
- Meets fire standard NFPA-701
- 16" x 24" x 12"

ITEM# PSCB



THE STRONG BOX™

- Constructed of reinforced vinyl
- Features brass zipper, optional grommets for max ventilation, reinforced web handles on front/back & clear ID pocket
 - ITEM# PSSB12 10" W x 16"D x 12"H
 - ITEM# PSSB16 16"W x 26"D X 16"H



EVIDENCE SECURE PACKS

- Tamper-proof
- Serrated edging with self-destroy feature provides unmatched security
- Sequential numbering allows individual tracking
- 9" x 12"
- 1,000 per case

ITEM# PSEP



THE STRONG LOCKER™

- Constructed of high-strength nylon mesh with reinforced vinyl
- Lockable solid-brass zipper provides added security
- Features inside mesh pocket with velcro closure
- 22" x 29" x 4" per dozen

ITEM# PSSL



LOCKING SEALS

- Works with all property storage bags
- Easily adjusts to any position
- Pull tab for tool-less removal
- Randomly numbered for easy identification
- 1,000 per case

ITEM# PSLS

PLUMBING EQUIPMENT



PLUMBING EQUIPMENT



COMBINATION FIXTURE

- Available in 15", 18" or 20" widths
 - Includes unit, fast drain, integral raised soap ribs & mounting hardware for walls up to 8" thick
- REF# PLCF



SHOWER CABINETS

- Constructed of heavy gauge stainless steel & seamless welding with satin finish
 - Floor has a slip resistant matte finish
 - Vent is provided
 - Fixture requires wall openings & an accessible chase for installation & maintenance
 - Sizes available: 30" x 30", 32" x 32" & 36" x 36"
- REF# PLSC



DETOX UNIT

- Recommended for detoxification cells, padded cells, isolation cells, etc.
 - Blowout jet type with remote flushing
 - Heavy gauge stainless steel with satin finish
- REF# PLDU

Hallmark Hardware offers a full line of durable plumbing fixtures and replacement parts that are crafted to withstand the daily use of detention facilities. Designed to be tamper-resistant, these are the safest and most durable products on the market.



LAVATORIES

- Available in 13", 15", 18" & 20" wide units in a variety of shapes
 - Front & chase access units
 - Heavy gauge stainless steel with satin finish & seamless welded construction
- REF# PLLA



WALL SHOWER

- Constructed of heavy gauge stainless steel with satin finish
 - Chrome-plated brass shower head is vandal-resistant
 - Shower valve is air-control pneumatically operated
 - Includes air-control metering valve, shower head & mounting hardware for walls up to 8" thick
 - Rear, chase mount or front access units
- REF# PLWS




SECURITY TOILET

- Available in floor & wall mount options
 - Blowout jet toilet with elongated bowl
 - Heavy gauge stainless steel with satin finish & seamless welded construction
- REF# PLST




REPLACEMENT WALL TOILET*

REF# PLWT



REPLACEMENT FLOOR TOILET*


REF# PLFT



REPLACEMENT COMBY UNITS*


• Available in 15" & 18" widths

REF# PLCU



REPLACEMENT VALVES*

REF# PLRV



*Please note: All replacement valves & units are custom orders and not eligible for returns.

DETENTION GLASS AND GLAZING




WINDOWS & GLASS

Hallmark Hardware can furnish security glass (glazing) in many sizes, thickness, shadings, R-values and U-values. Products include security glass clad, wire glass, bullet resistant glazing and lexan. We can also assist in installation of new or existing products/structures. Lean on us, your custom security glass provider.


BULLET RESISTANT LAMINATE

REF# SHBL



POLYCARBONATE BULLET RESISTANT LAMINATE

REF# SHPL



Helpful Hint

When measuring for security glass, remove all stops to ensure exact measurement. Security glazing is ordered in 1/16th inch increments. Our most requested replacement thicknesses include: 7/16, 9/16, 11/16 and 13/16.

SHOTGARD® BALLISTIC FIBERGLASS ARMOR PANELS



Creating a ballistic shield for ultimate protection. This UL Listed composite laminate is produced from high quality E-glass strand woven into a special ballistic grade cloth and impregnated with a proprietary thermoset polyester resin binder. The resulting multi-ply configuration produces a controlled delamination when ballistically attacked. Delamination, or separation allows for the bullet to be trapped. No special reinforcing of traditional studs walls is required and ShotGard® can be attached to new walls by either drywall screws or construction adhesive. ShotGard® is compatible with most contact cements and construction adhesives making ShotGard® ideal for incorporation into wood door and millwork applications.

SECUR-TEM + POLY® - GLASS-CLAD POLYCARBONATES

Product	Code	Thickness tolerance	Weight Lbs/Sf	Protection level
7/16" Secur-Tem + Poly	2119	.4260"/.5080"	4.58	HP White Level I-TP-0500.02
9/16" Secur-Tem + Poly	2117	.518"/.620"	5.22	HP White Level I-TP-0500.03 ASTM 1915 Grade 4
11/16" Secur-Tem + Poly	2116	.658"/.791"	6.2	HP White Level II-TP-0500.03 ASTM 1915 Grade 3
3/4" Secur-Tem + Poly	SP019	.647"/.778"	6.1	HP White Level III-TP-0500.02 ASTM 1915 Grade 2 WMFL Level III
13/16" Secur-Tem+Poly	2115	.684"/.824"	6.30	HP White Level II-TP-0500.02 WMFL Level III
15/16" Secur-Tem+Poly	2114	.776"/.936"	7.00	HP White Level III-TP-0500.02 ASTM 1915 Grade 2 WMFL Level II
1" Secur-Tem + Poly	SP028	.880"/1.06"	7.7	HP White Level IV-TP-0500.03 ASTM 1915 Grade 1 WMFL Level II
1 1/4" Secur-Tem + Poly	SP035	1.124"/1.327"	11.2	ASTM 1915 Grade 1 WMFL Level I

LEXGARD® - LAMINATED POLYCARBONATES

Product	Thickness	Weight Lbs/Sf	Protection level
Lexgard MPC 375	3/8" (2 ply)	2.30	ASTM F1233 Class III/ASTM 1915 Grade 3 HP White Level II-TP-0500.02 WMFL Level III
Lexgard MPC 500	1/2" (3 ply)	3.10	ASTM F1233 Class III /ASTM 1915 Grade 2 HP White Level II- TP-0500.02 / WMFL Level II
Lexgard RC 750	3/4" (3 ply)	4.76	ASTM F1233 Class IV /ASTM 1915 Grade 1 HP White Level III-TP-0500.02
Lexgard MP 1000	1" (4 ply)	6.41	ASTM F1233 Class V HP White Level IV-TP-0500.02
Lexgard SP 1250	1 1/4" (4 ply)	7.97	ASTM F1233 Class V/ASTM 1915 Grade 1 HP White Level V-TP-0500.02 / WMFL Level I
Lexan MR10 (AR2)	1/2" (Monolithic)	3.12	ASTM F1233 Class II /ASTM 1915 Grade 4 HP White Level I-TP-0500.02

BULLET RESISTANT GLASS (ALL GLASS) - MULTIPLE LAYERS OF GLASS AND PVB

Product	Code	Thickness	Weight Lbs/Sf	Protection level
UL Level 1	BR-113	1 1/4"	16.05	9mm Full Metal Copper Jacket with Lead Core
UL Level 2	BR-155	1 7/8"	19.51	.357 Magnum Jacketed Lead Soft Point
UL Level 3	BR-233	2 3/32"	26.38	.44 Magnum Lead Semi-Wadcutter Gas Checked
UL Level 4	BR-212	2 1/8"	27.02	.30 Caliber Rifle Lead Core Soft Point (.30-06 Caliber)

SECUR-TEM + POLY® - GLASS-CLAD POLYCARBONATES

Product	Code	Thickness	Weight Lbs/Sf	Protection level
UL Level 1	SP175	3/4"	7.84	9mm Full Metal Copper Jacket with Lead Core
UL Level 2	SP293	15/16"	11.11	.357 Magnum Jacketed Lead Soft Point
UL Level 3	SP311	1 1/8"	12.81	.44 Magnum Lead Semi-Wadcutter Gas Checked
UL Level 4	SP412	1 7/32"	14.5	.30 Caliber Rifle Lead Core Soft Point (.30-06 Caliber)
UL Level 5	SP513	1 3/8"	16.09	7.62mm Rifle Lead Core Full Metal Copper Jacket, Military Ball (.308 Caliber) One (1) Shot
UL Level 8	SP820	2"	22.34	7.62mm Rifle Lead Core Full Metal Copper Jacket, Military Ball (.308 Caliber) Five (5) Shots
NIJ Level II A	SP175	3/4"	7.84	.357 Magnum Jacketed Lead Soft Point 9mm Full Metal Jacket
NIJ Level III	SPN316	1 9/16"	18.39	7.62mm (.308 Winchester) Full Metal Jacket
NIJ Level IIIA	SP412	1 7/32"	14.5	.44 Magnum Lead Semi-Wadcutter Gas Checked 9mm Full Metal Jacket
NIJ Level IV	SPN420	2 3/16"	25.3	.30-06 Armor Piercing

LEXGARD® - LAMINATED POLYCARBONATES

Product	Code	Thickness	Weight Lbs/Sf	Protection level
UL Level 1	MP 750	3/4"	4.76	9mm Full Metal Jacket with Lead Core
UL Level 2	HP 875	7/8"	5.49	.357 Magnum Jacketed Lead Soft Point
UL Level 2	MP 1000	1"	6.41	.357 Magnum Jacketed Lead Soft Point
UL Level 3	SP-1250	1 1/4"	7.97	.44 Magnum Lead Semi-Wadcutter Gas Checked

**BULLET RESISTANT AIR GAP (AG) UNITS - LAMINATED GLASS
COMBINED WITH LEXGARD® LAMINATED POLYCARBONATE IN A
DOUBLE-GLAZED UNIT**

Product	Code	Thickness	Weight Lbs/Sf	Protection level
UL Level 1	IC-1	1"	7.33	9mm Full Metal Jacket with Lead Core
UL Level 1	IC-111.5	7/8"	5.65	9mm Full Metal Jacket with Lead Core
UL Level 2	IC-221.5	1 1/8"	8.99	.357 Magnum Jacketed Lead Soft Point
UL Level 3	IC-322	1 1/4"	9.64	.44 Magnum Lead Semi-Wadcutter Gas Checked
UL Level 4	IC-433	1 3/4"	14.84	.30 Caliber Rifle Lead Core Soft Point (.30-06 Caliber)
UL Level 8	IC-862	2 1/4"	23.23	7.62mm Rifle Lead Core Full Metal Copper Jacket, Military Ball (.308 Caliber)

CONSTRUCTION SERVICES



REMODEL, RETROFIT & RENOVATE

Hallmark Hardware Fully is a fully licensed detention equipment subcontractor and security electronics subcontractor. We can oversee complete removal of old equipment and installation of new products. Trust in an experienced company with the know-how on detention and security equipment. We have the largest assortment of products and services in the industry.

Some of those products include:

- Detention Coat
- Detention Furniture Replacement
- Doors/Frames
- Guard Towers
- Locks
- Plumbing Devices (security shower cabinets, shower wall fixtures, comby units, etc.)
- Security Controls
- Security Door Hardware
- Security Glass/Windows
- Sliding Device(s)
- System Upgrade (cameras, intercoms, door controls, etc.)
- Vehicle Gate(s)



Doors/Frames



Padded Cells



Guard Towers



Detention Coat

PADDED SECURITY CELLS

FEATURES/BENEFITS

- Assures maximum safety when applied to the floor, walls and door of the room
- Class A fire rating: is self extinguishing, as demonstrated by extensive fire testing
- Is virtually indestructible: withstands attempts to rip, gouge or otherwise damage
- Padding material is uniform and smooth with no cracks or open seams
- Non-slip surface is completely fungus resistant
- Is easily cleaned/disinfected: mild detergents will not harm the surface
- Bond coat is used to completely ensure compatibility with the existing floor
- Resinous coating is scuff-resistant and long lasting
- Can be installed in any existing cell or room or be included in new construction
- Assures the protection of the individuals with the propensity to inflict self-harm, violent detainees and drug and alcohol influenced patients and inmates

REF# DSPC

Hallmark Hardware can furnish, deliver and install padded cells. Our cells provide maximum safety for jail cells, time-out rooms and psychiatric rooms where violent behavior may result in injury to the inmate/patient or in damage to the room.



PADDED CELL REPAIR KITS

Repair Kits for Safety Padding can be used by the facility's own maintenance department to repair any small gouges, splits or bite marks to your safety room. Included in this kit are the consumable materials to repair a small 6" x 6" damaged area only to Safety Padding. Repair kits can be purchased in any of the following sizes:

- Topcoat: One (1) gallon of our current Top Coat
- Small Repair Kit Includes:
 - One (1) quart of our current Top Coat
 - One (1) pint of Part A Epoxy Bonding Agent
 - One (8) ounces of Part B Epoxy Bonding Agent
- Medium Repair Kit Includes:
 - One (1) quart of our current Top Coat
 - One (1) pint of Part A Epoxy Bonding Agent
 - One (8) ounces of Part B Epoxy Bonding Agent
 - One (1) 1' x 1' piece of Wall Padding
- Large Repair Kit Includes:
 - Two (2) quarts of our current Top Coat
 - Two (2) pints of Part A Epoxy Bonding Agent
 - Two (2) ounces of Part B Epoxy Bonding Agent
 - One (1) 3' x 3' piece of Wall Padding

 Our units are priced by the square foot. Please call for an estimate based on your specific cell dimensions. Samples are available upon request.

DETENTION COAT

Hallmark Hardware specializes in the installation of detention coat, an aliphatic polyurethane system. Perfect for high foot traffic, vehicles and moisture areas, detention coat is the modern answer to floor covering problems. We offer FREE site inspection and estimate. Contact us today for more information.



Before



After



FEATURES/BENEFITS

- Anti-microbial & mildew resistant properties
 - Chemical resistant
 - Ideal for high foot traffic or high moisture areas
 - 5-year warranty
 - Professional installation by factory trained technicians
 - Six step process assures excellent bonding
 - Contains no solvents (VOCs) - VOC compliant
 - Low odor during installation
- REF# DSDC



Before



After

ACOUSTICAL METAL SECURITY CEILING SYSTEM

The Acoustical Metal Security Ceiling Systems meet the full range of security ceiling requirements, from supervised areas of minimum and medium security facilities through incell use in maximum security applications. And, they address the growing need to control noise in the detention setting, which creates not only a poor living environment for inmates, but also a stressful and unsafe working environment for correctional officers.

METAL PAN CEILING

The Metal Pan Ceiling is an acoustical ceiling system for supervised areas of minimum security corrections facilities. The system is constructed of standard 2' x 2' or 2' x 4' metal pans with a heavy-duty exposed grid. The Metal Pan Ceiling is also available in aluminum and stainless steel for high-moisture, sanitary areas.



SINGLE SKIN METAL PLANK CEILING

Single Skin Metal Plank Ceiling provides a physical security barrier combined with excellent noise reduction for medium security areas that are not directly supervised. When specifying this for inmate cells use prime painted 12 gauge non-perforated panels and a welded installation. The construction consists of 12", 18" or 24" wide by 8', 10' and 12' long single layer metal planks supported by perimeter and "T" angles. This is also available in aluminum and stainless steel.



DOUBLE SKIN METAL PLANK CEILING

Double Skin Metal Plank Ceiling for maximum security areas, is the most secure ceiling system available today. It is designed for the most demanding security requirements. Able to withstand attack from the most violent offenders, it is used in inmate cells and segregation units. The construction consists of 24" or 44" wide double layer metal planks with core center. The system is supported by perimeter and "T" angles.



SECURITY GATES

Hallmark Hardware can assist you with the purchase of security gates for your facility. We have Certified Field Experts available for on-site assessments and offer maintenance services for all of our security gates. We can also service/repair your existing security gates. Contact us today for additional information.

SWING GATE SYSTEMS

- Lockable - controlled swing motion assures continual lock alignment
- Secure - no gaps between gate & fence reducing contraband
- Durable - highly resistant to inclement weather conditions
- Accessible - keying from one or both sides of gate
- Infill - options include weld mesh, chain link, woven wire or solid panel



SLIDE GATE SYSTEMS

- Lockable - internal mechanical locking system locks gate panel in both open & closed positions
- Secure - drive & locking assemblies properly function in all weather conditions
- Durable - superstructure is vandal proof and tamper resistant
- Accessible - manual release keying from one or both sides of gate



VEHICLE SALLYPORT GATE SYSTEMS

- Secure - galvanized steel protects both the drive & locking assemblies
- Lockable - keyless, positive three point mechanical locking systems
- Durable - highly resistant to inclement weather conditions
- Versatile - programmable high speed controller & access control options



GUARD TOWERS

Hallmark Hardware can assist with the purchase and installation of guard towers for your detention facility. We offer ready-made and customizable prison towers that are suitable for use in county and city jails, federal prisons, juvenile detention centers and other correctional facilities. We offer on-site assessments to help you choose the right guard towers for your facility.



Customized Prison Tower



Customized
Entry Guard Tower



Ready-Made
Entry Guard Tower



CUSTOM GUARD TOWERS

Built on-site by our Certified Field Experts, Hallmark Hardware can build a structure tailored to your facility's needs.

TERMS AND CONDITIONS



Prices Prices, terms and conditions of sale are subject to change without notice. No prices are guaranteed. All sales will be made at prices prevailing at the time of shipment.

Terms Net 30-120 days OAC. Past due accounts will be subject to a finance charge of 1 1/2% per month (or 18% per annum) which will be added to the unpaid balance of invoices not paid within 30 days.

Minimum order The minimum invoice order required is \$300.00 net. Some exceptions can be made.

Freight All shipments are F.O.B. shipping point, unless otherwise noted.

Cancellation and charges Cancellations and change orders are subject to our approval. A cancellation or change order charge will apply if any cost for material or labor has been incurred by us prior to notification from the customer.

Delivery Delivery is contingent upon conditions existing at the time an order is placed as well as subsequent changed conditions. We will not be liable for any delivery or shipment of goods, or from any damages suffered by customers by reason of such delay, when such delay is of God, war, government interference, embargoes, strikes, labor difficulties, shortage of labor, fuel, power, materials or supplies, backlogs, transportation delays, import quotas or restrictions, or any other cause or causes (whether or not similar in nature to any of those hereto before specified) beyond our control. If such conditions or contingencies interfere with our performance of an order, our obligation to perform that order shall cease. We will not in any event be liable to any customers for special, incidental, or consequential damages for late delivery or non-delivery of goods for any reason. Hallmark Hardware must be notified of damages or shortages at the time of shipments/deliveries.

Returned Goods Goods that are defective, within the terms of our warranty, may be returned for credit or replacement pursuant to your warranty. No other returns shall be allowed unless the customer has requested a Return Goods Authorization and we have approved it at our discretion. Return Goods Authorization requests should be directed to our Customer Service Department. All return shipments must be freight prepaid to the plant location specified by us. Credit will be issued at the lower of the price paid for the returned goods or their current sale price, less a 30% restocking charge, and where appropriate, a refurbishing charge to make the returned goods resalable. No Return Goods Authorization will be approved for obsolete, discontinued or specially manufactured goods.

Don't see what you're looking for?

This is just a sample of the items we can provide for your institution. Contact us today for a full product offering.



Get in touch with us

604-371-0717

info@hallmarkhardware.ca

Submit your quote requests to

tenders@hallmarkhardware.ca

Connect with us on LinkedIn

[Hallmark Hardware Corporation](#)

Office/Warehouse

Hallmark Hardware Corporation

Unit 203 - 9775 188 St, Surrey, BC, V4N 3N2

