

#This code will be used to demonstrate theorem 6.17. We will demonstrate that $Q2 = ((w+z)^3 - y^3) \cdot x \cdot (-w^2 \cdot (z^3 - y^3) + z^2 \cdot (w^3 - y^3)) / (y \cdot (w+z)^2 \cdot (x^3 - w^3) \cdot (z^3 - y^3) + (x^3 - z^3) \cdot (w^3 - y^3))$ is decreasing along the γ_l curve; (Part 2 – discarding potential critical points)

#Define r1

$$\begin{aligned}
 r1 := & \left(a^{32} b^{16} + b^{16} + (-4 b^{18} + 8 b^{16} - 4 b^{14}) a^{30} + (6 b^{20} - 32 b^{18} + 44 b^{16} - 32 b^{14} + 6 b^{12}) a^{28} \right. \\
 & + (72 b^{20} - 76 b^{18} + 8 b^{16} + 692 b^{14} + 72 b^{12} - 1024 b^{10}) a^{26} + (b^{32} + 8 b^{30} + 20 b^{28} \\
 & - 120 b^{26} - 3426 b^{24} - 7288 b^{22} - 125524 b^{20} - 222104 b^{18} - 279672 b^{16} - 317080 b^{14} \\
 & - 157780 b^{12} - 32376 b^{10} + 1950 b^8 + 1672 b^6 + 20 b^4 + 8 b^2 + 1) a^{16} + (-1016 b^{26} \\
 & - 8440 b^{24} - 21976 b^{22} - 25848 b^{20} - 37428 b^{18} - 31000 b^{16} - 8756 b^{14} + 264 b^{12} - 216 b^{10} \\
 & + 8 b^8 + 8 b^6) a^{10} + (-265 b^{24} - 1864 b^{22} + 2192 b^{20} + 4232 b^{18} + 142 b^{16} - 1912 b^{14} \\
 & + 144 b^{12} - 72 b^{10} - 9 b^8) a^8 + (-512 b^{22} - 696 b^{20} + 692 b^{18} + 1288 b^{16} - 76 b^{14} \\
 & + 72 b^{12}) a^6 + (-250 b^{20} - 288 b^{18} + 44 b^{16} - 32 b^{14} + 6 b^{12}) a^4 + (-4 b^{18} + 8 b^{16} \\
 & - 4 b^{14}) a^2 - 2560 \left(b^2 - \frac{1}{5} \right) b^7 (b^2 - 2) (b^2 + 1)^4 a^{23} + 2 b^4 (b^{24} + 36 b^{22} - 2636 b^{20} \\
 & - 6620 b^{18} - 27212 b^{16} - 64184 b^{14} - 54798 b^{12} - 25400 b^{10} - 9036 b^8 - 1372 b^6 + 180 b^4 \\
 & + 36 b^2 + 1) a^{12} - 4 b^2 (b^{28} + 12 b^{26} - 155 b^{24} + 1018 b^{22} + 4315 b^{20} + 34120 b^{18} + 65514 b^{16} \\
 & + 57358 b^{14} + 41514 b^{12} + 19656 b^{10} + 4187 b^8 + 378 b^6 + 37 b^4 + 12 b^2 + 1) a^{14} - 4 b^2 (b^{28} \\
 & + 12 b^{26} + 37 b^{24} - 518 b^{22} - 2085 b^{20} + 17992 b^{18} + 38058 b^{16} + 78414 b^{14} + 92394 b^{12} \\
 & + 36360 b^{10} + 5211 b^8 - 2118 b^6 - 539 b^4 + 76 b^2 + 1) a^{18} + 2 b^4 (b^{24} + 36 b^{22} + 180 b^{20} \\
 & - 2396 b^{18} - 25164 b^{16} - 42552 b^{14} - 90894 b^{12} - 84792 b^{10} - 12876 b^8 - 348 b^6 + 3252 b^4 \\
 & + 420 b^2 - 127) a^{20} + 8 \left(b^{20} + b^{18} - 27 b^{16} - 159 b^{14} + \frac{2163}{2} b^{12} - 1827 b^{10} - \frac{1037}{2} b^8 \right. \\
 & + 2369 b^6 - 699 b^4 + b^2 + 1 \left. \right) b^6 a^{22} - 9 \left(b^{16} + 8 b^{14} - 16 b^{12} - 72 b^{10} + \frac{3698}{9} b^8 - 328 b^6 \right. \\
 & - 528 b^4 + \frac{4168}{9} b^2 + 1 \left. \right) b^8 a^{24} - 1024 b^{15} (b^2 + 1)^4 a^7 - 2560 \left(b^6 - \frac{8}{5} b^4 + \frac{6}{5} b^2 \right. \\
 & \left. - 1 \right) b^{11} (b^2 + 1)^4 a^{11} - 1024 \left(b^2 - \frac{1}{2} \right) b^{13} (b^2 + 1)^5 a^9 + 512 b^7 (b^{10} - 19 b^8 + 42 b^6
 \end{aligned}$$

$$\begin{aligned}
& -9b^4 - 10b^2 + 1)(b^2 + 1)^4 a^{15} - 1536 \left(b^8 - b^6 + \frac{5}{3}b^4 - \frac{16}{3}b^2 + \frac{5}{3} \right) b^9 (b^2 + 1)^4 a^{13} \\
& + 512b^7 (b^{10} - 22b^8 + 81b^6 - 78b^4 + 11b^2 + 1)(b^2 + 1)^4 a^{17} - 3584b^7 \left(b^8 - \frac{52}{7}b^6 \right. \\
& + \frac{95}{7}b^4 - \frac{43}{7}b^2 + \frac{3}{7} \left. \right) (b^2 + 1)^4 a^{19} + 5632 \left(b^6 - \frac{42}{11}b^4 + \frac{38}{11}b^2 - \frac{5}{11} \right) b^7 (b^2 \\
& + 1)^4 a^{21} \Big) :
\end{aligned}$$

#The candidate points $\cdot (a, b)$ **for** the intersection of $r1 = 0$ **and** $\tilde{f} = 0$ are of the form $a \setminus \text{in } A$ and $b \setminus \text{in } B$ where

$A := [3.474957787, 3.883374171, 3.888068164] :$

$B := [1.378512042, 2.437789845, 3.465553247, 2.018441016, 3.036611183, 3.327892663] :$

$Points := [seq(seq([a, b], b \text{ in } B), a \text{ in } A)] :$

$Points_filtered := select(p \rightarrow p[2] < p[1], Points);$

$Points_filtered := [[3.474957787, 1.378512042], [3.474957787, 2.437789845], [3.474957787, 3.465553247], [3.474957787, 2.018441016], [3.474957787, 3.036611183], [3.474957787, 3.327892663], [3.883374171, 1.378512042], [3.883374171, 2.437789845], [3.883374171, 3.465553247], [3.883374171, 2.018441016], [3.883374171, 3.036611183], [3.883374171, 3.327892663], [3.888068164, 1.378512042], [3.888068164, 2.437789845], [3.888068164, 3.465553247], [3.888068164, 2.018441016], [3.888068164, 3.036611183], [3.888068164, 3.327892663]]$ (1)

with(plots) :

with(plottools) :

$r := a - b :$

$p1 := \text{implicitplot}([r1 = 0, r = 0],$
 $a = 2 \dots 5, b = 1 \dots 2 + \text{sqrt}(3),$
 $\text{scaling} = \text{constrained},$
 $\text{gridrefine} = 2,$
 $\text{thickness} = 2,$
 $\text{color} = [\text{blue}, \text{red}],$
 $\text{labels} = ["a", "b"],$
 $\text{title} = \text{"Graphic for } r1=0 \text{ in } A1"$
 $) :$

rectangles

$R1 := \text{rectangle}([3.4, 3], [3.9, 3.5],$
 $\text{color} = \text{silver}, \text{transparency} = 0.5,$

```

        linestyle = 3, # pontilhado
        thickness = 2) :
R2 := rectangle( [3.4, 2], [3.5, 2.5],
        color = silver, transparency = 0.5,
        linestyle = 3, # pontilhado
        thickness = 2) :
R3 := rectangle( [3.4, 1], [4, 1.5],
        color = silver, transparency = 0.5,
        linestyle = 3, # pontilhado
        thickness = 2) :
R4 := rectangle( [3.85, 2.0], [4, 2.5],
        color = silver, transparency = 0.5,
        linestyle = 3, # pontilhado
        thickness = 2) :

```

```

# points
P := pointplot(
    Points_filtered,
    symbol = solidcircle,
    symbolsize = 12,
    color = black
) :


```

```

# sobrepor tudo
display( [p1, P, R1, R2, R3, R4] );

```

Graphic for $r_1=0$ in A1



#By covering the previous points with rectangles, we will show that the curve $r1=0$ does not intersect them.

restart;

#Define r1

$$\begin{aligned}
 r1 := & \left(a^{32} b^{16} + b^{16} + (-4 b^{18} + 8 b^{16} - 4 b^{14}) a^{30} + (6 b^{20} - 32 b^{18} + 44 b^{16} - 32 b^{14} + 6 b^{12}) a^{28} \right. \\
 & + (72 b^{20} - 76 b^{18} + 8 b^{16} + 692 b^{14} + 72 b^{12} - 1024 b^{10}) a^{26} + (b^{32} + 8 b^{30} + 20 b^{28} \\
 & - 120 b^{26} - 3426 b^{24} - 7288 b^{22} - 125524 b^{20} - 222104 b^{18} - 279672 b^{16} - 317080 b^{14} \\
 & - 157780 b^{12} - 32376 b^{10} + 1950 b^8 + 1672 b^6 + 20 b^4 + 8 b^2 + 1) a^{16} + (-1016 b^{26} \\
 & - 8440 b^{24} - 21976 b^{22} - 25848 b^{20} - 37428 b^{18} - 31000 b^{16} - 8756 b^{14} + 264 b^{12} - 216 b^{10} \\
 & + 8 b^8 + 8 b^6) a^{10} + (-265 b^{24} - 1864 b^{22} + 2192 b^{20} + 4232 b^{18} + 142 b^{16} - 1912 b^{14} \\
 & + 144 b^{12} - 72 b^{10} - 9 b^8) a^8 + (-512 b^{22} - 696 b^{20} + 692 b^{18} + 1288 b^{16} - 76 b^{14} \\
 & + 72 b^{12}) a^6 + (-250 b^{20} - 288 b^{18} + 44 b^{16} - 32 b^{14} + 6 b^{12}) a^4 + (-4 b^{18} + 8 b^{16} \\
 & - 4 b^{14}) a^2 - 2560 \left(b^2 - \frac{1}{5} \right) b^7 (b^2 - 2) (b^2 + 1)^4 a^{23} + 2 b^4 (b^{24} + 36 b^{22} - 2636 b^{20} \\
 & - 6620 b^{18} - 27212 b^{16} - 64184 b^{14} - 54798 b^{12} - 25400 b^{10} - 9036 b^8 - 1372 b^6 + 180 b^4 \\
 & + 36 b^2 + 1) a^{12} - 4 b^2 (b^{28} + 12 b^{26} - 155 b^{24} + 1018 b^{22} + 4315 b^{20} + 34120 b^{18} + 65514 b^{16} \\
 & + 57358 b^{14} + 41514 b^{12} + 19656 b^{10} + 4187 b^8 + 378 b^6 + 37 b^4 + 12 b^2 + 1) a^{14} - 4 b^2 (b^{28} \\
 & + 12 b^{26} + 37 b^{24} - 518 b^{22} - 2085 b^{20} + 17992 b^{18} + 38058 b^{16} + 78414 b^{14} + 92394 b^{12} \\
 & + 36360 b^{10} + 5211 b^8 - 2118 b^6 - 539 b^4 + 76 b^2 + 1) a^{18} + 2 b^4 (b^{24} + 36 b^{22} + 180 b^{20} \\
 & - 2396 b^{18} - 25164 b^{16} - 42552 b^{14} - 90894 b^{12} - 84792 b^{10} - 12876 b^8 - 348 b^6 + 3252 b^4 \\
 & + 420 b^2 - 127) a^{20} + 8 \left(b^{20} + b^{18} - 27 b^{16} - 159 b^{14} + \frac{2163}{2} b^{12} - 1827 b^{10} - \frac{1037}{2} b^8 \right. \\
 & + 2369 b^6 - 699 b^4 + b^2 + 1 \left. \right) b^6 a^{22} - 9 \left(b^{16} + 8 b^{14} - 16 b^{12} - 72 b^{10} + \frac{3698}{9} b^8 - 328 b^6 \right. \\
 & - 528 b^4 + \frac{4168}{9} b^2 + 1 \left. \right) b^8 a^{24} - 1024 b^{15} (b^2 + 1)^4 a^7 - 2560 \left(b^6 - \frac{8}{5} b^4 + \frac{6}{5} b^2 \right. \\
 & \left. - 1 \right) b^{11} (b^2 + 1)^4 a^{11} - 1024 \left(b^2 - \frac{1}{2} \right) b^{13} (b^2 + 1)^5 a^9 + 512 b^7 (b^{10} - 19 b^8 + 42 b^6
 \end{aligned}$$

[illegible]

[illegible]

[illegible]

restart

#Define r1

$$\begin{aligned} r1 := & \left(a^{32} b^{16} + b^{16} + (-4 b^{18} + 8 b^{16} - 4 b^{14}) a^{30} + (6 b^{20} - 32 b^{18} + 44 b^{16} - 32 b^{14} + 6 b^{12}) a^{28} \right. \\ & + (72 b^{20} - 76 b^{18} + 8 b^{16} + 692 b^{14} + 72 b^{12} - 1024 b^{10}) a^{26} + (b^{32} + 8 b^{30} + 20 b^{28} \\ & - 120 b^{26} - 3426 b^{24} - 7288 b^{22} - 125524 b^{20} - 222104 b^{18} - 279672 b^{16} - 317080 b^{14} \\ & - 157780 b^{12} - 32376 b^{10} + 1950 b^8 + 1672 b^6 + 20 b^4 + 8 b^2 + 1) a^{16} + (-1016 b^{26} \\ & - 8440 b^{24} - 21976 b^{22} - 25848 b^{20} - 37428 b^{18} - 31000 b^{16} - 8756 b^{14} + 264 b^{12} - 216 b^{10} \\ & + 8 b^8 + 8 b^6) a^{10} + (-265 b^{24} - 1864 b^{22} + 2192 b^{20} + 4232 b^{18} + 142 b^{16} - 1912 b^{14} \\ & + 144 b^{12} - 72 b^{10} - 9 b^8) a^8 + (-512 b^{22} - 696 b^{20} + 692 b^{18} + 1288 b^{16} - 76 b^{14} \\ & + 72 b^{12}) a^6 + (-250 b^{20} - 288 b^{18} + 44 b^{16} - 32 b^{14} + 6 b^{12}) a^4 + (-4 b^{18} + 8 b^{16} \\ & - 4 b^{14}) a^2 - 2560 \left(b^2 - \frac{1}{5} \right) b^7 (b^2 - 2) (b^2 + 1)^4 a^{23} + 2 b^4 (b^{24} + 36 b^{22} - 2636 b^{20} \\ & - 6620 b^{18} - 27212 b^{16} - 64184 b^{14} - 54798 b^{12} - 25400 b^{10} - 9036 b^8 - 1372 b^6 + 180 b^4 \\ & + 36 b^2 + 1) a^{12} - 4 b^2 (b^{28} + 12 b^{26} - 155 b^{24} + 1018 b^{22} + 4315 b^{20} + 34120 b^{18} + 65514 b^{16} \\ & + 57358 b^{14} + 41514 b^{12} + 19656 b^{10} + 4187 b^8 + 378 b^6 + 37 b^4 + 12 b^2 + 1) a^{14} - 4 b^2 (b^{28} \\ & + 12 b^{26} + 37 b^{24} - 518 b^{22} - 2085 b^{20} + 17992 b^{18} + 38058 b^{16} + 78414 b^{14} + 92394 b^{12} \\ & + 36360 b^{10} + 5211 b^8 - 2118 b^6 - 539 b^4 + 76 b^2 + 1) a^{18} + 2 b^4 (b^{24} + 36 b^{22} + 180 b^{20} \\ & - 2396 b^{18} - 25164 b^{16} - 42552 b^{14} - 90894 b^{12} - 84792 b^{10} - 12876 b^8 - 348 b^6 + 3252 b^4 \\ & + 420 b^2 - 127) a^{20} + 8 \left(b^{20} + b^{18} - 27 b^{16} - 159 b^{14} + \frac{2163}{2} b^{12} - 1827 b^{10} - \frac{1037}{2} b^8 \right. \\ & + 2369 b^6 - 699 b^4 + b^2 + 1 \left. \right) b^6 a^{22} - 9 \left(b^{16} + 8 b^{14} - 16 b^{12} - 72 b^{10} + \frac{3698}{9} b^8 - 328 b^6 \right. \\ & - 528 b^4 + \frac{4168}{9} b^2 + 1 \left. \right) b^8 a^{24} - 1024 b^{15} (b^2 + 1)^4 a^7 - 2560 \left(b^6 - \frac{8}{5} b^4 + \frac{6}{5} b^2 \right. \\ & - 1 \left. \right) b^{11} (b^2 + 1)^4 a^{11} - 1024 \left(b^2 - \frac{1}{2} \right) b^{13} (b^2 + 1)^5 a^9 + 512 b^7 (b^{10} - 19 b^8 + 42 b^6 \\ & - 9 b^4 - 10 b^2 + 1) (b^2 + 1)^4 a^{15} - 1536 \left(b^8 - b^6 + \frac{5}{3} b^4 - \frac{16}{3} b^2 + \frac{5}{3} \right) b^9 (b^2 + 1)^4 a^{13} \end{aligned}$$

$$\begin{aligned}
& + 512 \, b^7 \left(b^{10} - 22 \, b^8 + 81 \, b^6 - 78 \, b^4 + 11 \, b^2 + 1 \right) (b^2 + 1)^4 a^{17} - 3584 \, b^7 \left(b^8 - \frac{52}{7} \, b^6 \right. \\
& + \frac{95}{7} \, b^4 - \frac{43}{7} \, b^2 + \frac{3}{7} \left. \right) (b^2 + 1)^4 a^{19} + 5632 \left(b^6 - \frac{42}{11} \, b^4 + \frac{38}{11} \, b^2 - \frac{5}{11} \right) b^7 (b^2 \\
& + 1)^4 a^{21} \Big) :
\end{aligned}$$

#Apply the Möbius transformation on the rectangle $(3.4, 3.5) \times (2, 2.5)$ that contains two points, constructing $r\hat{l}$

$$\text{moebius} := \left\{ \begin{array}{l} a = \frac{\frac{17}{5} + \frac{7}{2} \cdot c}{1 + c}, \\ b = \frac{2 + \frac{5}{2} \cdot d}{1 + d} \end{array} \right\} :$$

```
r1 := collect(numer(expand(subs(moebius, r1))), c) :
```

```
#Compute the degree of  $r1$  in  $c$ 
```

$degree(r\hat{l}, c);$

32

(5)

#Define the coefficients $c_i = \text{coeff}(r_l, c, i)$

for i from 0 to 32 do
$$c[i] := \text{coeff}(\text{`r1`}, c, i);$$

od:

#Compute the all degree of ci in d

```
seq( degree( c[i], d ), i = 0 .. 32 );
```

[illegible]

#From here we will analyze the signal variation of all coefficients c_i

$$seq(seq(sign(coeff(c[j], d, i)), i = 32..0, -1), j = 32..0, -1);$$
[illegible]

[illegible]

[illegible]

restart

#Define r1

$$\begin{aligned} r1 := & \left(a^{32} b^{16} + b^{16} + (-4 b^{18} + 8 b^{16} - 4 b^{14}) a^{30} + (6 b^{20} - 32 b^{18} + 44 b^{16} - 32 b^{14} + 6 b^{12}) a^{28} \right. \\ & + (72 b^{20} - 76 b^{18} + 8 b^{16} + 692 b^{14} + 72 b^{12} - 1024 b^{10}) a^{26} + (b^{32} + 8 b^{30} + 20 b^{28} \\ & - 120 b^{26} - 3426 b^{24} - 7288 b^{22} - 125524 b^{20} - 222104 b^{18} - 279672 b^{16} - 317080 b^{14} \\ & - 157780 b^{12} - 32376 b^{10} + 1950 b^8 + 1672 b^6 + 20 b^4 + 8 b^2 + 1) a^{16} + (-1016 b^{26} \\ & - 8440 b^{24} - 21976 b^{22} - 25848 b^{20} - 37428 b^{18} - 31000 b^{16} - 8756 b^{14} + 264 b^{12} - 216 b^{10} \\ & + 8 b^8 + 8 b^6) a^{10} + (-265 b^{24} - 1864 b^{22} + 2192 b^{20} + 4232 b^{18} + 142 b^{16} - 1912 b^{14} \\ & + 144 b^{12} - 72 b^{10} - 9 b^8) a^8 + (-512 b^{22} - 696 b^{20} + 692 b^{18} + 1288 b^{16} - 76 b^{14} \\ & + 72 b^{12}) a^6 + (-250 b^{20} - 288 b^{18} + 44 b^{16} - 32 b^{14} + 6 b^{12}) a^4 + (-4 b^{18} + 8 b^{16} \\ & - 4 b^{14}) a^2 - 2560 \left(b^2 - \frac{1}{5} \right) b^7 (b^2 - 2) (b^2 + 1)^4 a^{23} + 2 b^4 (b^{24} + 36 b^{22} - 2636 b^{20} \\ & - 6620 b^{18} - 27212 b^{16} - 64184 b^{14} - 54798 b^{12} - 25400 b^{10} - 9036 b^8 - 1372 b^6 + 180 b^4 \\ & + 36 b^2 + 1) a^{12} - 4 b^2 (b^{28} + 12 b^{26} - 155 b^{24} + 1018 b^{22} + 4315 b^{20} + 34120 b^{18} + 65514 b^{16} \\ & + 57358 b^{14} + 41514 b^{12} + 19656 b^{10} + 4187 b^8 + 378 b^6 + 37 b^4 + 12 b^2 + 1) a^{14} - 4 b^2 (b^{28} \\ & + 12 b^{26} + 37 b^{24} - 518 b^{22} - 2085 b^{20} + 17992 b^{18} + 38058 b^{16} + 78414 b^{14} + 92394 b^{12} \\ & + 36360 b^{10} + 5211 b^8 - 2118 b^6 - 539 b^4 + 76 b^2 + 1) a^{18} + 2 b^4 (b^{24} + 36 b^{22} + 180 b^{20} \\ & - 2396 b^{18} - 25164 b^{16} - 42552 b^{14} - 90894 b^{12} - 84792 b^{10} - 12876 b^8 - 348 b^6 + 3252 b^4 \\ & + 420 b^2 - 127) a^{20} + 8 \left(b^{20} + b^{18} - 27 b^{16} - 159 b^{14} + \frac{2163}{2} b^{12} - 1827 b^{10} - \frac{1037}{2} b^8 \right. \\ & + 2369 b^6 - 699 b^4 + b^2 + 1 \left. \right) b^6 a^{22} - 9 \left(b^{16} + 8 b^{14} - 16 b^{12} - 72 b^{10} + \frac{3698}{9} b^8 - 328 b^6 \right. \\ & - 528 b^4 + \frac{4168}{9} b^2 + 1 \left. \right) b^8 a^{24} - 1024 b^{15} (b^2 + 1)^4 a^7 - 2560 \left(b^6 - \frac{8}{5} b^4 + \frac{6}{5} b^2 \right. \\ & - 1 \left. \right) b^{11} (b^2 + 1)^4 a^{11} - 1024 \left(b^2 - \frac{1}{2} \right) b^{13} (b^2 + 1)^5 a^9 + 512 b^7 (b^{10} - 19 b^8 + 42 b^6 \\ & - 9 b^4 - 10 b^2 + 1) (b^2 + 1)^4 a^{15} - 1536 \left(b^8 - b^6 + \frac{5}{3} b^4 - \frac{16}{3} b^2 + \frac{5}{3} \right) b^9 (b^2 + 1)^4 a^{13} \end{aligned}$$

$$\begin{aligned} & + 512 b^7 (b^{10} - 22 b^8 + 81 b^6 - 78 b^4 + 11 b^2 + 1) (b^2 + 1)^4 a^{17} - 3584 b^7 \left(b^8 - \frac{52}{7} b^6 \right. \\ & + \frac{95}{7} b^4 - \frac{43}{7} b^2 + \frac{3}{7} \left. \right) (b^2 + 1)^4 a^{19} + 5632 \left(b^6 - \frac{42}{11} b^4 + \frac{38}{11} b^2 - \frac{5}{11} \right) b^7 (b^2 \\ & + 1)^4 a^{21} \Big) : \end{aligned}$$

#Apply the Möbius transformation on the rectangle $(3.4, 4) \times (1, 1.5)$ that contains two points , constructing $r1$

$$moebius := \left\{ \begin{array}{l} a = \frac{17}{5} + 4 \cdot c \\ b = \frac{1 + \frac{3}{2} \cdot d}{1 + d} \end{array} \right\} :$$

```
r1 := collect(numer(expand(subs(moebius, r1))), c) :
```

```
#Compute the degree of  $r1$  in  $c$ 
```

$$degree(r\hat{l}, c);$$

32

(8)

#Define the coefficients $c_i = \text{coeff}(r_l, c, i)$

for i from 0 to 32 do
$$c[i] := \text{coeff}(\text{`r1`}, c, i);$$

od:

#Compute the all degree of c_i in d

```
seq( degree( c[i], d ), i = 0 .. 32 );
```

[illegible]

#From here we will analyze the signal variation of all coefficients c_i

$$seq(seq(sign(coeff(c[j], d, i)), i = 32..0, -1), j = 32..0, -1);$$
[illegible]

[illegible]

restart

#Define r1

$$\begin{aligned} r1 := & \left(a^{32} b^{16} + b^{16} + (-4 b^{18} + 8 b^{16} - 4 b^{14}) a^{30} + (6 b^{20} - 32 b^{18} + 44 b^{16} - 32 b^{14} + 6 b^{12}) a^{28} \right. \\ & + (72 b^{20} - 76 b^{18} + 8 b^{16} + 692 b^{14} + 72 b^{12} - 1024 b^{10}) a^{26} + (b^{32} + 8 b^{30} + 20 b^{28} \\ & - 120 b^{26} - 3426 b^{24} - 7288 b^{22} - 125524 b^{20} - 222104 b^{18} - 279672 b^{16} - 317080 b^{14} \\ & - 157780 b^{12} - 32376 b^{10} + 1950 b^8 + 1672 b^6 + 20 b^4 + 8 b^2 + 1) a^{16} + (-1016 b^{26} \\ & - 8440 b^{24} - 21976 b^{22} - 25848 b^{20} - 37428 b^{18} - 31000 b^{16} - 8756 b^{14} + 264 b^{12} - 216 b^{10} \\ & + 8 b^8 + 8 b^6) a^{10} + (-265 b^{24} - 1864 b^{22} + 2192 b^{20} + 4232 b^{18} + 142 b^{16} - 1912 b^{14} \\ & + 144 b^{12} - 72 b^{10} - 9 b^8) a^8 + (-512 b^{22} - 696 b^{20} + 692 b^{18} + 1288 b^{16} - 76 b^{14} \\ & + 72 b^{12}) a^6 + (-250 b^{20} - 288 b^{18} + 44 b^{16} - 32 b^{14} + 6 b^{12}) a^4 + (-4 b^{18} + 8 b^{16} \\ & - 4 b^{14}) a^2 - 2560 \left(b^2 - \frac{1}{5} \right) b^7 (b^2 - 2) (b^2 + 1)^4 a^{23} + 2 b^4 (b^{24} + 36 b^{22} - 2636 b^{20} \\ & - 6620 b^{18} - 27212 b^{16} - 64184 b^{14} - 54798 b^{12} - 25400 b^{10} - 9036 b^8 - 1372 b^6 + 180 b^4 \\ & + 36 b^2 + 1) a^{12} - 4 b^2 (b^{28} + 12 b^{26} - 155 b^{24} + 1018 b^{22} + 4315 b^{20} + 34120 b^{18} + 65514 b^{16} \\ & + 57358 b^{14} + 41514 b^{12} + 19656 b^{10} + 4187 b^8 + 378 b^6 + 37 b^4 + 12 b^2 + 1) a^{14} - 4 b^2 (b^{28} \\ & + 12 b^{26} + 37 b^{24} - 518 b^{22} - 2085 b^{20} + 17992 b^{18} + 38058 b^{16} + 78414 b^{14} + 92394 b^{12} \\ & + 36360 b^{10} + 5211 b^8 - 2118 b^6 - 539 b^4 + 76 b^2 + 1) a^{18} + 2 b^4 (b^{24} + 36 b^{22} + 180 b^{20} \\ & - 2396 b^{18} - 25164 b^{16} - 42552 b^{14} - 90894 b^{12} - 84792 b^{10} - 12876 b^8 - 348 b^6 + 3252 b^4 \\ & + 420 b^2 - 127) a^{20} + 8 \left(b^{20} + b^{18} - 27 b^{16} - 159 b^{14} + \frac{2163}{2} b^{12} - 1827 b^{10} - \frac{1037}{2} b^8 \right. \\ & + 2369 b^6 - 699 b^4 + b^2 + 1 \left. \right) b^6 a^{22} - 9 \left(b^{16} + 8 b^{14} - 16 b^{12} - 72 b^{10} + \frac{3698}{9} b^8 - 328 b^6 \right. \\ & - 528 b^4 + \frac{4168}{9} b^2 + 1 \left. \right) b^8 a^{24} - 1024 b^{15} (b^2 + 1)^4 a^7 - 2560 \left(b^6 - \frac{8}{5} b^4 + \frac{6}{5} b^2 \right. \\ & - 1 \left. \right) b^{11} (b^2 + 1)^4 a^{11} - 1024 \left(b^2 - \frac{1}{2} \right) b^{13} (b^2 + 1)^5 a^9 + 512 b^7 (b^{10} - 19 b^8 + 42 b^6 \\ & - 9 b^4 - 10 b^2 + 1) (b^2 + 1)^4 a^{15} - 1536 \left(b^8 - b^6 + \frac{5}{3} b^4 - \frac{16}{3} b^2 + \frac{5}{3} \right) b^9 (b^2 + 1)^4 a^{13} \end{aligned}$$

[illegible]

[illegible]