## **DOKUMENTACIJA**

# Web programiranje 1

Dinamički web sajt



https://igorstankovic112.github.io/Travpic/

Igor Stanković 112/21 Internet tehnologije – Web programiranje

1.Uvod	
1.1 Korišćeni alati	3
1.2 Opis funkcionalnosti	
1 3 Template	Δ
1.4 Izgled sajta	5
2.Organizacija	
2.1 Shema	8
2.2. Sitemap	8
2.3 Slike sa opisom funkcionalnosti	9
3. Kodovi	
3.1 HTML	
3.2 CSS	
3.3 JavaScript I JQuery	31

## 1.Uvod

#### 1.1 Korišćeni alati

Za izradu sajta su korišćeni: HTML, CSS, JavaScript, jQuery, Bootstrap I XML


Radno okruženje: Visual studio code

#### 1.2 Opis funkcionalnosti

Provera podataka unetih u formu sa ispisavanjem grešaka Poruka o uspešnom popunjavanju forme Validacija forme I ispisivanje eventualnih grešaka

## 1.3 Template


Za izradu sajta je korišćen templejt: https://www.free-css.com/free-css-templates/page258/sentra
Sve slide su besplatne za korisnike I dobio sam ih uz templejt
Menjao sam delove HTML i CSS koda,
Nisam koristio ništa od tuđeg JavaScript koda
Dodao sam robots.txt
Dodao sam sitemap.xml
Dodao sam custom.js sa mojim JavaScript I jQuerykodom



Nav meni I konice su dinamicki ispisane.

Tekst u slajderu I dugme je takodje dinamicki ispisano


Ikonice vode ka facebook-u, twitter-u, linkedin-u I sitemap stranici ovog sajta.




Featured places su takodje dinamicki ispisana.



Recent projects su ostavljeni kakvi su napravljeni u template-u.



Blog entries je prikazan kroz dinamički ispis.



Forma je napravljena kroz html ali je provera odradjena kroz javascript.

Forma se sastoji iz imena, mejla, dva radio dugmeta od kojih se moze izabrati jedno, 4 check boxa od kojih se moze izabrati koje god I text polja u koje se mora napisati nesto.

Za svako polje postoji provera.

```
<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">
        <meta name = "description" content = "This is a website about traveling</pre>
and taking pictures" />
        <meta name = "keywords" content = "traveling, pictures, paris, prague,</pre>
budapest, alaska" />
        <meta name = "author" content = "Igor Stanković" />
        <title>Travpic</title>
Sentra Template
https://templatemo.com/tm-518-sentra
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <meta http-equiv="Content-Security-Policy" content="upgrade-insecure-</pre>
requests">
        <link rel="apple-touch-icon" href="apple-touch-icon.png">
        <link rel="stylesheet" href="css/mainCss.css">
        <link rel="stylesheet" href="css/bootstrap.min.css">
        <link rel="stylesheet" href="css/bootstrap-theme.min.css">
        <link rel="stylesheet" href="css/fontAwesome.css">
        <link rel="stylesheet" href="css/light-box.css">
        <link rel="stylesheet" href="css/owl-carousel.css">
        <link rel="stylesheet" href="css/templatemo-style.css">
        k
href="https://fonts.googleapis.com/css?family=Open+Sans:300,400,600,700,800"
rel="stylesheet">
        <script src="js/vendor/modernizr-2.8.3-respond-1.4.2.min.js"></script>
    </head>
<body>
```

```
<header class="nav-down responsive-nav hidden-lg hidden-md">
           <button type="button" id="nav-toggle" class="navbar-toggle" data-</pre>
toggle="collapse" data-target="#main-nav">
              <span class="sr-only">Toggle navigation</span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
              <span class="icon-bar"></span>
           </button>
           <!--/.navbar-header-->
           <div id="main-nav" class="collapse navbar-collapse">
                  <a href="#top">Home</a>
                     <a href="#featured">Featured</a>
                     <a href="#projects">Recent Projects</a>
                     <a href="#blog">Blog Entries</a>
                     <a href="#author">Author</a>
                     <a href="#contact">Contact Us</a>
                  </nav>
           </div>
       </header>
       <div class="sidebar-navigation hidde-sm hidden-xs">
          <div class="logo">
              <a href="#">Trav<em>pic</em></a>
          </div>
          <nav class="navList">
          </nav>
          </div>
       <div class="slider">
           <div class="Modern-Slider content-section" id="top">
           </div>
       </div>
       <div class="page-content">
           <section id="featured" class="content-section">
              <div class="section-heading">
```

```
<h1>Featured<br><em>Places</em></h1>
                    Some places that we loved very much,
                    <br>we hope you like them as well!
                <div class="section-content" id="featuredPlaces">
                </div>
            </section>
            <section id="projects" class="content-section">
                <div class="section-heading">
                    <h1>Recent<br><em>Projects</em></h1>
                    Some of our more recent travels,
                    <br>still working on the pictures, hope you'll like them.
                </div>
                <div class="section-content">
                    <div class="masonry">
                        <div class="row">
                            <div class="item">
                                 <div class="col-md-8">
                                     <a href="img/portfolio big 1.jpg" data-</pre>
lightbox="image"><img src="img/portfolio_1.jpg" alt="image 1"></a>
                                 </div>
                            </div>
                             <div class="item second-item">
                                 <div class="col-md-4">
                                     <a href="img/portfolio_big_2.jpg" data-</pre>
lightbox="image"><img src="img/portfolio_2.jpg" alt="image 2"></a>
                                 </div>
                             </div>
                             <div class="item">
                                 <div class="col-md-4">
                                     <a href="img/portfolio big 3.jpg" data-</pre>
lightbox="image"><img src="img/portfolio_3.jpg" alt="image 3"></a>
                                 </div>
                            </div>
                             <div class="item">
                                 <div class="col-md-4">
                                     <a href="img/portfolio big 4.jpg" data-</pre>
lightbox="image"><img src="img/portfolio_4.jpg" alt="image 4"></a>
                                </div>
                             </div>
                             <div class="item">
                                 <div class="col-md-8">
                                     <a href="img/portfolio big 5.jpg" data-</pre>
lightbox="image"><img src="img/portfolio_5.jpg" alt="image 5"></a>
                                </div>
```

```
</div>
                      </div>
                  </div>
              </div>
           </section>
           <section id="blog" class="content-section">
               <div class="section-heading">
                  <h1>Blog<br><em>Entries</em></h1>
                  More travels and details about them.
                  <br>We hope you find them interesting and find a new
destination for you travels.
              </div>
              <div class="section-content">
                  <div class="tabs-content">
                      <div class="wrapper">
                         group">
                           <a href="#tab1" class="active">2019.</a>
                           <a href="#tab2">2020.</a>
                           <a href="#tab3">2021.</a>
                           <a href="#tab4">2022.</a>
                          <section id="first-tab-group" class="tabgroup">
                          </section>
                      </div>
                  </div>
              </div>
           </section>
           <section id="author" class="content-section">
               <div class="section-heading">
                  <h1>About<br><em>The Author</em></h1>
                  I you want to know more about me
                  <br>Here is my portfolio.
              </div>
               <div class="section-content">
                  <div class="tabs-content">
                      <div class="wrapper">
                          <div class="item">
                             <div class="image">
                                 <img src="img/author.jpg" class="portfolio"</pre>
alt="">
                                 <br>
                             </div>
                             <div class="text-content">
```

```
My name is Igor Stanković 112/21, I am 20
years old and i go to ICT.<br><br>My Portfolio site
                                 </div>
                             </div>
                        </div>
                    </div>
                </div>
                <br>
                <div class="section-content">
                    <div class="tabs-content">
                        <div class="wrapper ">
                            <br>
                            <a href="https://igorstankovic112.github.io/"</pre>
target="blank" class="portfolio"><img src="img/portfolio.jpg"></a>
                        </div>
                    </div>
                </div>
            </section>
            <hr>>
            <section id="contact" class="content-section">
                <div id="contact-content">
                    <div class="section-heading">
                        <h1>Contact<br><em>Travpic</em></h1>
                        Want to know in more deatil about our travels or have
a consultation?
                        <br>Contact us right here
                    </div>
                    <div class="section-content">
                        <form id="contact" action="#" method="post">
                             <div class="row">
                                 <div class="col-md-6">
                                   <fieldset>
                                     <span id="nameErorr" class="greskaForm</pre>
hide">You didn't fill out your name!</span>
                                    <input name="name" type="text" class="form-</pre>
control" id="name" placeholder="Your first and last name">
                                   </fieldset>
                                 </div>
                                 <div class="col-md-6">
                                   <fieldset>
                                     <span id="mailErorr" class="greskaForm</pre>
hide">You didn't fill out your email!</span>
                                     <input name="email" type="email" class="form-</pre>
control pozicija" id="email" placeholder="Your email...">
```

```
</fieldset>
                                 </div>
                                 <div class="col-md-12">
                                     <fieldset>
                                             Have you traveled before?
                                       </h4>
                                     </fieldset>
                                 </div>
                                 <div class="col-md-12">
                                     <fieldset>
                                         <span id="radioError" class="greskaRadio</pre>
hide">Pick one option</span><br>
                                     </fieldset>
                                 </div>
                                 <div class="col-md-6">
                                     <fieldset>
                                       <label for="firstRadio">Yes</label>
                                       <input name="radio" type="radio"</pre>
class="form-control" id="firstRadio">
                                     </fieldset>
                                 </div>
                                 <div class="col-md-6">
                                     <fieldset>
                                       <label for="secondRadio">No</label>
                                       <input name="radio" type="radio"</pre>
class="form-control" id="secondRadio">
                                     </fieldset>
                                 </div>
                                 <div class="col-md-12">
                                     <fieldset>
                                         What do you have questions about?
                                       </h4>
                                     </fieldset>
                                 </div>
                                 <div class="col-md-12">
                                     <fieldset>
                                         <span id="tbError" class="greskaTb</pre>
hide">Pick at least one option
                                     </fieldset>
                                 </div>
                                 <div class="col-md-3">
                                     <fieldset>
                                      <label for="cb1">Destinations</label>
```

```
<input name="check" type="checkbox"</pre>
class="form-control" id="cb1">
                                      </fieldset>
                                 </div>
                                  <div class="col-md-3">
                                      <fieldset>
                                        <label for="cb2">Pictures</label>
                                        <input name="check" type="checkbox"</pre>
class="form-control" id="cb2">
                                      </fieldset>
                                 </div>
                                  <div class="col-md-3">
                                      <fieldset>
                                        <label for="cb3">Colabs</label>
                                        <input name="check" type="checkbox"</pre>
class="form-control" id="cb3">
                                      </fieldset>
                                  </div>
                                  <div class="col-md-3">
                                      <fieldset>
                                        <label for="cb4">Other</label>
                                        <input name="check" type="checkbox"</pre>
class="form-control" id="cb4">
                                      </fieldset>
                                 </div>
                                  <div class="col-md-12">
                                    <fieldset>
                                      <span id="textError" class="greskaForm</pre>
hide">This field can not be empty!</span>
                                     <textarea name="message" rows="6"</pre>
class="form-control" id="message" placeholder="Your message..." ></textarea>
                                    </fieldset>
                                  </div>
                                 <div class="col-md-12">
                                    <fieldset>
                                          <button type="button" id="form-submit"</pre>
class="btn">Send Message Now</button>
                                    </fieldset>
                                  </div>
                                  <div class="col-md-12">
                                     <fieldset>
                                          <br>
```

```
<span id="sentForm" class="sentFormText</pre>
hide">We recieved your message!</span>
                                    </fieldset>
                                  </div>
                            </div>
                        </form>
                    </div>
                </div>
            </section>
            <section class="footer">
                    Copyright © 2022 Igor Stanković - Travpic - <a
href="dokumentacija.pdf" target=" blank">Documetation</a>
                </section>
        </div>
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.2/jquery.min.js"></script>
    <script>window.jQuery || document.write('<script src="js/vendor/jquery-</pre>
1.11.2.min.js"><\/script>')</script>
    <script src="js/vendor/bootstrap.min.js"></script>
    <script src="js/plugins.js"></script>
    <script src="js/main.js"></script>
    <script>
        // Hide Header on on scroll down
        var didScroll;
        var lastScrollTop = 0;
        var delta = 5;
        var navbarHeight = $('header').outerHeight();
        $(window).scroll(function(event){
            didScroll = true;
        });
        setInterval(function() {
            if (didScroll) {
                hasScrolled();
                didScroll = false;
        }, 250);
```

```
function hasScrolled() {
            var st = $(this).scrollTop();
            if(Math.abs(lastScrollTop - st) <= delta)</pre>
                return;
            // If they scrolled down and are past the navbar, add class .nav-up.
            // This is necessary so you never see what is "behind" the navbar.
            if (st > lastScrollTop && st > navbarHeight){
                $('header').removeClass('nav-down').addClass('nav-up');
            } else {
                if(st + $(window).height() < $(document).height()) {</pre>
                    $('header').removeClass('nav-up').addClass('nav-down');
            lastScrollTop = st;
    </script>
    <script
src="http://ajax.googleapis.com/ajax/libs/jquery/1.10.2/jquery.min.js"
type="text/javascript"></script>
    <script src="js/custom.js" type="text/javascript"></script>
</body>
</html>
```

```
.greskaForm{
    color:red;
    font-size: 14px;
    float:left;
    font-weight: 600;
    margin-left: 12px;
.hide{
    visibility: hidden;
    padding-left: 30px;
.greskaRadio{
    color: red;
    font-size: 18px;
    font-weight: 600;
.sentFormText{
    color: blue;
    font-size: 20px;
.greskaTb{
   color: red;
    font-size: 18px;
    font-weight: 600;
#author {
    padding-left: 60px;
    padding-right: 60px;
    padding-bottom: 80px;
/* #author img {
    margin-right: 30px;
    max-width: 100%;
#author p{
    padding-top: 7.5px;
    margin-top: 0px;
    margin-bottom: 5px;
```

```
font-size: 21px;
    font-weight: 600;
    color: #232323;
    letter-spacing: 0.5px;
}
@media (max-width: 768px) {
        #author {
            padding-left: 15px;
            padding-right: 15px;
        }
        #author img {
            float: none;
            width: 100%;
            margin-bottom: 15px;
        }
}
.effect{
        transition: .5s ease;
        opacity: 0.7;
}
```

#### 3.3 javaScript

```
//navigacioni meni
let navText = ["Home", "Featured", "Recent Work", "Blog
Entries","Author","Contact Us"];
let navLinks = ["#top", "#featured", "#projects", "#blog", "#author", "#contact"];
let navMeni = document.querySelector(".navList");
let navIspis = "";
for(let i = 0; i < navText.length; i++){</pre>
    navIspis += `<a href="${navLinks[i]}"><span class="rect"></span>
    <span class="circle"></span>${navText[i]}</a>`
navIspis += ``;
navMeni.innerHTML = navIspis;
//ikonice
let ikonice = [" fa-facebook"," fa-twitter"," fa-linkedin"," fa-rss"];
let linkoviIkonica =
["https://www.facebook.com/","https://www.twitter.com/","https://www.linkedin.com
/","sitemap.xml"];
let ikoniceRed = document.querySelector(".social-icons");
let ikoniceIspis = "";
for(let i = 0; i < ikonice.length; i++){</pre>
    ikoniceIspis +=`<a href="${linkoviIkonica[i]}" target="blank"><i
class="fa${ikonice[i]}"></i></a>`
ikoniceRed.innerHTML = ikoniceIspis;
//slajder
let sliderClass = ["item-1"," item-2","item-3"];
let h1TextSlider = ["Beautiful Travels<br/>br>By Travpic","Discover new
<br>astonishing places","You can read about<br>our travels"];
let pTextSlider = ["Relive our travels with some amazing pictures.","Maybe you'll
find some interesting place<br/>obr>and travel yourself","<br/>br>Thank you for supporting
let sliderText = document.querySelector("#top");
let sliderIspis= "";
for(let i = 0 ; i < sliderClass.length;i++){</pre>
    sliderIspis +=`<div class="item ${sliderClass[i]}">
    <div class="img-fill">
    <div class="image"></div>
    <div class="info">
        <div>
```

```
<h1>${h1TextSlider[i]}</h1>
          ${pTextSlider[i]}
          <div class="white-button button">
              <a href="#featured">Discover More</a>
          </div>
        </div>
        </div>
    </div>
</div>`
sliderText.innerHTML = sliderIspis;
let imgTag = ["img/BuachailleEtiveMor.jpg","
img/CinqueTerre.jpg","img/Alaska.jpg","img/toscana.jpg","img/prague.jpg","img/par
is.jpg"];
let altTag =
["BuachailleEtiveMòr","CinqueTerre","Alaska","Tuscany","Prague","Paris"]
let featuredText = ["<h4>Buachaille Etive Mòr</h4><span>Scotland</span>#1
Buachaille Etive Mòr is one of the best known and loved of all the Munro peaks.
The epic view of the mountain from the main A82 road makes it appear quite
unassailable and is one of the most photographed sights in
Scotland.","<h4>Cinque Terre National Park</h4><span>Proin et
sapien</span>#2 The park is unique in the way that it brings agricultural,
cultural, historical, natural, and scenic significance together under the
umbrella of Cinque Terre National Park..","<h4>Alaska</h4><span>United
States</span>#3 If you're a fan of gorgeous landscapes, massive mountains,
wildlife, or anything involving nature, Alaska is a great place to visit. The
biggest state in the US, Alaska is home to 17 of the country's 20 tallest
mountains.","<h4>Tuscany</h4><span>Italy</span>#4 Tuscany, Italian
Toscana, regione (region), west-central Italy. It lies along the Tyrrhenian and
Ligurian seas. The characteristic landscape is a blend of gently rolling hills
leading on to sharply peaked mountains that pose a formidable barrier between
Tuscany and regions to the south.","<h4>Prague</h4><span>Czech
Republic</span>#5 The bohemian allure and fairytale features of Prague make it
a perfect destination for culture vultures who want to immerse themselves in
history, art, music, and
architecture.","<h4>Paris</h4><span>France</span>#6 The capital of France
seems to have been designed specifically for the enjoyment of its visitors. Its
streets, squares, buildings, gardens and monuments beckon tourists to return, and
indeed, many do."]
let featuredPlaces = document.querySelector("#featuredPlaces");
let featuredIspis= `<div class="owl-carousel owl-theme">`;
for(let i = 0 ; i < imgTag.length;i++){</pre>
   featuredIspis +=`<div class="item">
```

```
<div class="image">
        <img src="${imgTag[i]}" alt="">
        <div class="featured-button button">
            <a href="#blog">Continue Reading</a>
        </div>
    </div>
    <div class="text-content">
        ${featuredText[i]}
    </div>
</div>`
featuredIspis += `</div>`
featuredPlaces.innerHTML = featuredIspis;
//tabovi
//prva petlja ispisuje razlicite divove a druga petlja sa ifom u odnosu na to
koji je div ispisuje odredjene slike i tekst
let divTagovi = ["tab1","tab2","tab3","tab4"]
let imgTagovi = ["img/budapest.jpg","img/milano.jpg","img/edinburgh.jpg"];
let imgTagovi1 = ["img/prague.jpg","img/paris.jpg","img/BuachailleEtiveMòr.jpg"];
let imgTagovi2 = ["img/Alaska.jpg","img/CinqueTerre.jpg","img/toscana.jpg"];
let imgTagovi3 = ["img/vienna.jpg","img/rome.jpg","img/belgrade.jpg"];
let tabText = ["<h4>Budapest</h4><span>14 May 2019</span>Once called the
"Queen of the Danube," Budapest has long been the focal point of the nation and a
lively cultural centre. The city straddles the Danube River in the magnificent
natural setting where the hills of western Hungary meet the plains stretching to
the east and south.","<h4>Milano</h4><span>12 July 2019</span>One of the
world's fashion capitals, Milan is often overlooked by tourists who flock to
Rome, Florence, and Venice. But this gem of a city has a lot to offer, including
the iconic Duomo di Milano, the world's largest—and perhaps most stunning—Gothic
cathedral.","<h4>Edinburgh</h4><span>9 November 2019</span>Scotland's
capital city, Edinburgh is renowned for its heritage, culture, and festivals.
Take a long walk around the center to explore the World Heritage Sites of the Old
Town and New Town, as well as all the area's museums and galleries"]
let tabText1 =["<h4>Prague</h4><span>20 October 2020</span>The City of Hundred
Spires has so much to offer to all visitors in terms of architecture and culture,
that travelers from all around the world often plan their Europe itineraries
around the visit to Prague. Prague has many nicknames, but the most common
nickname is the Heart of Europe because of its location in the center of the
continent or The City of Hundred Spires.","<h4>Paris</h4><span>18 August
2020</span>Some of the most memorable things to do in Paris include visiting
the Eiffel Tower, the Arc de Triomphe and Notre-Dame Cathedral. During the
evening, experiencing one of the legendary Moulin Rouge cabaret shows, strolling
through some of the most picturesque neighborhoods, like Montmartre, or climbing
the Montparnasse Tower are a must. It is always a good time to visit
```

```
Paris.","<h4>Buachaille Etive Mòr</h4><span>6 June 2020</span>Buachaille
Etive Mòr is one of the best known and loved of all the Munro peaks. The epic
view of the mountain from the main A82 road makes it appear quite unassailable
and is one of the most photographed sights in Scotland."]
let tabText2 = ["<h4>Alaska</h4><span>25 July 2021</span>If you're a fan of
gorgeous landscapes, massive mountains, wildlife, or anything involving nature,
Alaska is a great place to visit. The biggest state in the US, Alaska is home to
17 of the country's 20 tallest mountains.","<h4>Cinque Terre National
Park</h4><span>12 May 2021</span>Cinque Terre National Park, locally known as
Parco Nazionale delle Cinque Terre, is located along the coast of northern Italy
in the province of La Spezia. It is the smallest national park in Italy
","<h4>Tuscany</h4><span>4 July 2021</span>The glorious region of Tuscany
is a picture-postcard destination in northwest Italy. It's easy to see why great
artists and visionaries such as Da Vinci, Michelangelo, and Galileo made Tuscany
the birthplace of the Renaissance. Several towns and cities are designated UNESCO
World Heritage Sites and superb photo opportunities are available at every
corner."]
let tabText3 = ["<h4>Vienna</h4><span>15 April 2022</span>This really is a
beautiful city full of urban charm, with a rich and long history, plenty to see
and do, excellent services and amenities, and a selection of cakes that will do
evil things to your willpower.","<h4>Rome</h4><span>30 November
2022</span>Rome is a beautiful place! One of the most beautiful cities in
Italy and one of the most impressive cities in the world! I often refer to it as
the city-museum because it really feels as if you are walking through a huge
museum. Every street every church every building breaths history. There s so much
to see in do in Rome and it's a city like no other. a place everyone should
visit, at least once in their lifetime. ","<h4>Belgrade</h4><span>1 December
2022</span>The capital of Serbia, also its largest city, is an inexhaustible
source of entertainment and leisure. Belgrade is a lively city, widely known for
its nightlife and the numerous attractions that make it one of the most visited
in the country. One weekend will be just enough for you to see the most prominent
places and get to know its spirit./p>"]
let tabs = document.querySelector("#first-tab-group");
let taboviIspis= "";
for(let i = 0 ; i < divTagovi.length;i++){</pre>
    taboviIspis +=`<div id="${divTagovi[i]}">`
    for(let j = 0; j < imgTagovi.length;j++){</pre>
       if(i==0){
       taboviIspis += `
        <div class="item">
            <img src="${imgTagovi[j]}" alt="">
            <div class="text-content">
               ${tabText[j]}
               <div class="accent-button button">
                    <a href="#contact">Continue Reading</a>
```

```
</div>
           </div>
       </div>
   `}
       else if(i==1){
       taboviIspis += `
        <div class="item">
           <img src="${imgTagovi1[j]}" alt="">
           <div class="text-content">
               ${tabText1[j]}
               <div class="accent-button button">
                   <a href="#contact">Continue Reading</a>
               </div>
           </div>
        </div>
    `}
       else if(i==2){
           taboviIspis += `
           <div class="item">
               <img src="${imgTagovi2[j]}" alt="">
               <div class="text-content">
                   ${tabText2[j]}
                   <div class="accent-button button">
                       <a href="#contact">Continue Reading</a>
                   </div>
               </div>
           </div>
       `}
       else if(i==3){
           taboviIspis += `
           <div class="item">
               <img src="${imgTagovi3[j]}" alt="">
               <div class="text-content">
                   ${tabText3[j]}
                   <div class="accent-button button">
                       <a href="#contact">Continue Reading</a>
                   </div>
               </div>
           </div>
        `}
   taboviIspis += "</div>"
tabs.innerHTML = taboviIspis;
//forma
```

```
let regexName = /^[A-ZČĆŠĐŽ][a-zčćšđž]{2,15}(\s[A-ZČĆŠĐŽ][a-zčćšđž]{2,15})?(\s[A-ZČĆŠĐŽ][a-zčćšđž]{2,15})?(
ZČĆŠĐŽ][a-zčćšđž]{2,20})\s*$/;
let textName = document.getElementById('name');
fieldName = document.getElementById('nameErorr');
textName.addEventListener('blur', checkName);
function checkName() {
    let name = textName.value;
    name.replace(/\s\s+/g, ' ');
    if (!regexName.test(name)) {
        fieldName = document.getElementById('nameErorr');
        if (name == "" || !name.trim()) {
            fieldName.innerHTML = "You didn't fill out your name!";
        else {
            fieldName.innerHTML = "You've entered name in the wrong format!
(example: Michael Scott)";
        fieldName.classList.remove('hide');
        return false;
    if (regexName.test(name)) {
        let fieldName = document.getElementById('nameErorr');
        fieldName.classList.add('hide');
        return true;
let regexMail = /^{[w-]+@([w-]+.)+[w-]{2,4}$/;}
let textEmail = document.getElementById('email');
textEmail.addEventListener('blur', checkEmail);
function checkEmail() {
    let email = textEmail.value;
    if (!regexMail.test(email)) {
        let fieldEmail = document.getElementById('mailErorr');
        if (email == "" || !email.trim())
            fieldEmail.innerHTML = "You didn't fill out your email!";
        else
            fieldEmail.innerHTML = "Email is in wrong format! (example:
michael@gmail.com)";
        fieldEmail.classList.remove('hide');
        return false;
```

```
if (regexMail.test(email)) {
        let fieldEmail = document.getElementById('mailErorr');
        fieldEmail.classList.add('hide');
        return true;
    }
let form = document.getElementById("form-submit");
form.addEventListener("click", function(){
    let text = document.getElementById("message").value;
    let ime = checkName();
    let mail = checkEmail();
    let r1 = document.getElementById("firstRadio");
    let r2 = document.getElementById("secondRadio");
    let cb1 = document.getElementById("cb1");
    let cb2 = document.getElementById("cb2");
    let cb3 = document.getElementById("cb3");
    let cb4 = document.getElementById("cb4");
    if(r1.checked | r2.checked){
        document.getElementById("radioError").classList.add("hide");
    }
    else{
        document.getElementById("radioError").classList.remove("hide");
    if (text == "") {
        document.getElementById("textError").classList.remove("hide");
        document.getElementById("sentForm").classList.add("hide");
    if (text != "") {
        document.getElementById("textError").classList.add("hide");
    if(cb1.checked | cb2.checked | cb3.checked | cb4.checked){
        document.getElementById("tbError").classList.add("hide");
    else{
        document.getElementById("tbError").classList.remove("hide");
    if (text != "" && checkEmail() && checkName() && (r1.checked |  r2.checked)
&& (cb1.checked || cb2.checked || cb3.checked || cb4.checked)) {
        document.getElementById("sentForm").classList.remove("hide");
        document.getElementById("contact").reset();
    else {
```

```
document.getElementById("sentForm").classList.add("hide");
}
});

let portfolio = document.getElementsByClassName("portfolio");
console.log(portfolio)

for (let i = 0; i < portfolio.length; i++) {
    portfolio[i].addEventListener("mouseover", () => {
        portfolio[i].classList.add("effect");
    });
}


for (let i = 0; i < portfolio.length; i++) {
    portfolio[i].addEventListener("mouseout", () => {
        portfolio[i].classList.remove("effect");
    });
}
```

U footeru ima copyright I link kao dokmentaciji.

## 2. Organizacija

#### 2.1 Shema

Postoji samo jedna stranica.



#### 2.2. Sitemap