Evidências de teste GCP

*Execução de script sql, local: GCP.Front\Assets\SQL\script_gcp.sql

```
pgAdmin 4

File Object Tools Help
                                                                                                                                                                                         ■ To Q \(\sum_\) Dashboard \(\times\) Properties \(\times\) SQL \(\times\) Statistics \(\times\) Dependencies \(\times\) GCP/postgres@PostgresQL 16* \(\times\)
  Object Explorer

    GCP/postgres@PostgreSQL 16

                                                                                                                                                                                                                                                                                                                                                                                                                                         ~ $

Databases (2)

GCP
                                                                                                                                                                                                                                                       Query Query History
                          > 🐼 Casts
                         > * Catalogs
> Catalogs
                                                                                                                                                                                                                                                                               "Id" integer generated always as identity,

"Id" integer generated always as identity,

"Mone" character varying(300) COLLATE pg_catalog_"default" NOT NULL,

"Cpf" character varying(10) COLLATE pg_catalog_"default" NOT NULL,

"Cep" character varying(10) COLLATE pg_catalog_"default" NOT NULL,

"Logradouro" character varying(400) COLLATE pg_catalog_"default" NOT NULL,

"Baitrro" character varying(300) COLLATE pg_catalog_"default" NOT NULL,

"Stado" character varying(300) COLLATE pg_catalog_"default" NOT NULL,

"Estado" character varying(500) COLLATE pg_catalog_"default" NOT NULL,

"Numero" character varying(500) COLLATE pg_catalog_"default" NOT NULL,

"Complemento" character varying(500) COLLATE pg_catalog_"default" NOT NULL,

"Telefone" character varying(200) COLLATE pg_catalog_"default" NOT NULL,

"Email" character varying(200) COLLATE pg_catalog_"default" NOT NULL,

"Constraint" cliente_pkey" PRIMARY KEY ("Id"),

CONSTRAINT "Cliente_pkey" PRIMARY KEY ("Id"),

CONSTRAINT "Uni_CFF" UNIQUE ("Cpf")

CONSTRAINT "Uni_CFF" UNIQUE ("Cpf")
                          > $\pi Extensions
> $\exists Foreign Data Wrappers
                                                                                                                                                                                                                                                 "Mome" character varying(300) COLLATE pg
"Cep" character varying(14) COLLATE pg.c

6 "Cep" character varying(14) COLLATE pg.c

7 "Logradouro" character varying(300) COLLATE

8 "Gridde" character varying(300) COLLATE

10 "Estado" character varying(300) COLLATE pg
"Complemento" character varying(30) COLLATE pg

11 "Mumero" character varying(30) COLLATE pg

12 "Complemento" character varying(30) COLLATE pg

13 "Telefone" character varying(30) COLLATE pg

14 "Email" character varying(30) COLLATE pg

15 "DataInclusao" timestamp without time zoi

16 CONSTRAINT "Citente_pkey" PRIMARY KEY ".

17 CONSTRAINT "Uni_CPF" UNIQUE ("Cpf")

18 );

19

20 ALTER TABLE IF EXISTS public. "Cliente"

21 OWNER to postgres;

22

23 CREATE TABLE IF NOT EXISTS public. "Produto"

24 (

25 Land Messages Notifications
                            > 


Languages
                          > & Publications

> % Schemas (1)
                             > 🖟 Aggregates
                                    > ♣↓ Collations
> ♠ Domains
> ♠ FTS Configurations
                                     > [N FTS Dictionaries
> Aa FTS Parsers
                                      >   FTS Templates
                                       > @ Foreign Tables
                                      > R Materialized Views
                                      > 🌯 Operators
                                                                                                                                                                                                                                                      Data Output Messages Notifications
                                      > ( ) Procedures
                                  > 1.3 Sequences
                                                                                                                                                                                                                                                     ALTER TABLE
                                              > E Cliente
                                                                                                                                                                                                                                                        Query returned successfully in 29 msec.
                                             > == ProdutosXVenda
                                      > 🗎 Venda
> 🏟 Trigger Functions
                                       > 🛅 Types
```

Tela inicial:




Tela Inicial Produtos: Listagem




Funcionalidades da tela:

- Pesquisar
- Relatório
- Atualizar: Ir para a tela de Visualizar/Alterar
- Novo: Ir para a tela de Cadastro

Tela cadastro Produto:




Tela Visualizar/Alterar Produto




Funcionalidades da Tela:

- Alterar registro
- Excluir registro

Tela Relatório Produto:




Tela inicial Cliente




Funcionalidades da tela:

- Pesquisar
- Atualizar: Ir para a tela de Visualizar/Alterar
- Novo: Ir para a tela de Cadastro


Tela de cadastro Cliente:



Tela de cadastro de endereço




Tela Visualizar e Alterar




Funcionalidades da Tela:

- Alterar registro
- Excluir registro

Tela Relatório Cliente:




Tela inicial de vendas




Funcionalidades da Tela:

- Cadastro de uma venda
- Consultar produtos
- Buscar cliente

Tela de seleção do tipo de pagamento




Tela de Listagem de Vendas



Funcionalidades da tela:

- Pesquisar
- Relatório
- Atualizar: Ir para a tela de Visualizar/Alterar
- Novo: Ir para a tela de Cadastro

Tela de Visualização da venda



Tela de Relatório Venda:

