



Практическая работа 20



Настроил первую точку:

The screenshot shows the configuration window for 'Access Point0'. The window has three tabs: 'Physical', 'Config' (selected), and 'Attributes'. On the left, there is a sidebar with 'GLOBAL' and 'INTERFACE' sections. Under 'INTERFACE', 'Port 1' is selected. The main area shows settings for 'Port 1':

- Port Status: ☒ On
- SSID: buhg
- 2.4 GHz Channel: 6
- Coverage Range (meters): 140,00
- Authentication: ☒ Disabled, ☐ WEP, ☐ WPA-PSK, ☐ WPA2-PSK
- WEP Key: [empty field]
- PSK Pass Phrase: [empty field]
- User ID: [empty field]
- Password: [empty field]
- Encryption Type: Disabled

Настроил вторую:

Access Point1

Physical **Config** Attributes

GLOBAL

Settings

INTERFACE

Port 0

Port 1

Port 1

Port Status ☒ On

SSID it

2.4 GHz Channel 6

Coverage Range (meters) 140,00

Authentication

☒ Disabled ☐ WEP ☐ WPA-PSK ☐ WPA2-PSK

WEP Key

PSK Pass Phrase

User ID

Password

Encryption Type Disabled

Настроил первый ПК:

PC0

Physical **Config** Desktop Programming Attributes

GLOBAL

Settings

Algorithm Settings

INTERFACE

Wireless0

Bluetooth

Wireless0

Port Status ☒ On

Bandwidth 18 Mbps

MAC Address 000C.8551.0CAC

SSID buhg

Authentication

☒ Disabled ☐ WEP ☐ WPA-PSK ☐ WPA2-PSK ☐ WPA ☐ WPA2 ☐ 802.1X

WEP Key

PSK Pass Phrase

User ID

Password

Method: MD5

User Name

Password

Encryption Type Disabled


IP Configuration

☐ DHCP ☒ Static


IPv4 Address 192.168.1.1



Subnet Mask 255.255.255.0

И второй:



Поставил роутер, настроил:





Всё работает:


```
C:\>ping 192.168.2.1

Pinging 192.168.2.1 with 32 bytes of data:


Reply from 192.168.2.1: bytes=32 time=28ms TTL=127
Reply from 192.168.2.1: bytes=32 time=14ms TTL=127
Reply from 192.168.2.1: bytes=32 time=14ms TTL=127

Ping statistics for 192.168.2.1:
    Packets: Sent = 3, Received = 3, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 14ms, Maximum = 28ms, Average = 18ms
```


Добавил ноутбук хакера и подключился:



Поставил пароли и устройства отключились:



Теперь подключается только с паролем:



С другой стороны также:

