

All the current themes can be found in the themes/ directory in the oh-my-zsh distribution. See list here.

In order to enable a theme, set ZSH_THEME to the name of the theme in your \sim /.zshrc , before sourcing Oh My Zsh; for example: ZSH_THEME=robbyrussell If you do not want any theme enabled, just set ZSH_THEME to blank: ZSH_THEME=""

Here is a collection of screenshots and descriptions of themes that have been contributed to Oh My Zsh. There are some missing from this page. If you want to add or edit descriptions, see the format description at the bottom of this page.

The Themes

robbyrussell

the (default) that Robby uses

```
    → .oh-my-zsh git:(master) git co -b LH_2039
    Switched to a new branch 'LH_2039'
    → .oh-my-zsh git:(LH_2039) touch x
    → .oh-my-zsh git:(LH_2039) X
```

The rest of the themes, in alphabetical order:

af-magic

afowler

```
achilles :: ~/code/redcar <master> » ls
bin Gemfile lib plugins README.md tasks
CHANGES Gemfile.lock LICENSE Rakefile share vendor
achilles :: ~/code/redcar <master> » pwd
/home/linopolus/code/redcar
achilles :: ~/code/redcar <master> » scrot -s ~/themes/afowler.png
```

agnoster



Clone in Desktop

Official repository

```
cd testproject
                    p master    gco detached-head-state -q
- fdffaf6    touch dirty-working-directory
- fdffaf6±    cd
     ssh milly
Welcome to Ubuntu 11.04 (GNU/Linux 2.6.18-308.8.2.el5.028stab101.1 x86_64)
Last login: Wed Sep 26 03:42:49 2012 from 71-215-222-90.mpls.qwest.net
agnoster@milly
Connection to milly.agnoster.net closed.
     sudo -s
Password:
   root@Arya > ~ top &
     + 34523 suspended (tty output) top
/ o root@Arya / rm no-such-file
rm: no-such-file: No such file or directory
     o root@Arya
                           kill %
       34523 terminated top
     oot@Arya
```

Shown with Solarized Dark colorscheme and Powerline-patched Menlo 14pt in iTerm 2.

Additional setup:

- Install one of the patched fonts from Vim-Powerline or patch your own for the special characters
- Optionally set DEFAULT_USER in ~/.zshrc to your regular username to hide the "user@hostname" info when you're logged in as yourself on your local machine.

alanpeabody

amuse

```
-/ oh-my-zah on | master © 15:00:33
$ git remote v
my_fork gittigithub.com:dhruvasagar/oh-my-zsh.git (fetch)
my_fork gittigithub.com:dhruvasagar/oh-my-zsh.git (gush)
origin gittigithub.com:dhruvasagar/oh-my-zsh.git (gush)
origin gittigithub.com:dhruvasagar/oh-my-zsh.git (fetch)
origin gittigithub.com:ohosyussell/oh-my-zsh.git (fetch)
origin gittigithub.com:ohosyussell/oh-my-zsh.git (fetch)
origin gittigithub.com:ohosyussell/oh-my-zsh.git (fetch)
forigin gittigithub.com:ohosyussell/oh-my-zsh.git (gush)
// oh-my-zsh on | master © 15:00:41
$ gapul
$ gapul
$ from github.com:ohosyussell/oh-my-zsh
ohosyussell/oh-my-zsh
ohosyussell/oh-my-zsh
ohosyussell/oh-my-zsh
ohosyussell/oh-my-zsh
ohosyussell/ohosyussell/oh-my-zsh
ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosyussell/ohosy
```

Shown in the screenshot with tmux and the powerline plugin (you might need to install one of the patched powerline fonts for it to look the same).

arrow

```
redcar > ls git:master
bin Gemfile lib plugins README.md tasks
CHANGES Gemfile.lock LICENSE Rakefile share vendor
redcar > pwd
/home/linopolus/code/redcar
redcar > scrot -s ~/themes/arrow.png
git:master
```

aussiegeek

```
[ 1:22 ] [ linopolus@achilles: ~/code/redcar(master/)(ruby-1.9.2-p180) ]
$ ls
bin Gemfile lib plugins README.md tasks
CHANGES Gemfile.lock LICENSE Rakefile share vendor
[ 1:22 ] [ linopolus@achilles: ~/code/redcar(master/)(ruby-1.9.2-p180) ]
$ pwd
/home/linopolus/code/redcar
[ 1:22 ] [ linopolus@achilles: ~/code/redcar(master/)(ruby-1.9.2-p180) ]
$ scrot -s ~/themes/aussiegeek.png
```

avit



awesomepanda

```
scraperdashboard git:(fix-validation) x ls
app bin composer.json composer.lock phpunit.xml phpunit.xml.dist README.rst src tests vendor web

+ scraperdashboard git:(fix-validation) x pwd
/home/samshrestha/personal/www/scraperdashboard
+ scraperdashboard git:(fix-validation) x tail README.rst
***************
- "Migrations'
************
Database migrations are handled through 'doctrine:migrations' and 'doctrine:fixtures:load' so you will need to have a
ese.

***********
**********

Some test cases can be found under tests folder. These tests are basically functional tests and
verify the routes are functional.
+ scraperdashboard git:(fix-validation) x time
shell 1.82s user 0.81s system 0% cpu 19:41.05 total
children 17.49s user 4.30s system 1% cpu 19:41.05 total
+ scraperdashboard git:(fix-validation) x
```

bira

blinks

```
blinks@dhcp-172-31-2-114 ~ZSH/themes [master]

± % git st !1137

# On branch master

# Your branch is ahead of 'origin/master' by 1 commit.

# nothing to commit (working directory clean)

blinks@dhcp-172-31-2-114 ~ZSH/themes [master]

± % git push
Counting objects: 6, done.

Delta compression using up to 2 threads.
Compressing objects: 100% (4/4), done.

Writing objects: 100% (4/4), 685 bytes, done.
Total 4 (delta 2), reused 0 (delta 0)
To git@github.com:blinks/oh-my-zsh.git
9e601c2..9308a7d master -> master
```

Additional setup: Set up Solarized.

bureau

```
exit

isquariel@isquabook ~/Projects/bookmarklet

> $ [23:09:23]

O 0.10.15 [±time2-style •••]
```

To use: In the right prompt you see git status and (if you use nvm) the Node.js version. (I'm using the Solarized color scheme in this screenshot.)

candy

```
ale@PC-Ale [04:35:01] [~]
-> % cd .oh-my-zsh
ale@PC-Ale [04:35:07] [~/.oh-my-zsh] [master]
-> % touch test
ale@PC-Ale [04:35:16] [~/.oh-my-zsh] [master *]
-> %
```

clean

cloud

```
cd Source/some_repo
some_repo [master] touch Dirtify
some_repo [master] / git add Dirtify && git commit -m "make repo clean"
[master (root-commit) a406b15] make repo clean
0 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Dirtify
some_repo [master] cd
```

crunch

```
{14:30}[1.9.3]~/bt:master ✓ ▷ touch dirty-repo.txt {14:30}[1.9.3]~/bt:master ✗ ▷ [
```

cypher

```
gargamel-2 :: ^{\sim} cd .oh-my-zsh gargamel-2 :: ^{\sim}/.oh-my-zsh
```

dallas

darkblood

```
r[robbyrussell@gargamel-2] [/dev/ttys001]
\[^"]> cd .oh-my-zsh
r[robbyrussell@gargamel-2] [/dev/ttys001] [master]
\[^"/.oh-my-zsh]> []
```

daveverwer

dieter

```
22:36:34 dieter@us .oh-my-zsh dieter ? # branch named dieter, new files
22:36:38 dieter@us .oh-my-zsh dieter ? false # unlike other themes, last exit code indicators vanish after being shown once
22:36:52 dieter@us .oh-my-zsh dieter ?
22:36:55 dieter@us .oh-my-zsh dieter ? # user colorcoded by privilege, hostnames colorcoded (and shortened) with mappings:
22:37:12 dieter@us .oh-my-zsh dieter ? # user colorcoded by privilege, hostnames colorcoded (and shortened) with mappings:
22:37:12 dieter@us .oh-my-zsh dieter ? # user colorcoded by privilege, hostnames colorcoded (and shortened) with mappings:
22:37:12 dieter@us .oh-my-zsh dieter ? # user colorcoded by privilege, hostnames colorcoded (and shortened) with mappings:
22:37:12 dieter@us .oh-my-zsh dieter ? # user colorcoded by privilege, hostnames colorcoded (and shortened) with mappings:
22:37:12 dieter@us .oh-my-zsh dieter ? # user colorcoded by privilege, hostnames colorcoded (and shortened) with mappings:
22:37:12 dieter@us .oh-my-zsh dieter ? # user colorcoded by privilege, hostnames colorcoded (and shortened) with mappings:
22:37:12 dieter@us .oh-my-zsh dieter ? # user colorcoded by privilege, hostnames colorcoded (and shortened) with mappings:
22:37:12 dieter@us .oh-my-zsh dieter ? # user colorcoded by privilege, hostnames colorcoded (and shortened) with mappings:
22:37:12 dieter@us .oh-my-zsh dieter ? # user colorcoded by privilege, hostnames colorcoded (and shortened) with mappings:
22:37:12 dieter@us .oh-my-zsh dieter ? # user colorcoded by privilege, hostnames colorcoded (and shortened) with mappings:
22:37:12 dieter@us .oh-my-zsh dieter ? # user colorcoded by privilege, hostnames colorcoded (and shortened) with mappings:
22:37:12 dieter@us .oh-my-zsh dieter ? # user colorcoded by privilege, hostnames colorcoded (and shortened) with mappings:
22:37:12 dieter@us .oh-my-zsh dieter ? # user colorcoded by privilege, hostnames colorcoded (and shortened) with mappings:
22:37:12 dieter@us .oh-my-zsh dieter ? # user colorcoded by privilege, hostnames colorcod
```

Additional setup: Get this small fix if you don't have it yet. (Fix was pulled into robbyrussell/oh-my-zsh on 2011-01-08.)

dogenpunk

```
~/Development/ruby/t:(19d20h39m|git<mark>@maste</mark>r)
         ओर् ~/Development/ruby/t:(19d20h39m|git@master!)
3619 ± gco -b screenshot
Switched to a new branch 'screenshot'
bebop an ~/Development/ruby/t: (19d20h39m|git@screenshot!)
3620 ±
```

dpoggi

```
Dan@host-24415:~/Documents/Projects/cse480(mastero)
» rm Gemfile.lock
Dan@host-24415:~/Documents/Projects/cse480(master/)
```

eastwood

```
*[master][~/.oh-my-zsh]$
evan
```

a skinny, topless prompt

```
gargamel :: ~ » cd .oh-my-zsh
gargamel :: ~/.oh-my-zsh »
```

fishy

The fish shell prompt with git support

```
cezar@cmbp: ~/Projects/libtwitter — ..ts/libtwitter — zsh — zsh — 100 \times 15
/Users/cezar/Projects/libtwitter
```

flazz

Has git and vi-command mode support (when enabled)

frisk

```
/tmp/example [nobody@myKeyboard] [9:03]
> git init
Initialized empty Git repository in /tmp/example/.git/
/tmp/example [master] [nobody@myKeyboard] [9:03]
>
```

funky

it's funky...

gallifrey

```
gallifrey ~ > cd .oh-my-zsh
gallifrey ~/.oh-my-zsh <master*> > nocorrect this-comment-will-fail
zsh: command not found: this-comment-will-fail
gallifrey ~/.oh-my-zsh <master*> > 127
```

gallois

garyblessington

```
~:
~: cd .oh-my-zsh
.oh-my-zsh(master): touch XYZ
.oh-my-zsh(master) X:
```

gentoo

```
igor@funky ~/.oh-my-zsh/themes (master*) % sudo -s
funky themes (master*) #
```

geoffgarside

```
cezar@cmbp: ~/Projects/libtwitter — ..ts/libtwitter — zsh — zsh — 100×15

[14:94:01] cezar:libtwitter git:(master) $ pwd
//Users/cezar/Projects/libtwitter

[14:04:01] cezar:libtwitter git:(master) $
```

gianu

```
[glanum@modarlogo ch-my-zsh (master)]$ |s
MIT-LICENSE.txt README.textile custom lib log oh-my-zsh.sh plugins templates themes tools
[glanum@modarlogo ch-my-zsh (master)]$ echo " "> README.textile
[glanum@modarlogo ch-my-zsh (master)]$ git co -- README.textile
[glanum@modarlogo ch-my-zsh (master)]$ pwd
/Users/glanu/workspoce/oh-my-zsh
[glanum@modarlogo ch-my-zsh (master)]$ |
```

gnzh

imajes

```
% cd .oh-my-zsh
% _
```

inrowe

```
= ~ git:(master) ➤ date
Wed Dec 30 21:41:31 GMT 2009
= ~ git:(master) ► { return 255 ; }
1/255 ~ git:(master) ►
```

ireese

```
jreese@mach ~ »
jreese@mach ~ » false
jreese@mach ~ » cd .oh-my-zsh
jreese@mach ~/.oh-my-zsh ±master » touch foo
jreese@mach ~/.oh-my-zsh ±master » [
jreese@mach ~/.oh-my-zsh ±master » touch foo
jreese@mach ~/.oh-my-zsh ±master » [
jreese@mach ~ » false
jreese@mach ~ » cd .oh-my-zsh
jreese@mach ~ » touch foo
jreese@mach ~/.oh-my-zsh ±master » [
jreese@mach ~ »
jreese@mach ~ » false
jreese@mach ~ » touch foo
jreese@mach ~ » false
jreese@mach ~ » touch foo
jreese@mach ~ »
jreese@mach ~ » touch foo
jreese@mach ~ »
jreese@mach ~ » touch foo
jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jreese@mach ~ » touch foo jree
```

jtriley

```
2:54 jtriley@hackintosh /Users/jtriley/py-workspace/StarCluster
% ls
COPYING StarCluster.egg-info/ completion/ starcluster/
COPYING.LESSER bin/ docs/ utils/
MANIFEST.in check.sh* ez_setup.py
README.rst clean.sh* setup.py
```

juanghurtado

junkfood

Totally ripped off Dallas theme

```
Watson: ~/dotfiles
#( 09/02/15@10:24 )( Marc@Watson ):~/dotfiles
git init -q
#( 09/02/15@10:25 )( Marc@Watson ):~/dotfiles@master/
touch dirty
#( 09/02/15@10:25 )( Marc@Watson ):~/dotfiles@master XXX
rm dirty
#( 09/02/15@10:25 )( Marc@Watson ):~/dotfiles@master/
-
```

+info

kafeitu

```
henryyan@hy-hp: ~/.oh-my-zsh

henryyan@hy-hp: ~/.oh-my-zsh 90x21

henryyan@hy-hp ~/.oh-my-zsh git:(master) 

gst

on branch master

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git checkout -- <file>..." to discard changes in working directory)

modified: themes/kafeitw.zsh-theme

modified: themes/kafeitw.zsh-theme
```

kardan

```
> echo "Theme: kardan"
Theme: kardan
> echo "Testing return value."
Festing return value.
> false
> echo Hello World >> file
> touch fkhhfettglkamzudjduz
> git add file
> git checkout other-branch
Switched to branch 'master'
> git checkout master

Switched to branch 'master'
> \[
\]

Switched to branch 'master'

Switched Theme/preview/git-repo(master))@galaxy.local

Switched Theme/preview/g
```

kennethreitz

```
λ ~/code/redcar/ master* ls
bin Gemfile lib plugins Rakefile share vendor
CHANGES Gemfile.lock LICENSE possible_themes README.md tasks
λ ~/code/redcar/ master* pwd
/home/linopolus/code/redcar
λ ~/code/redcar/ master* scrot -s ~/themes/kennethreitz.png
```

kolo

```
~ % cd code/builds
Using /home/kolo/.rvm/gems/ruby-1.9.2-p180 with gemset builds
builds [masteree] % touch README.md
builds [mastereee] %
```

kphoen

```
[kevin@kamikaze:-/Python/wlppr on master]

$ git add git test
[kevin@kamikaze:-/Python/wlppr on master]

$ touch other test
[kevin@kamikaze:-/Python/wlppr on master]

$ false

$ talse

$ talse
```

lambda

```
\lambda ~/Development/opensource/oh-my-zsh/ master
```

linuxonly

```
/home/linopolus/.oh-my-zsh/oh-my-zsh.sh:source:18: datei oder Verzeichnis nicht gefunden
: /home/linopolus/.oh-my-zsh/themes/linuxonly.zsh-theme
linopolus@achilles:~/code/redcar% uname -a
Linux achilles 2.6.38-ARCH #1 SMP PREEMPT Wed Mar 30 08:47:36 CEST 2011 x86_64 AMD Pheno
m(tm) II X6 1090T Processor AuthenticAMD GNU/Linux
linopolus@achilles:~/code/redcar% ls
bin Gemfile lib plugins Rakefile share vendor
CHANGES Gemfile.lock LICENSE possible_themes README.md tasks
linopolus@achilles:~/code/redcar% pwd
/home/linopolus/code/redcar
linopolus@achilles:~/code/redcar% scrot -s ~/themes/linuxonly.png
```

(As the name states, this only works on linux.)

lukerandall

```
linopolus@achilles code/redcar (master*) » ls
bin Gemfile lib plugins Rakefile share vendor
CHANGES Gemfile.lock LICENSE possible_themes README.md tasks
linopolus@achilles code/redcar (master*) » pwd
/home/linopolus/code/redcar
linopolus@achilles code/redcar (master*) » scrot -s ~/themes/lukerandall.png
```

macovsky

```
Sa 5 Mär 2011 18:33:06 CET

1.9.2 ~ \(\triangle \triangle \triangl
```

maran

```
cezar@cmbp: ~/Projects/libtwitter — ..ts/libtwitter — zsh — zsh — 100×15

cezar@cmbp.local:/Users/cezar/Projects/libtwitter git:(master) $ pwd

/Users/cezar/Projects/libtwitter
cezar@cmbp.local:/Users/cezar/Projects/libtwitter git:(master) $
```

mh

```
[mh:~/sites]$ cd codeLogger/git/app/controllers
[mh:...eLogger/git/app/controllers]$ ls
                                                                      (master*)
application_controller.rb contact_controller.rb
                                                    page_controller.rb
[mh:...:eLogger/git/app/controllers]$ cd ~
                                                                      (master*)
[mh:~]$ ls
Autodesk
               Dev
                              Dropbox
                                             Music
                                                             Public
               Documents
                                             Old Downloads
Backups
                              Library
                                                            Sites
               Downloads
                                                             VirtualBox VMs
Desktop
                              Movies
                                             Pictures
[mh:~]$
```

michelebologna

```
michele@delta:/tmp/demogitrepo % git status
                                                                (master) [ 6:54PM]
On branch master
Initial commit
nothing to commit (create/copy files and use "git add" to track)
michele@delta:/tmp/demogitrepo %
                                                                (master) [ 6:54PM]
michele@delta:/tmp/demogitrepo %
                                                                         [ 6:54PM]
                                                                (master)
michele@delta:/tmp/demogitrepo % false
                                                                         [ 6:54PM]
                                                                (master)
michele@delta:/tmp/demogitrepo %
                                                                (master)
                                                                         [ 6:54PM]
michele@delta:/tmp/demogitrepo %
                                                                (master)
                                                                         [ 6:54PM]
michele@delta:/tmp/demogitrepo %
                                                                (master) [ 6:54PM]
michele@delta:/tmp/demogitrepo % true
                                                                (master) [ 6:54PM]
michele@delta:/tmp/demogitrepo %
                                                                (master) [ 6:54PM]
(master) [ 6:54PM]
michele@delta:/tmp/demogitrepo %
                                                                (master) [ 6:54PM]
michele@delta:/tmp/demogitrepo %
```

miloshadzic

```
fakeproject|⇒git init
Initialized empty Git repository in /home/milos/play/fakeproject/.git/
fakeproject|master ⇒touch this
fakeproject|master∮⇒
```

minimal

```
Development/tmp = [master] » touch test
Development/tmp = [master] »
```

mortalscumbag

also tells you when logged in over ssh

```
(ssh) michael@Box < master *** > : ~/Web/marrs
% git st --short
M Gemfile
M Gemfile.lock
?? new_file.txt
(ssh) michael@Box < master *** > : ~/Web/marrs
% ||
```

mrtazz

```
rogue:.oh-my-zsh:% <a href="master">master x></a>
```

muse

```
/tmp/t (master *) → > gst
# On branch master
# Changed but not updated:
    (use "git add <file>..." to update what will be committed)
    (use "git checkout -- <file>..." to discard changes in working directory)
# Untracked files:
    (use "git add <file>..." to include in what will be committed)
no changes added to commit (use "git add" and/or "git commit -a")
/tmp/t (master *)** ▷ git add new.txt
/tmp/t (master *)+* ▷ git add .
/tmp/t (master x)+ ▷ git commit -m "Committing all the code!"
dquote> "
[master 7844c40] Committing all the code
 1 files changed, 2 insertions(+), 0 deletions(-)
 create mode 100644 newer.txt
/tmp/t (master ✓) ▷
```

nanotech

```
~ [ cd somewhere/far/far/away master * ] 12:00 am far/away [ master ] 12:00 am
```

nebirhos

```
@acer → rvm:(system) cd Projects/dovo
Using /home/istvan/.rvm/gems/ree-1.8.7-2011.03 with gemset dovo-britney
@acer → dovo rvm:(ree-1.8.7@dovo-britney) git:(master) x rvm ree@global
@acer → dovo rvm:(ree-1.8.7@global) git:(master) x
```

nicoulai

norm

```
λ justin-CT15 ~ →cd .oh-my-zsh
λ justin-CT15 .oh-my-zsh →λ git master* →
```

philips

```
philips:e1000/ (master) $ ls
                                    [17:56:47]
e1000_ethtool.c e1000.la
                              el000.patch
e1000.h
               el000 main.c
                              e1000.so
e1000_hw.c
               e1000.o
                              Makefile
               e1000_osdep.h
e1000_hw.h
               el000_param.c
e1000.ko
philips:el000/ (master) $
                                   [17:56:49]
```

pygmalion

```
dlobraico@galatea:~|⇒ cd sandbox

dlobraico@galatea:~/sandbox|⇒ cd cudatrace

dlobraico@galatea:~/sandbox/cudatrace|master ⇒ touch dirty.txt

-- INSERT --
dlobraico@galatea:~/sandbox/cudatrace|master ⇒ git st

# On branch master

# Untracked files:

# (use "git add <file>..." to include in what will be committed)

# dirty.txt

nothing added to commit but untracked files present (use "git add" to track)

dlobraico@galatea:~/sandbox/cudatrace|master≠ ⇒ -- INSERT --
```

(Shown with Solarized Dark colorscheme.)

risto

```
ezar@cmbp: ~/Projects/libtwitter — ..ts/libtwitter — zsh — zsh — 100×15

cezar@cmbp:Projects/libtwitter (master) pwd

/Users/cezar/Projects/libtwitter (master)

cezar@cmbp:Projects/libtwitter (master)
```

rixius

```
rixius in ~/.oh-my-zsh on master √
± 1:32
```

rkj-repos

```
[rkj@rkjunior] - [~/Projects/itiner/server/chef-repo] - [2011-09-20 10:18:47]
[$] <git:(master)hg:default/tip> ls -ald .git ../.hg
drwxr-xr-x 8 rkj users 4096 Sep 20 10:18 .git
drwxr-xr-x 5 rkj users 4096 Sep 2 16:32 ../.hg
[rkj@rkjunior] - [~/Projects/itiner/server/chef-repo] - [2011-09-20 10:19:23]
[$] <git:(master)hg:default/tip>
```

sammy

```
~$ ruby --version
ruby 1.9.2p290 (2011-07-09 revision 32553) [x86_64-darwin11.2.0]
~$ git --version
git version 1.7.7.4
~$ cd ~/Code/Remote/translink
translink(master)$ ls
Gemfile LICENSE Rakefile doc test
Gemfile.lock README.md bin lib tmp
```

simple

```
~/.oh-my-zsh(master */) touch added
~/.oh-my-zsh(master */)
```

smt

```
tichu 福 ~ /.oh-my-zsh > 3552423|master/
770 ±: touch foo [6h26m]

tichu 福 ~/.oh-my-zsh > 3552423|master/
771 ±: git add foo [6h26m] *

tichu 福 ~/.oh-my-zsh > 3552423|master/
771 ±: git commit -m "added foo"

master 9d25689| added foo
0 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 foo

tichu 福 ~/.oh-my-zsh > 9d25689|master/
773 ±: [0m]
```

sorin

sporty_256

```
t|master v| test_repo
% touch xyz adrian@deliria
t|master x| test_repo
% cd ~/Documents/Projects
Projects
adrian@deliria
adrian@deliria
```

steeef

```
sprice at starch in ~
$ d

sprice at starch in ~/.dotfiles (master)
$ touch stuff

sprice at starch in ~/.dotfiles (master*)
$ |
```

sunaku

exit status if nonzero, status & branch if git, pwd always

```
master ~/screen-capture-theme/preview/git-repo> echo "Theme: sunaku"
Theme: sunaku
master ~/screen-capture-theme/preview/git-repo> echo "Testing return value."
Testing return value.
master ~/screen-capture-theme/preview/git-repo> false
exit 1
master ~/screen-capture-theme/preview/git-repo> echo Hello World >> file
!master ~/screen-capture-theme/preview/git-repo> touch liotpcmapztenxdcdinq
!?master ~/screen-capture-theme/preview/git-repo> git add liotpcmapztenxdcdinq
!+master ~/screen-capture-theme/preview/git-repo> git commit -m 'Showcasing sunaku' &> /dev/null
master ~/screen-capture-theme/preview/git-repo> git checkout other-branch
Switched to branch 'other-branch'
other-branch 'other-branch'
other-branch '/screen-capture-theme/preview/git-repo> git checkout master
Switched to branch 'master'
master ~/screen-capture-theme/preview/git-repo> git checkout master
Switched to branch 'master'
master ~/screen-capture-theme/preview/git-repo> []
```

sunrise

Lightweight prompt with exit status and git status consistent mode line

```
--- ~ » cd Code/meck
--- Code/meck (master* AMRDMD7) » git s
R LICENSE -> LICENSE_new
M Makefile
D NOTICE
D READNE.nd
A new_file
M rebar.config
7? temp
--- Code/meck (master* AMRDMD7) » ls
LICENSE_new ebin new_file temp
Makefile erl_crash.dump rebar.config test
doc include src
--- Code/meck (master* AMRDMD7) » return 99
--- Code/meck (master* AMRDMD7) » 99 w
```

> uperjarin

git status, git branch, and ruby, all in a no muss, no fuss prompt! Works with RVM, chruby, and rbenv (just activate the corresponding plugin).

```
[ree-1.8.7] ~/projects/jarinudom.com <master> git co -b hello
Switched to a new branch 'hello'
[ree-1.8.7] ~/projects/jarinudom.com <hello> touch yay.txt
[ree-1.8.7] ~/projects/jarinudom.com <hello> X rvm use ruby-1.9.2-p180
Using /Users/jarinudom/.rvm/gems/ruby-1.9.2-p180
[ruby-1.9.2] ~/projects/jarinudom.com <hello> X rm yay.txt
[ruby-1.9.2] ~/projects/jarinudom.com <hello>
```

suvash

username, host, directory, git branch and rvm gemset

```
suvash at chautari in ~ using ruby-1.9.2-p290@blog
o pybrew venv use blog
# Using `blog` environment (found in /Users/suvash/.pythonbrew/venvs/Python-2.7.2)
# To leave an environment, simply run `deactivate`
suvash at chautari in ~ using ruby-1.9.2-p290@blog and Python-2.7.2#blog
o
```

terminalparty

There is a party every day.

theunraveler

Minimal, informative when it needs to be.

tjkirch

Based on dst, plus a lightning bolt and return codes.

```
tjkirch@grudge: ~/oh-my-zsh master > 
[19:44:48]
```

tonotdo

```
robbyrussell→» [21:48:16]
robbyrussell→» cd .oh-my-zsh
robbyrussell→/.oh-my-zsh(master)» touch X
[21:48:20]
robbyrussell→/.oh-my-zsh(masterX)» [21:48:23]
```

trapd00r

```
root@desktop:pts/0-> /root (0)
> ■
```

wedisagree

Instructions to further customize the theme are available as comments in the theme file.

wezm

wuffers

```
{ruby-1.9.2-p298} ~ cd <u>.oh-my-zsh</u>
[moster] {ruby-1.9.2-p290} .oh-my-zsh touch x
[moster x] {ruby-1.9.2-p290} .oh-my-zsh rm x
[moster] {ruby-1.9.2-p290} .oh-my-zsh _
```

xiong-chiamiov

```
cezar@cmbp: ~/Projects/libtwitter — ..ts/libtwitter — zsh — zsh — 100×15

[cezar cmbp] - [~/Projects/libtwitter] - [Wed Apr 10, 02:17]

[s]> pwd

//Jsers/cezar/Projects/libtwitter

[cezar cmbp] - [~/Projects/libtwitter] - [Wed Apr 10, 02:17]

[s]>
```

xiong-chiamiov-plus

```
cezar@cmbp: ~/Projects/libtwitter — .ts/libtwitter — zsh — zsh — 100×15

[cezar cmbp] - [~/Projects/libtwitter] - [Wed Apr 10, 02:16]

[s] <gt:(master)> pwd

/Users/cezar/Projects/libtwitter

[cezar cmbp] - [~/Projects/libtwitter] - [Wed Apr 10, 02:16]

[s] <gi:(master)>
```

ys

Clean, simple, compatible and meaningful. Tested on Linux, Unix and Windows under ANSI colors. It is recommended to use with a dark background.

(more info)

```
test — ys@ys-rmbp — ..ownloads/test — -zsh — 81×31
Last login: Sun Feb 21 03:03:03 on ttys002
# ys @ ys-rmbp in ~ [3:05:51] tty:s003 L:1 N:1 C:0
$ cd .oh-my-zsh
# ys @ ys-rmbp in ~/.oh-my-zsh on git:ys o [3:06:05] tty:s003 L:1 N:2 C:0
MIT-LICENSE.txt custom
                                oh-my-zsh.sh
                                plugins
README.markdown lib
                                templates
# ys @ ys-rmbp in ~/.oh-my-zsh on git:ys o [3:06:06] tty:s003 L:1 N:3 C:0
$ touch test
# ys @ ys-rmbp in ~/.oh-my-zsh on git:ys x [3:06:10] tty:s003 L:1 N:4 C:0
zsh: command not found: asdf
# ys @ ys-rmbp in ~/.oh-my-zsh on git:ys x [3:06:12] tty:s003 L:1 N:5 C:127
# ys @ ys-rmbp in ~/.oh-my-zsh on git:ys x [3:06:15] tty:s003 L:1 N:6 C:0
[$ cd ~/Downloads/test
# ys @ ys-rmbp in ~/Downloads/test on hg:default o [3:06:31] tty:s003 L:1 N:7 C:0
$ touch test
  ys @ ys-rmbp in ~/Downloads/test on hg:default x [3:06:51] tty:s003 L:1 N:8 C:0
```

zhann

```
~ j brizon ruby-1.8.7
/Users/steven/Sandbox/brizon
Using /Users/steven/.rvm/gems/ruby-1.9.3-p0 with gemset brizon
brizon j repo
/Users/steven/Sandbox/chef-repo
chef-repo (newrelic) t ouch x
chef-repo (newrelic) x _ ruby-1.8.7
```

...lore themes

You can find more themes here.

(Don't) Send us your theme! (for now)

We have enough themes for the time being. Please fork the project and add on in there, you can let people know how to grab it from there.

Or put it gist and list it in https://github.com/robbyrussell/oh-my-zsh/wiki/External-themes .

Theme Description Format

The theme descriptions in this page should contain:

- · The name of the theme
- A screenshot
 - o (Preferably in PNG format, and hosted on a GitHub issue)
- Instructions for any configuration besides setting ZSH_THEME in ~/.zshrc
 - For example, font installation, terminal color scheme configuration, or optional environment variables that affect the theme
- · Any dependencies outside Oh My Zsh

We use manually-constructed screenshots because some of the themes require additional terminal configuration to look their best, and so the code in example shell sessions can showcase the theme's features. There is also a separate collection of automatically-generated screenshots linked at the bottom of this page.

Uploading screenshots to GitHub

We host all the screenshot images on GitHub itself, to avoid external dependencies on other hosting services or URLs that might break. We use issue attachments which will get them in to githubusercontent.com. (It's also possible to store image files in a GitHub wiki itself, but this requires you to have Contributor permissions for the repo whose Wiki you're editing. The issue-attachment method can be done by anybody.)

To upload an image to GitHub, just drag and drop it into the text area on an issue you're editing. You can use issue #3619 for this to avoid spamming people with notifications about new issues. The uploaded image will turn in to a link in Markdown format. Edit that to use the special [![name](image-url)](image-url) syntax to make the image link to itself, so people can open the image in a new tab to view it full size. (Images inside a wiki page may be displayed scaled down.)

For example:

[![wezm](https://cloud.githubusercontent.com/assets/1441704/6315419/915f6ca6-ba@

If you have several uploaded screenshot links you need to convert to that self-linked syntax, you can use this sed command on the markdown file to programmatically convert them.

sed $s/^! [[a-zA-Z0-9 -]*](([^)]*)) *$/[&](\1)/'$

Screenshots of Each Theme

Screenshots of each theme (as of 2013-04-10), in OS X Terminal.app using Consolas 13pt and Pro color scheme, inside a folder containing both a git and a mercurial repo. Each screenshot displays the output of the pwd command. It has shortcomings (plugins for some themes might be missing), but it offers a convenient and uniform overview of each theme. Plugins used were battery, rvm, hg prompt, among others.



© 2016 GitHub, Inc. Terms Privacy Security Status Help



Contact GitHub API Training Shop Blog About