

D

C

B


A

D

C

B

A



D

C

B

A

6

5

4

3


2

1


REVISION RECORD

LTR	ECO NO:	APPROVED:	DATE:

Main current measuring unit




IN OUT




Accu current measuring unit

Servo motor current measuring unit




Voltage measuring unit

Ratio: 20:1
f high = 100 Hz (- 3 dB)



Temperature measuring



COMPANY: KAMK / KUAS			
TITLE: CMC			
CODE:	SIZE: B	DRAWING NO:	REV: 0.3
SCALE:		SHEET: 30f 6	

DRAWN: HH	DATED:
CHECKED:	DATED:
QUALITY CONTROL:	DATED:
RELEASED:	DATED:

D

C

B

A

6



5

4

3

2

1



REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:

D

C

B

A

DRAWN:	HH	DATED:	
CHECKED:		DATED:	
QUALITY CONTROL:		DATED:	
RELEASED:		DATED:	

COMPANY:		KAMK / KUAS	
TITLE:		CMC	
CODE:	SIZE:	DRAWING NO:	REV:
	B		0.3
SCALE:		SHEET: 4 of 6	

D

C

B

A

6


5

4


3

2


1




U S B




USB status LED




GP SWITCHES



GP LED 1



GP LED 2



REVISION RECORD

LTR	ECO NO:	APPROVED:	DATE:

COMPANY:

KAMK / KUAS

TITLE:

CMC

DRAWN:

HH

DATED:

CHECKED:

DATED:

QUALITY CONTROL:

DATED:

RELEASED:

DATED:

CODE:

SIZE:

DRAWING NO:

REV:


B

0.3



SCALE:

SHEET: 5 of 6

ARM RealView debugger



I²C Expansion port



REVISION RECORD

LTR	ECO NO:	APPROVED:	DATE:

COMPANY: KAMK / KUAS

TITLE: CMC

CODE:	SIZE:	DRAWING NO:	REV:
	B		0.3
SCALE:			SHEET: 6 OF 6