-- EMBEDDED QUESTIONS

1. A Idiluulii sailibie ui suules uli a ulilluli ekalli vielus. 13. 24. 24. 24. 30. 30. 32. 32. 32.	24, 24, 30, 30, 32, 32, 32, 112	. 24. 24.	elds: 19, 24, 24	A random sample of scores on a difficult exam
-----------------------------------------------------------------------------------------------------	---------------------------------	-----------	------------------	-----------------------------------------------

Which measure is the best representative of center, and what is its value?

A) median = 30 B) mode = 32 C) mean = 35.9 D) sample size = 10 E) None of these

2.

		High school		
		Yes	No	Total
Felony	Yes	39	317	356
Record	No	3425	1219	4644
	Total	3464	1536	5000

What is the conditional probability that a randomly chosen individual has a felony record, given that they are a high school graduate? (round to 4-decimals)

A) 0.0110

B) 0.1230

C) 0.1096

D) 0.0113

E) 0.2064

3. The grades on this midterm are normally distributed with a mean of 70 and a standard deviation of 10. The top 10% of the scores are graded "A." What is the minimum score graded Α?

(round to whole number)

A) 90

B) 87

C) 86

D) 83

E) None of these

4. A researcher wants to estimate the mean cholesterol level of people in Miami. A random sample of 21 people yields a mean cholesterol level of 224, with a standard deviation of 12. At a 95% confidence level. What is the appropriate confidence interval for the true average cholesterol level?

A) (218.538, 229.462) B) (223.014, 224.986) C) (219.693, 228.307)

D) (214.967, 233.033) E) (219.598, 228.402)

5. The reasonable and customary fee for a certain medical procedure is \$1200. The insurer claims that the average fee changed by clinics in this area is higher than \$1200. A simple random sample of 15 clinics produces a mean of \$1500 with a standard deviation of \$200. Assume that the charges follow a normal distribution. At $\alpha = 0.05$, test the insurer's claim. Estimate the p-value.

A) less than 0.001

- B) between 0.01 and 0.025
- C) between 0.005 and 0.01
- D) between 0.025 and 0.05
- E) between 0.001 and 0.005

6 A realtor claims that homes in a nearby college town have a mean value of \$88,950. A random sample of 12 homes has a mean of \$90,400 and a standard deviation of \$4,200. Your conclusion if the significance level is 0.01:

- A) There is sufficient evidence to support the realtor's claim.
- B) There is insufficient evidence to support the realtor's claim.

- C) There is sufficient evidence to reject the realtor's claim.

 D) There is insufficient evidence to reject the realtor's claim.

 E) None of the above