

Charlie Crist  
Governor



Ana M. Viamonte Ros, M.D., M.P.H.  
State Surgeon General

Control Number: INS-08-1118-833

January 6, 2009

Armando E. Zea  
Radiation Safety Officer  
FLORIDA ATLANTIC UNIVERSITY  
Radiation Safety Office, EH&S  
777 Glades Road, Building #69, Room 112  
Boca Raton, FL 33431

Received by  
EH&S  
JAN 09 2009  
FL Atlantic  
University

RE: State of Florida Radioactive  
Materials License Number 0734-4

Dear Mr. Zea:

We are in receipt of your letter dated December 18, 2008, advising this bureau of actions taken to correct the violations cited during our November 5, 6 and 7, 2008, inspection. The actions described in your letter appear to be adequate to assure compliance with Chapter 64E-5, Florida Administrative Code, and the terms and conditions of your radioactive materials license.

After careful consideration of the basis for your denial of the violation cited in item 1, we have concluded that the violation did not occur as stated in our letter dated December 1, 2008. Therefore, the alleged violation cited in item 1 has been rescinded.

After careful consideration of the basis for your denial of the violation cited in item 6, we have concluded that the violation did not occur as stated in our letter dated December 1, 2008. Therefore, the alleged violation cited in item 6 has been rescinded.

After careful consideration of the basis for your denial of the violation cited in item 7, we have concluded that the violation did not occur as stated in our letter dated December 1, 2008. Therefore, the alleged violation cited in item 7 has been rescinded.

Thank you for your cooperation. No response to this letter is necessary. If you have any questions, please call our bureau at (850) 245-4545. Additional bureau resources including regulatory guides, forms, regulations and information notices may be accessed on our Web site at [www.doh.state.fl.us/environment/radiation](http://www.doh.state.fl.us/environment/radiation).

Sincerely,



Joe Major  
Environmental Specialist

cc: Lantana Field Office