

## National Immunisation Program Schedule Queensland October 2011



**An Australian, State and Territory Governments initiative** 

		Routine childho	Annual seasonal	
Age	Vaccine and Antigens	Additional vaccines for high risk children *	Additional vaccines for Aboriginal & Torres Strait Islander people	influenza for medical at risk groups *
Birth	H-B-VaxII paediatric »  atitis B birth dose administered within 7 days of birth	BCG® »	Tuberculosis#	
2, 4 & 6 months  Vaccines due at 2 months of age can be administered from 6 weeks	Infanrix® hexa  Diphtheria-tetanus-pertussis-hepatitis B-inactivated poliomyelitis-Haemophilus influenzae type B (Hib)  Infanrix® hexa must be reconstituted with PRP-T (Hib) supplied with the vaccine  RotaTeq® >> Rotavirus Oral vaccine  Rotavirus Oral vaccine  Prescent B' Rotavirus Oral vaccine  Prevenar 13® >> Infanrix® hexa must be reconstituted with PRP-T (Hib) supplied with the vaccine			
12 months	Priorix® >> Measles-mumps-rubella  MMR must be reconstituted  with diluent supplied with the vaccine  Priorix® >> Measles-mumps-rubella  With diluent supplied with the vaccine  With diluent supplied with the vaccine  Priorix® >> Hib (PRP-T)  Wesself Priorix® >> Hi	PRESCRIPTION ONLY MEDICAL STREET BY PRESCRIPTION ONLY MEDICAL STRE		∑ 6 months to < 3 years require 0.25ml
18 months	Varilrix® Varicella-zoster  Varicella must be reconstituted  With diluent supplied with the vaccine		VAQTA® Hepatitis A paediatric	
24 months	PRESCRIPTION ONLY REPORT PROTECTION OF THE PROTE	MESON CONT.  PERSON CONT.  PER	VAQTA® >> Hepatitis A paediatric  Prevenar 13® >> Infant pneumococcal  PRESCRIPTION ONLY MEDICINE PRES	
4 years  Vaccines can be administered from 3 years 6 months	Priorix®  Measles-mumps-rubella  MMR must be reconstituted with diluent supplied with the vaccine  Priorix®  Infanrix® IPV  Diphtheria-tetanus-pertussis- inactivated poliomyelitis	PNEUMOVAX 23® » 23vPPV	Topic and printing	≥ 3 years to < 10 years require 0.5ml
Year 8	H-B-VaxII® – Adult † » Hepatitis B  2 doses  Teconstituted with diluent supplied with the vaccine  Varilrix® † » Varicella-zoster Varicella must be reconstituted with diluent supplied with the vaccine  3 doses (females only)			≥10 years require 0.5ml
Year 10	Boostrix®†  Diphtheria-tetanus-pertussis			
15 to 49 years		Merchanis and Marian State of the State of t	Influenza Vaccine PNEUMOVAX 23®\$ >> 23vPPV	Refer to the Annual Seasonal Funded Influenza Program Schedule to check eligible
50 years & over	PREMIUM CONTROL OF THE		Influenza Vaccine PNEUMOVAX 23® >> 23vPPV	groups and other relevant information
65 years & over	Influenza Vaccine PNEUMOVAX 23® >> 23vPPV			

- \* People with underlying medical conditions may require additional vaccine. Please refer to the current immunisation handbook for eligibility criteria.
- # Refer to the Queensland Tuberculosis Control Program website for more information about tuberculosis www.health.qld.gov.au/qtbcc
- † Adolescent vaccinations are offered in the School Based Vaccination Program. Catch-up for these vaccines is available.
- § Indigenous adults aged 15 to 49 years with risk factors (as defined in the current Australian Immunisation Handbook).

3000 9148 Brisbane South Gold Coast 5668 3700 4631 9888 Darling Downs 3412 2989 West Moreton 3413 1200

Brisbane North 3624 1111 Rockhampton 4920 6989 Sunshine Coast 5409 6600 Moreton Bay 3142 1800 Wide Bay 4150 2780

Cairns Townsville Mackay Mount Isa

4226 5555 4753 9000 4911 0400 4744 9100

# Immunisation is important

National Immunisation Program Schedule Queensland October 2011

This poster shows the vaccines used in the National Immunisation Program Schedule in Queensland.

The smaller poster (A4) is for vaccines for use in children up to 4 years of age, while the larger poster (A3) covers vaccines recommended from birth to 65 years.





Diphtheria-t inactiva		e <b>c.</b> □	Hib (PRP-T) reconstituted ith the vaccine	RotaTeg® > Rotavirus Oral vaccine	7 days of birth	Schedule
Infanrix® IPV Diphtheria-tetanus-pertussis- inactivated poliomyelitis			Neis Vac-C Vaccine  Neis Vac-C Vaccine  Neis Vac-C  Neis Vac-C  Neis Vac-C  Neis Vac-C  Neis Vac-C  Neis Vac-C  Neis Vac-C	Prevenar 13° > Infant pneumococcal		
PNEUMOVAX 23° » 23vPPV	Particular of the control of the con		Infant pneumococcal		BCG@	Additional vaccines for high risk children *
	Hepatitis A paediatric Prevenar 13® Infant pneumococcal	VAQTA® » Hepatitis A paediatric			BCG® » Tuberculosis#	Additional vaccines for Aboriginal & Torres Strait Islander children
≥3 years to <10 years require 0.5ml	Sylvania State Stat	ric A	≥ 6 months to < 3 years require 0.25ml	Refer to the Annual Seasonal Funded Influenza Program Schedule to check eligible groups and other relevant		Annual seasonal influenza for medical at risk groups *



