

- Una captura de pantalla (incluida la URL) de login.php rechazando una cuenta sin un signo de inicio (@). También hay que incluir la pestaña de network de la consola de desarrollador que muestra tanto la petición POST como la GET.

The screenshot shows a web browser at the URL `192.168.198.3/A21/login.php`. The page displays a login form with fields for 'Email' and 'contraseña', and a button labeled 'Iniciar sesión'. A red error message above the form states 'Email must have an at-sign (@)'. The browser's developer tools are open to the Network tab, showing a list of requests. The first request, 'login.php', is highlighted, showing a status of 302 and a type of 'text/html'.

Name	Status	Type	Initiator	Size	Time	Waterfall
login.php	302	text/html	Other	337 B	7 ms	
login.php	200	document	login.php	756 B	7 ms	

This screenshot shows the 'Headers' tab for the selected 'login.php' request. The 'General' section displays the following information:

- Request URL:** `http://192.168.198.3/A21/login.php`
- Request Method:** POST
- Status Code:** 302 Found
- Remote Address:** 192.168.198.3:80
- Referrer Policy:** no-referrer-when-downgrade

The 'Response Headers' section shows:

- Cache-Control:** no-store, no-cache, must-revalidate
- Connection:** Keep-Alive
- Content-Length:** 0
- Content-Type:** text/html; charset=UTF-8
- Date:** Tue, 23 Oct 2018 23:19:55 GMT
- Expires:** Thu, 19 Nov 1981 08:52:00 GMT
- Keep-Alive:** timeout=5, max=100
- Location:** login.php
- Pragma:** no-cache
- Server:** Apache/2.4.25 (Debian)

This screenshot shows the 'Headers' tab for the selected 'login.php' request. The 'General' section displays the following information:

- Request URL:** `http://192.168.198.3/A21/login.php`
- Request Method:** GET
- Status Code:** 200 OK
- Remote Address:** 192.168.198.3:80
- Referrer Policy:** no-referrer-when-downgrade

The 'Response Headers' section shows:

- Cache-Control:** no-store, no-cache, must-revalidate
- Connection:** Keep-Alive
- Content-Type:** text/html; charset=UTF-8
- Date:** Tue, 23 Oct 2018 23:19:55 GMT
- Expires:** Thu, 19 Nov 1981 08:52:00 GMT
- Keep-Alive:** timeout=5, max=99
- Pragma:** no-cache
- Server:** Apache/2.4.25 (Debian)

- Una captura de pantalla de tu registro de errores que muestre los mensajes correctos para un intento de inicio de sesión exitoso y fallido.

Introduciendo la contraseña incorrecta

The screenshot shows a web browser at the URL `192.168.198.3/A21/login.php`. The page title is "Inicia Sesión". Below the title, there is a red error message: "Contraseña incorrecta". The login form has two input fields: "Email" and "contraseña", followed by an "iniciar sesion" button. The network tab on the right shows a list of requests. The first request is to `login.php` with a status of 302, type of text/html, and initiator of Other. The second request is also to `login.php` with a status of 200, type of document, and initiator of `login.php`.

Introduciendo mal el EMAIL

The screenshot shows a web browser at the URL `192.168.198.3/A21/login.php`. The page title is "Inicia Sesión". Below the title, there is a red error message: "Email must have an at-sign (@)". The login form has two input fields: "Email" and "contraseña", followed by an "iniciar sesion" button. The network tab on the right shows a list of requests. The first request is to `login.php` with a status of 302, type of text/html, and initiator of Other. The second request is also to `login.php` with a status of 200, type of document, and initiator of `login.php`.

Entrando directamente a un archivo sin haber iniciado sesión

The screenshot shows a web browser at the URL `192.168.198.3/A21/view.php`. The page title is "No has iniciado sesión". The network tab on the right shows a list of requests. The first request is to `view.php` with a status of 200, type of document, and initiator of `view.php`.

Por último iniciamos sesión correctamente

The screenshot shows a web browser at the URL `192.168.198.3/A21/view.php`. The page title is "Bienvenido ivan@gmail.com". Below the title, there is a heading "Coche en el Sistema". Below the heading, there is a table with the following data:

PEPE	21	121	Delete

Below the table, there are two links: "Añadir un vehículo" and "Cerrar sesión". The network tab on the right shows a list of requests. The first request is to `login.php` with a status of 302, type of text/html, and initiator of Other. The second request is to `view.php` with a status of 200, type of document, and initiator of `login.php`. The third request is to `bootstrap.min.css` with a status of 200, type of stylesheet, and initiator of `view.php`.

- Una captura de pantalla (con URL) de add.php que muestra un error de validación de datos. También debe incluir la pestaña de red de la consola de desarrollador que muestra tanto la petición POST como la GET.

Hacemos una captura previa de la página (sin haber saltado ningún error)

The screenshot shows a web browser at the URL `192.168.198.3/A21/add.php`. The page title is 'Insertar un nuevo coche'. The form contains three input fields: 'Marca' with the value 'marca', 'Kilometros' with the value 'km', and 'Año' with the value 'age'. There are 'enviar' and 'Cancelar' buttons. The developer console is open, showing a network tab with a single request to 'add.php' with a status of 200.

Introducimos los datos

The screenshot shows the same web browser with the form 'Insertar un nuevo coche'. The input fields now contain 'seat' for 'Marca', 'hola' for 'Kilometros', and '2017' for 'Año'. The developer console shows a network tab with a single request to 'add.php' with a status of 200.

Damos a enviar, y vemos como muestra la petición GET y POST

The screenshot shows the web browser with the form 'Insertar un nuevo coche'. A red arrow points to the 'enviar' button. The developer console shows a network tab with two requests: a GET request to 'add.php' with a status of 302, and a POST request to 'add.php' with a status of 200. A red arrow also points to the text 'Kilometraje y año deben ser numéricos.' in red, which is a validation error message.

- Una captura de pantalla (incluida la URL) de view.php con tres vehículos en la lista. Al menos uno de los vehículos debe tener '' en su título y debe mostrarse correctamente (es decir, el título no debe estar en negrita).

← → ↻ ⓘ No es seguro | 192.168.198.3/A21/view.php

Aplicaciones Aulas Virtuales CIFP FuerteNoticia – Las n Yomvi es Movistar+ e

Record inserted

Bienvenido ivan@gmail.com

Coches en el Sistema

pepe	21	121	Delete
Jesus	2018	100	Delete
seat	2002	100	Delete
california	2012	200	Delete

[Añadir un vehículo](#)

[Cerrar sesión](#)