

1. Check the code carefully. If there is any error, specify it with reason. After that resolve the errors and rewrite and show the output. 10

```
1. package A;
2. public class Foo {
3.     private int a = 10;
4.     int b = 20;
5.     protected int c = 30;
6.     public int d = 40;
7.     public static int e = 50;
8.     public final int f = 60;
9. }
10.
11. package A.B;
12. import A.Foo;
13. public class Bar extends Foo{
14.     Bar(){
15.         Foo f1 = new Foo();
16.         Foo f2 = new Foo();
17.         f1.e = 60;
18.         f2.e = 70;
19.         f1.f = 70;
20.         System.out.println(""+f1.a);
21.         System.out.println(""+f1.b);
22.         System.out.println(""+c);
23.         System.out.println(""+f1.d);
24.         System.out.println(""+f1.e);
25.         System.out.println(""+f2.e);
26.         System.out.println(""+Foo.e);
27.         System.out.println(""+f1.f);
28.     }
29.     public static void main(String[] args){
30.         new Bar();
31.     }
32. }
```

2. What is the purpose of join() method in Thread class? What are the difference between Checked Exception and Unchecked Exception? 2+3

3. Write the output of the following program. 10

```
abstract class X {
    X(){ System.out.println("X()"); }
    abstract void a();
    void b(){
        System.out.println("X.b()");
        a();
    }
}
class Y extends X {
    void a(){
        System.out.println("Y.a()");
    }
    void b(){
        System.out.println("Y.b()");
    }
    void c(){
        System.out.println("Y.c()");
        super.b();
    }
}
public class TestMain {
    public static void main(String[] args) {
        Y y = new Y();
        y.c();
    }
}
```