




SAM exposure by year: 6-11_months males




SAM exposure by year: 12_to_23_months males




SAM exposure by year: 2_to_4 males




MAM exposure by year: 6-11_months males




MAM exposure by year: 12_to_23_months males




MAM exposure by year: 2_to_4 males




Wasted exposure by year: 6-11_months males




Wasted exposure by year: 12_to_23_months males




Wasted exposure by year: 2_to_4 males




Mild wasting exposure by year: 6-11_months males




Mild wasting exposure by year: 12_to_23_months males




Mild wasting exposure by year: 2_to_4 males




Wasting TMREL exposure by year: 6-11_months males




Wasting TMREL exposure by year: 12_to_23_months males




Wasting TMREL exposure by year: 2_to_4 males




SAM exposure by year: 6-11_months females




SAM exposure by year: 12_to_23_months females




SAM exposure by year: 2_to_4 females




MAM exposure by year: 6-11_months females




MAM exposure by year: 12_to_23_months females




MAM exposure by year: 2_to_4 females




Wasted exposure by year: 6-11_months females




Wasted exposure by year: 12_to_23_months females




Wasted exposure by year: 2_to_4 females




Mild wasting exposure by year: 6-11_months females




Mild wasting exposure by year: 12_to_23_months females




Mild wasting exposure by year: 2_to_4 females



Wasting TMREL exposure by year: 6-11_months females



Wasting TMREL exposure by year: 12_to_23_months females



Wasting TMREL exposure by year: 2_to_4 females

