


Diarrheal diseases incidence rate **Females** 4.0 Artifact data Simulation baseline 3.5 3.0 2.5 2.0 1.5 | /e_{teuoou}^//_{eo} - Syyour 12 to 23 months 1 late neonatal

Diarrheal diseases incidence rate Males 4.0 Artifact data Simulation baseline 3.5 3.0 2.5 2.0 1.5 I lejeuou Tues 6-11 months 12 to 23 months 1 late neonatal

Diarrheal diseases remission rate **Females** 105 Artifact data Simulation baseline 100 95 90 85 80 1.5 months

Diarrheal diseases remission rate Males 105 Artifact data Simulation baseline 100 95 90 85 80 1.5 months


Diarrheal diseases cause specific mortality rate Females 0.016 Artifact data Simulation baseline 0.014 0.012 0.010 0.008 0.006 0.004 0.002 0.000 25 to 23 months | I resenson Thes - Syyour 1.5 months.



Diarrheal diseases excess mortality rate **Females** 0.5 Artifact data Simulation baseline 0.4 0.3 0.2 0.1 0.0 | ^{/eje}u₀₀u^/_{//eo} late neonatal I 6-11 months 2<60-5-100Mys 1


Diarrheal diseases excess mortality rate Males 0.6 Artifact data Simulation baseline 0.5 0.4 0.3 0.2 0.1 0.0 1 /eteluou //400 late neonatal 12 to 23 months 1 6-11 months 1

Lower respiratory infections prevalence **Females** 0.0030 Artifact data Simulation baseline 0.0025 0.0020 0.0015 0.0010 0.0005 12 to 23 months | I Pelugurian 1 SHUOU Trg




Lower respiratory infections incidence rate **Females** 0.13 Artifact data Simulation baseline 0.12 0.11 0.10 -0.09 0.08 0.07 0.06 12 to 23 months 1 (30) 1/60 (30) 1 1.5 months 1 /e, 1000 Je,

Lower respiratory infections incidence rate Males



Lower respiratory infections remission rate **Females** Artifact data Simulation baseline 1.5 months


Lower respiratory infections remission rate Males




Lower respiratory infections cause specific mortality rate **Females** Artifact data 0.06 Simulation baseline 0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 eary neonatal 1.5 months. 1 SHUOU Trg

Lower respiratory infections cause specific mortality rate Males 0.08 -Artifact data Simulation baseline 0.07 0.06 -0.05 0.04 0.03 0.02 0.01 0.00 12 to 23 months 1 l lesteuoou Tues 1.5 months.

Lower respiratory infections excess mortality rate Females



Lower respiratory infections excess mortality rate Males





Protein energy malnutrition cause specific mortality rate **Females** 0.0012 Artifact data Simulation baseline 0.0010 0.0008 0.0006 0.0004 -0.0002 0.0000 12 to 23 months 1 late neonatal I 1 Pepeloou Tues 1.5 months + 6.11 months > 40 × ·


Protein energy malnutrition cause specific mortality rate Males 0.0012 Artifact data Simulation baseline 0.0010 0.0008 0.0006 0.0004 -0.0002 0.0000 12 to 23 months 1 late neonatal I 1 Pepeloou Tues 1.5 months e-11 months >,to


Protein energy malnutrition excess mortality rate **Females** Artifact data 0.007 Simulation baseline 0.006 0.005 0.004 0.003 0.002 0.001 0.000 25 to 23 months | eary neonatal 1 SHUOW Trg 1.5 months 1


Protein energy malnutrition excess mortality rate Males Artifact data 0.008 Simulation baseline 0.006 0.004 0.002 0.000 22 to 23 months | I lesenous les C.11 months 1.5 months














Measles excess mortality rate **Females** 0.7 Artifact data Simulation baseline 0.6 0.5 0.4 0.3 0.2 0.1 0.0 | /e_{JeUOU}\/_{JUES} late neonatal 1 SHUOU Tro 12 to 23 months 1

