




SAM exposure by year: 6-11\_months males




SAM exposure by year: 12\_to\_23\_months males




SAM exposure by year: 2\_to\_4 males




MAM exposure by year: 6-11\_months males




MAM exposure by year: 12\_to\_23\_months males




MAM exposure by year: 2\_to\_4 males



Wasted exposure by year: 6-11\_months males




Wasted exposure by year: 12\_to\_23\_months males







Wasted exposure by year: 2\_to\_4 males




Mild wasting exposure by year: 6-11\_months males




Mild wasting exposure by year: 12\_to\_23\_months males




Mild wasting exposure by year: 2\_to\_4 males




Wasting TMREL exposure by year: 6-11\_months males




Wasting TMREL exposure by year: 12\_to\_23\_months males



Wasting TMREL exposure by year: 2\_to\_4 males




SAM exposure by year: 6-11\_months females







SAM exposure by year: 12\_to\_23\_months females




SAM exposure by year: 2\_to\_4 females




MAM exposure by year: 6-11\_months females




MAM exposure by year: 12\_to\_23\_months females




MAM exposure by year: 2\_to\_4 females




Wasted exposure by year: 6-11\_months females



Wasted exposure by year: 12\_to\_23\_months females




Wasted exposure by year: 2\_to\_4 females







Mild wasting exposure by year: 6-11\_months females




Mild wasting exposure by year: 12\_to\_23\_months females




Mild wasting exposure by year: 2\_to\_4 females



Wasting TMREL exposure by year: 6-11\_months females



Wasting TMREL exposure by year: 12\_to\_23\_months females



Wasting TMREL exposure by year: 2\_to\_4 females

