




Count of Myocardial Infarction Deaths Averted for Alabama




Count of Myocardial Infarction Deaths Averted for Alaska




Count of Myocardial Infarction Deaths Averted for Arizona




Count of Myocardial Infarction Deaths Averted for Arkansas




Count of Myocardial Infarction Deaths Averted for California



Count of Myocardial Infarction Deaths Averted for Colorado




Count of Myocardial Infarction Deaths Averted for Connecticut



Count of Myocardial Infarction Deaths Averted for Delaware


Count of Myocardial Infarction Deaths Averted




- Baseline
- Community-based NDPP
- Nurse intervention to increase medication adherence
- FDC antihypertensive




Count of Myocardial Infarction Deaths Averted for Florida




Count of Myocardial Infarction Deaths Averted for Georgia




Count of Myocardial Infarction Deaths Averted for Hawaii




Count of Myocardial Infarction Deaths Averted for Idaho




Count of Myocardial Infarction Deaths Averted for Illinois




Count of Myocardial Infarction Deaths Averted for Indiana



Count of Myocardial Infarction Deaths Averted for Iowa




Count of Myocardial Infarction Deaths Averted for Kansas







Count of Myocardial Infarction Deaths Averted for Kentucky




Count of Myocardial Infarction Deaths Averted for Louisiana




Count of Myocardial Infarction Deaths Averted for Maine




Count of Myocardial Infarction Deaths Averted for Maryland




Count of Myocardial Infarction Deaths Averted for Massachusetts




Count of Myocardial Infarction Deaths Averted for Michigan



Count of Myocardial Infarction Deaths Averted for Minnesota




Count of Myocardial Infarction Deaths Averted for Mississippi







Count of Myocardial Infarction Deaths Averted for Missouri




Count of Myocardial Infarction Deaths Averted for Montana




Count of Myocardial Infarction Deaths Averted for Nebraska




Count of Myocardial Infarction Deaths Averted for Nevada




Count of Myocardial Infarction Deaths Averted for Ohio




Count of Myocardial Infarction Deaths Averted for Oklahoma



Count of Myocardial Infarction Deaths Averted for Oregon




Count of Myocardial Infarction Deaths Averted for Pennsylvania







Count of Myocardial Infarction Deaths Averted for Tennessee




Count of Myocardial Infarction Deaths Averted for Texas



Count of Myocardial Infarction Deaths Averted for Utah




Count of Myocardial Infarction Deaths Averted for Vermont



Count of Myocardial Infarction Deaths Averted for Virginia


Count of Myocardial Infarction Deaths Averted



- Baseline
- Community-based NDPP
- Nurse intervention to increase medication adherence
- FDC antihypertensive


Count of Myocardial Infarction Deaths Averted for Washington

Count of Myocardial Infarction Deaths Averted



- Baseline
- Community-based NDPP
- Nurse intervention to increase medication adherence
- FDC antihypertensive

Count of Myocardial Infarction Deaths Averted for Wisconsin



Count of Myocardial Infarction Deaths Averted for Wyoming

