

Below is a **page-by-page content + component breakdown**, kept consistent with all earlier specs and focused only on the 8 core pages.

1. Home / Landing Page (/)

Content

- **Hero section**
 - Title: “Hidden Reports, Visible Art.”
 - Subtitle:
“A prototype platform where encrypted whistleblower reports appear as abstract artworks. Only authorized reviewers with a secret key can decode the hidden messages.”[whistlelink+1](#)
- **Primary actions**
 - Button: “Create a Hidden Report” → </report/new>
 - Button: “Browse Artworks” → </gallery>
- **Secondary links**
 - Text link: “Decode with key” → </decode>
 - Text link: “Reviewer console” → </reviewer/reports> (or </reviewer/login> if not authenticated)
- **Ethics & safety block**
 - Heading: “Ethics & Safety”
 - Body text:
 - “This is a prototype, not a legal or emergency whistleblowing channel.”[dataguard+1](#)

- “Do not use it to report life-threatening situations or seek urgent help.”
 - “Not for planning crime, coordinating harm, or sharing illegal content.” [ethicontrol](#)
- **Concept explainer**
 - Short, 2–3 line paragraph:
 - “Each artwork in the gallery may contain an encrypted report.”
 - “Reporters stay anonymous; only trusted reviewers with a secret key can read the full text.” [hushline+1](#)
- **Footer**
 - Text: “Hackathon prototype inspired by whistleblowing and steganography research. Not for production use.” [riskonnect+1](#)
 - Optional links: “Roadmap / Future work”, “GitHub repo”.

Component breakdown

- **LayoutShell**
 - **HeaderNav** (logo/title + nav links: Home, Create, Gallery, Decode, Reviewer)
 - **Footer**
- **HeroSection**
 - **HeroTitle**
 - **HeroSubtitle**
 - **HeroPrimaryActions** (two main buttons)
- **ConceptExplainer**

- [EthicsSafetyBlock](#)
 - [SecondaryLinksRow](#)
-

2. Create Report Page ([/report/new](#))

Content

- **Page header**
 - Title: "Create a Hidden Report"
 - Subtitle: "Submit a sensitive report that will be stored encrypted and represented as abstract artwork. Do not include personal identifiers." [riskonnect+1](#)
- **Report form**
 - Field: Category
 - Label: "Category *"
 - Control: dropdown
 - Placeholder: "Select a broad category"
 - Options:
 - "Corporate / Workplace"
 - "Government / Institution"
 - "Other"
 - Helper: "Choose the broad area your concern relates to." [eqs+1](#)
 - Field: Location context
 - Label: "Location context (no exact address) *"

- Placeholder: “E.g., ‘Large bank in Dhaka’ or ‘University campus in Chattogram”
 - Helper: “Describe the setting in broad terms only. Do not include exact addresses or room numbers.”
- Field: Secret description
 - Label: “Secret description *”
 - Placeholder: “Describe what happened. Avoid your real name, email, phone, or other identifying details.”
 - Helper (small text below):
 - “The content will be encrypted and only visible to someone who can decode it.”
 - Character counter (e.g., “0 / 5000”).
- **Inline acceptable-use notice (right under textarea)**
 - Style: highlighted/warning box
 - Text:
 - “Acceptable use only: This prototype is for ethically motivated whistleblowing and testing purposes.” [dataguard+1](#)
 - “Do not use this tool to plan crimes, coordinate harm, or share illegal material.”
 - “Do not upload real personal data or highly sensitive, life-critical information.”
- Field: Optional external link
 - Label: “Optional external link”
 - Placeholder: “<https://example.com/supporting-material>”
 - Helper: “Add a public or shareable URL with more context (e.g., article, document, evidence). Do not paste private drive links that reveal your

identity.”

- **Form actions**

- Primary button: “Generate Hidden Artwork”
- Secondary button/link: “Clear form”
- Validation error area: e.g., “Please fix the highlighted fields before continuing.”

- **Submission feedback**

- While sending: “Generating your hidden artwork...” with spinner.

Component breakdown

- `LayoutShell`

- `PageHeader`

- `Title`
- `Subtitle`

- `ReportForm`

- `CategorySelect`
- `LocationInput`
- `DescriptionTextarea`
- `AcceptableUseNotice`
- `ExternalLinkInput`
- `FormActions` (submit + clear)

- `FormErrorBanner`
 - `LoadingOverlay`
-

3. Report Confirmation & Artwork (`/report/confirm`)

Content

- **Page header**
 - Title: “Your Artwork & Secret Key”
 - Subtitle: “This secret key is the only way to decode your report. It cannot be recovered if lost.” [securedrop+1](#)
- **Artwork section**
 - Heading: “Generated artwork”
 - Artwork display:
 - Inline SVG / Canvas rendering of the deterministic pattern.
 - Underneath: “Artwork ID: R123ABC”
 - Short note:
 - “This artwork is derived from your report ID and category. The public gallery only shows this visual form, not your text.”
- **Secret key section**
 - Heading: “Your secret key”
 - Body:
 - Monospace key display: e.g., `X7K-9PQ-4LM`

- Button: “Copy key”
 - Confirmation toast/snackbar on copy: “Secret key copied to clipboard.”
- Warning box (strong visual emphasis):
 - Title: “Important”
 - Text:
 - “If you lose this key, your report cannot be decoded.”
 - “The system does not store the key in a recoverable form.”[hushline+1](#)
 - “Store it somewhere safe or share it securely with a trusted reviewer.”
- **Next steps section**
 - Heading: “How to use this”
 - Bullet list:
 - “To allow a trusted reviewer to read your report, you must share both:”
 - “Artwork ID: R123ABC”
 - “Secret key: X7K-9PQ-4LM”
 - “Share via a secure, private channel (e.g., encrypted email or secure chat).”
 - “The public gallery will only show the artwork, not your text.”[riskconnect+1](#)
 - Link/button: “Go to Decode page” → [/decode](#)
 - Link: “Create another report” → [/report/new](#)
- **Lost-key fallback state**
 - If the page has no access to [decodeKey](#) (e.g., refresh after navigation):

- Message: “This page no longer has access to your secret key.”
- Text:
 - “For privacy reasons, the platform cannot recover or resend your key.”
 - “Without the key, the report content will remain encrypted and unreadable.”
- Button: “Return to Home”

Component breakdown

- `LayoutShell`
- `PageHeader`
- `ArtworkPreview`
 - `ArtworkCanvasOrSVG`
 - `ArtworkMeta` (Artwork ID, createdAt if you show it)
- `DecodeKeyPanel`
 - `KeyDisplay`
 - `CopyKeyButton`
 - `KeyWarningBox`
- `NextStepsPanel`
 - `NextStepsList`
 - `NavButtonsRow`

- `MissingKeyAlert` (conditional)
 - `CopyToast` (snackbar)
-

4. Public Gallery Page (`/gallery`)

Content

- **Banner**
 - Text block:
 - “Public Artwork Gallery”
 - “This feed shows abstract artworks generated from encrypted whistleblower reports submitted to this prototype.” [hushline+1](#)
 - “Artworks may contain hidden reports. Only authorized reviewers with the correct keys can decode them. No sensitive text is shown here.”
- **Info/controls row**
 - Left:
 - Label: “Browsing recent artworks”
 - Optional small text: “Sorted by newest first.”
 - Right (optional for MVP):
 - Simple dropdown: “Sort by: Newest / Oldest”
 - Text: “Total artworks: N” or “Showing N of M”
- **Artwork grid**
 - For each artwork card:

- Artwork thumbnail:
 - Generated pattern using `artId` and `category`.
- Metadata row:
 - Date/time in relative or short form (e.g., “3 hours ago”, “08 Jan 2026”).[uizard+1](#)
 - Vague category icon:
 - Corporate → building icon
 - Government / Institution → pillars icon
 - Other → simple dot/circle
 - Optional mock risk ring (future / demo-only):
 - Thin ring around thumbnail with color label “Mock risk ring” in code and tooltip.
- Empty state
 - If there are no reports:
 - Heading: “No artworks yet”
 - Text: “Once someone creates a hidden report, its artwork will appear here.”
 - Button: “Create a Hidden Report” → `/report/new`

Component breakdown

- `LayoutShell`
- `PageHeader` (title + short copy)
- `GalleryBanner`

- `GalleryControls` (sort / count – optional)
 - `ArtworkGrid`
 - `ArtworkCard`
 - `ArtworkThumbnail`
 - `ArtworkMetaRow` (date + icon)
 - `MockRiskRing` (optional)
 - `PaginationControls` (“Load more” button)
 - `EmptyState`
-

5. Trusted Decode Page (`/decode`)

Content

- **Page header**
 - Title: “Decode a Hidden Report”
 - Subtitle: “Enter an Artwork ID and secret key to reveal the underlying report, if you are authorized to see it.” [securedrop+1](#)
- **Decode form**
 - Field: Artwork ID
 - Label: “Artwork ID (Report ID) *”
 - Placeholder: “E.g., R123ABC”
 - Helper: “The ID shown under the artwork on the confirmation screen.”

- Field: Decode key
 - Label: “Secret key *”
 - Placeholder: “Paste the secret key here”
 - Type: password input with “Show / Hide” toggle
 - Helper: “This key was displayed once when the report was created.”
- Button:
 - “Decode report”
- **Decode result area**
 - **Success state**
 - Title: “Decoded report”
 - Metadata list:
 - “Category: Corporate / Government / Other”
 - “Location context: ...”
 - “Created: 08 Jan 2026, 06:30”
 - “Status: New / In review / Closed” (for transparency; not editable here)
 - Description section:
 - Label: “Description”
 - Multiline text body (scrollable if long).
 - External link (if present):
 - Label: “Linked resource”
 - Clickable URL: “Open in new tab”

- Note:
 - “Handle this information confidentially according to your internal policies.”[eqs+1](#)
- **Error state**
 - Short message:
 - “Cannot decode – ID/key mismatch.”
 - Helper:
 - “Check that both the Artwork ID and secret key are entered correctly.”
 - “For security reasons, the system does not say which part was incorrect.”
- **Governance note**
 - Text block at bottom:
 - “Decoded content is intended for investigation by trusted reviewers.”
 - “Do not copy or redistribute sensitive details outside approved channels.”[resolver+1](#)

Component breakdown

- `LayoutShell`
- `PageHeader`
- `DecodeForm`
 - `ArtworkIdInput`
 - `DecodeKeyInput` (with visibility toggle)

- DecodeSubmitButton
 - ResultPanel
 - DecodedReportSuccess (metadata + body + link)
 - DecodedReportError
 - GovernanceNote
-

6. Reviewer Login Wrapper ([/reviewer/login](#))

(If using Clerk hosted sign-in, this page can just explain and redirect.)[clerk](#)

Content

- Card / wrapper
 - Title: “Reviewer Console Access”
 - Text:
 - “This area is reserved for trusted reviewers responsible for handling reports.”[whistlelink+1](#)
 - “You will be redirected to the secure sign-in page.”
 - Button:
 - “Sign in with Reviewer Account” → triggers Clerk sign-in or navigates to Clerk’s [/sign-in](#) route.
 - Small note:
 - “If you are not an authorized reviewer, please return to the home page.”
- Link

- “← Back to Home” → /

Component breakdown

- `LayoutShell`
 - `CenteredCard`
 - `CardTitle`
 - `CardBodyText`
 - `SignInButton` (wraps Clerk sign-in)
 - `BackLink`
-

7. Reviewer Console – List (`/reviewer/reports`)

Content

- **Top bar**
 - Left:
 - Text: “Reviewer Console”
 - Right:
 - Text: `Signed in as reviewer@example.com`
 - Button: “Sign out” (calls Clerk sign-out)
- **Page header**
 - Title: “Reports Queue”

- Subtitle:
 - “Reports are routed to reviewers; there is no direct messaging between users in this prototype.” [ethicontrol+1](#)
 - “Use internal processes and notes to coordinate investigations.”

- **Filters / controls**

- Status filter:
 - Label: “Status”
 - Dropdown: “All, New, In review, Closed”
- Optional:
 - Sort: “Newest first / Oldest first”
- Indicator:
 - “Showing X reports”

- **Reports table**

- Column headers:
 - “Report ID”
 - “Created”
 - “Category”
 - “Status”
- Rows:
 - Each row shows:
 - Report ID (e.g., **R123ABC**)
 - Created date/time (e.g., “08 Jan 2026, 06:30”)

- Category with icon ( /  / ●)
- Status badge (New / In review / Closed; color-coded)
- Row is clickable; click → </reviewer/reports/R123ABC>.
- **Empty / error states**
 - Empty:
 - “No reports match this view. Try changing the status filter.”
 - Error (if API fails):
 - “Couldn’t load reports. Please refresh or try again later.”

Component breakdown

- `ReviewerLayout`
 - `TopBar` (title, user, sign-out)
- `PageHeader`
- `FilterBar`
 - `StatusFilterSelect`
 - `SortSelect` (optional)
 - `CountLabel`
- `ReportsTable`
 - `TableHeaderRow`
 - `ReportTableRow` (clickable)
- `PaginationControls`

- `EmptyState`
 - `ErrorBanner`
 - `LoadingOverlay`
-

8. Reviewer Console – Detail

`(/reviewer/reports/:reportId)`

Content

- **Top bar**
 - Same as list:
 - “Reviewer Console”
 - Signed-in reviewer identity
 - Sign-out button
- **Breadcrumb**
 - “Reports” (link back to `/reviewer/reports`) > “R123ABC”
- **Page header**
 - Title: “Report R123ABC”
 - Subtitle:
 - “Trusted reviewer view. Do not share or copy sensitive content outside approved channels.”[resolver+1](#)
- **Metadata card**
 - Two-column layout:

- Left:
 - “Created: 08 Jan 2026, 06:30”
 - “Category: Corporate” with icon
 - “Location context: Large bank in Dhaka”
- Right:
 - “Status” dropdown:
 - “New / In review / Closed”
 - Current status displayed as a colored badge.

- **Report body**

- Label: “Description”
- Multiline text area (read-only), scrollable for long text.
- Label: “Linked resource” (if externalLink present)
 - Clickable URL: “Open supporting material” (opens in new tab).

- **Reviewer actions**

- Panel title: “Reviewer actions”
- Fields:
 - Status:
 - Same dropdown as in metadata; this one is the editable control.
 - Internal note:
 - Label: “Internal note (not visible to reporter)”
 - Placeholder: “E.g., ‘Escalated to compliance, awaiting follow-up.’”
 - Small helper:

- “Use this field to coordinate investigations internally. Notes are not sent back to the reporter.”[cmt3.research.microsoft+1](#)
 - Button:
 - “Save changes”
 - Feedback:
 - Success toast: “Changes saved.”
 - Error banner: “Could not save changes. Please try again.”
- **Governance note**
 - Text block:
 - “Reports flow one-way from reporter to reviewer.”
 - “There is no reply or chat feature to prevent misuse or coordination of harmful activity.”[ethicontrol+1](#)

Component breakdown

- ReviewerLayout
 - TopBar
- BreadcrumbNav
- PageHeader
- MetadataCard
 - MetadataRow items
 - StatusBadge

- StatusDropdown
- DescriptionPanel
 - DescriptionBox
 - ExternalLinkRow
- ReviewerActionsPanel
 - StatusSelect (primary control)
 - ReviewerNoteTextarea
 - SaveButton
- SaveToast
- ErrorBanner
- GovernanceNotice

All pages above keep consistent:

- **Entities:** reportId/artId, category, locationContext, description, optional externalLink, status, reviewerNote.
 - **Flows:** anonymous report → encrypted storage + artwork → public gallery (art only) → decode (reportId + key) → reviewer console (Clerk-protected, full plaintext).
1. <https://www.whistlelink.com>
 2. <https://www.faceup.com/en>
 3. <https://www.dataguard.com/blog/implementing-an-effective-whistleblower-system/>
 4. <https://www eqs.com/platform-compliance-ethics/integrity-line-whistleblower-software/>
 5. <https://ethicontrol.com/en/features/internal-reporting-channels>
 6. <https://hushline.app>
 7. <https://securedrop.org>
 8. <https://riskonnnect.com/governance-risk-compliance/building-a-discreet-online-portal-for-anonymous-disclosures-and-whistleblowing/>

9. <https://elker.com/articles/whistleblowing-software>
10. <https://uizard.io/templates/component-templates/gallery/>
11. <https://tailgrids.com/components/galleries>
12. <https://www.resolver.com/grc-software/whistleblower-case-management/>
13. <https://clerk.com/blog/securing-node-express-apis-clerk-react>
14. <https://cmt3.research.microsoft.com/docs/help/chair/reviewer-note.html>
15. <https://www.hipeople.io/blog/whistleblower-software-whistleblowing-systems>
16. <https://dev.to/noriste/hasura-console-ui-coding-patterns-testing-281d>
17. <https://artifactui.in/docs/components/canvas-grid>
18. <https://ui-patterns.com/patterns/testimonials>
19. <https://www.framer.com/marketplace/components/gallery-x/>
20. <https://dribbble.com/tags/review-ui>
21. <https://nazk.gov.ua/en/news/whistleblower-portal-user-evaluation-and-plans-for-further-improvement/>