

Here are the **use cases**, grouped by **feature** → **page**, and ordered by **priority** (what must work first for the demo).

Feature 1 – Create Report → Generate Hidden Artwork

Page: Create Report (/report/new) – HIGH priority

Primary use cases

1. Submit a new secret report anonymously

- User opens the form and sees fields for category, location context, secret description, and optional external link. [hushline+1](#)
- User fills in the form and submits, triggering creation of an encrypted report and hidden artwork.

2. See clear acceptable-use & safety messaging before sending

- User reads inline notice that this is for ethical whistleblowing only and not for planning crime or sharing illegal content. [whistleblowersoftware+1](#)
- User understands that the platform is a prototype and not a real emergency channel. [faceup+1](#)

3. Get feedback on invalid or incomplete input

- User tries to submit with missing/invalid fields and sees clear errors (e.g., category required, invalid URL, description too short).
- User corrects fields and resubmits successfully.

4. Reset or adjust a report before sending

- User chooses “Clear form” or edits values if they change their mind before submission.
-

Page: Report Confirmation & Artwork (/report/confirm) – HIGH priority

Primary use cases

1. View the generated artwork tied to the submitted report

- User lands on confirmation after a successful submit.
- User sees an abstract artwork labeled with its Artwork ID (same as reportId).

2. Receive and safely capture the one-time decode key

- User sees a “Your secret key” value displayed clearly, with a copy-to-clipboard control.
- User gets a strong warning: if the key is lost, the report cannot be decoded and the system cannot recover it. [securedrop+1](#)

3. Understand how to share info with a trusted reviewer

- User reads “To allow decoding, share both Artwork ID and secret key via a secure channel with a trusted reviewer.” [tntra+1](#)
- User can navigate to the Decode page link for the reviewer flow.

4. Handle page refresh / lost state gracefully

- If user refreshes and the decode key is gone from client memory, page explains that the key cannot be recovered and that the report will remain unreadable without it.

Feature 2 – Public Gallery of Artworks

Page: Home / Landing (/) – HIGH priority

Primary use cases

1. Understand the concept quickly

- Visitor sees a short explanation that this is an abstract art gallery where each artwork may contain an encrypted whistleblowing report visible only to authorized reviewers. [whistlelink+2](#)

2. Navigate to core flows easily

- Visitor can immediately choose to:
 - Create a hidden report → [/report/new](#).
 - Browse the public gallery → [/gallery](#).
 - Access the decode page → [/decode](#).
 - Access reviewer console login → [/reviewer/login](#).

3. See ethical framing and limitations

- Visitor reads a brief ethics/safety block explaining acceptable use, anonymity intent, and that this is not legal/production infrastructure. [complylog+2](#)

Page: Public Gallery ([/gallery](#)) – HIGH priority

Primary use cases

1. Browse artworks without seeing any secret text

- Visitor sees a grid of abstract artworks with minimal metadata (date and vague category icon only). [whistlelink+1](#)
- Visitor cannot see descriptions, links, or plaintext from reports anywhere in the gallery.

2. Understand that artworks may hide whistleblowing reports

- Visitor reads a short banner: this is a whistleblowing prototype where art may contain encrypted reports for authorized reviewers. [hushline+1](#)

3. **Get a sense of recent activity**

- Visitor can visually scan artworks ordered by creation time, with timestamps or relative time labels.
- Visitor can see at a glance that different categories (corporate, institution, other) are represented via icons.[whistleblowersoftware+1](#)

4. **(Optional for MVP) Explore more artworks via simple pagination**

- Visitor can click “Load more” or use basic pagination to see additional artworks if there are many.

Feature 3 – Trusted Decode Flow

Page: Trusted Decode (/decode) – HIGH priority

Primary use cases

1. **Decode a report using Artwork ID + secret key**

- Trusted reader opens the decode page.
- They enter the Artwork ID (reportId) and decode key they received from the whistleblower.
- On success, they see the decrypted report: category, location context, description, external link, and status.[securedrop+1](#)

2. **Get clear feedback on invalid attempts without information leaks**

- If either ID or key is wrong, they only see a generic error “Cannot decode – ID/key mismatch.” (no hint which part failed).[securedrop](#)
- They can correct and try again without the system leaking extra information.

3. **Stay aware of confidentiality responsibilities**

- Page includes a note that decoded content is sensitive, intended for investigation by trusted reviewers, and should not be redistributed.[faceup+2](#)
-

Feature 3 – Reviewer Console

(Assuming reviewer sign-in handled by Clerk UI, but console pages still have use cases.)[whispli+1](#)

Page: Reviewer Login ([/reviewer/login](#)) – MEDIUM–HIGH priority

Primary use cases

1. **Access the reviewer console as an authenticated reviewer**
 - Reviewer is directed here (or via Clerk's sign-in page) when trying to open console routes.[clerk](#)
 - After successful Clerk login, they are sent to [/reviewer/reports](#).
2. **See that this area is restricted**
 - Copy makes clear that only trusted reviewers should log in and that credentials must not be shared.[whistlelink+1](#)

(Most auth UX comes from Clerk components; this page is mainly wrapper/redirect if you use hosted Clerk UIs.)[clerk+2](#)

Page: Reviewer Console – List ([/reviewer/reports](#)) – HIGH priority

Primary use cases

1. **View a manageable queue of incoming reports**

- Reviewer sees a table of reports with: Report ID, created date, category, and current status (new/in-review/closed).[salesforce+2](#)
- Reports are ordered by newest first so they can prioritize recent tips.

2. Filter by status to manage workload

- Reviewer can filter to see only “New,” “In review,” or “Closed” reports, allowing them to focus on open work.[salesforce+1](#)

3. Open a single report for detailed review

- Clicking a row navigates to the detail page for that specific report.
- The console makes clear that this is one-way: reporters cannot message back via this system.[tntra+1](#)

4. Confirm they are logged in as the correct reviewer

- UI indicates the signed-in reviewer identity (e.g., email) and gives a logout option, aligning with access control expectations.[clerk+1](#)

Page: Reviewer Console – Detail

(/reviewer/reports/:reportId) – HIGH priority

Primary use cases

1. Read full decrypted report content in a safe context

- Reviewer sees the full plaintext description and optional external link for a given report.[hushline+2](#)
- They also see contextual metadata: category, location context, creation time, and current status.

2. Assess seriousness and decide on next steps

- Reviewer uses the information to evaluate risk or urgency (e.g., corporate fraud vs. minor issue).[faceup+1](#)

- Optional mock risk visuals (future) could support this, but basic decision is possible now.

3. Track case lifecycle via status

- Reviewer updates **status** from “new” to “in review” or “closed” as the investigation progresses. [tntra+1](#)
- Status changes are reflected back in the list view queue.

4. Add internal notes that are not visible to the reporter

- Reviewer writes or updates a short internal note (e.g., “Escalated to compliance, waiting on response”). [cmt3.research.microsoft+1](#)
- Notes serve as internal coordination/documentation without creating a two-way chat.

5. Respect one-way communication governance

- Detail page explicitly reminds that there is no reply or chat back to the whistleblower to avoid enabling direct coordination or misuse. [complylog+2](#)

Priority Summary Across Features

1. Highest priority for demo flow

- Create Report ([/report/new](#))
- Report Confirmation & Artwork ([/report/confirm](#))
- Public Gallery ([/gallery](#))
- Trusted Decode ([/decode](#))
- Reviewer Console – List & Detail ([/reviewer/reports](#), [/reviewer/reports/:reportId](#))

2. Secondary / supportive

- Home / Landing (/) – entry and explanation
- Reviewer Login wrapper (/reviewer/login) – if not using pure Clerk hosted pages

If you want next, the use cases can be turned into **Gherkin-style scenarios** or a **checklist** you can test after implementing each page.

1. <https://hushline.app>
2. <https://www.faceup.com/en>
3. <https://whistleblowersoftware.com/en>
4. <https://www.whistleblowing.software/en/f-a-q/>
5. <https://blog.complylog.com/whistleblowing/examples-of-whistleblowing-in-the-workplace/>
6. <https://securedrop.org>
7. <https://www.tntra.io/case-studies/whistleblower-hotline-case-management-solution>
8. <https://www.whistlelink.com>
9. <https://www.whispli.com>
10. <https://clerk.com/blog/securing-node-express-apis-clerk-react>
11. <https://clerk.com/blog/next13-api-routes-2>
12. <https://stackoverflow.com/questions/78571655/protected-routes-and-public-routes-with-the-new-clerk-update>
13. https://help.salesforce.com/s/articleView?id=sfdo.ec_understand_the_admissions_and_reviewer_consoles.htm&language=en_US&type=5
14. <https://www.faceup.com/en/blog/whistleblowing-examples>
15. <https://www.corporatesolutions.euronext.com/blog/whistleblowing/examples-of-whistleblowing-in-the-workplace>
16. <https://cmt3.research.microsoft.com/docs/help/chair/reviewer-note.html>
17. https://www.reddit.com/r/IAmA/comments/1gks78/i_am_a_whistleblower_ama/
18. <https://mimecastsupport.zendesk.com/hc/en-us/articles/34000680877715-The-Reviewer-Getting-Started>
19. <https://experienceleague.adobe.com/en/docs/experience-manager-guides/using/user-guide/review/review>