

The background of the slide features a silhouette of a person standing on a rocky outcrop, looking out over a vast mountain range under a hazy, sunset-colored sky. The person is positioned in the center-right of the frame, with their back to the viewer. The mountains in the distance are layered, creating a sense of depth. The overall color palette is dark with warm, golden-brown tones from the sunset.

VIRTUAL TRIP AND PLANNING ADVISOR

Applied Data Science Capstone Project
IBM Data Science Professional Certificate Specialization
By Ihor Kulmatytskyy

Virtual Trip advisor or classifier project consist of:



Gather data about Ukrainian Carpathian Mountains and nearest venues



Apply clustering with k-Mean




Study result and pick a labels to the determined clusters



	Name	Height	Location	id	Latitude	Longitude
0	Goverla	2061.0	Chornogora	1	48.15111	24.50000
1	Brebeneskul	2035.8	Chornogora	2	48.09833	24.58056
2	Pip Ivan Chornogors'kii	2028.5	Chornogora	3	48.04778	24.62778
3	Petros	2022.5	Chornogora	4	48.17194	24.42111
4	Gutin Tomnatik	2016.4	Chornogora	5	48.10000	24.55667

	id	Name	Category	Latitude	Longitude
0	1	Говерла (2061 м) / Hoverla	Mountain	48.16039	24.50037
1	2	Брескул (1911 м) / Breskul	Mountain	48.15037	24.51103
2	3	Гірське Крісло	Other Great Outdoors	48.16272	24.50573
3	4	Говерлянка	Mountain	48.16615	24.50546
4	5	Пожижевська (1822 м)	Mountain	48.14430	24.52357



Gather data
from Wikipedia
and Foursquare




Apply k-Mean to cluster Mountain Peaks by categories of the nearest venues.



Use elbow method to determine optimal number of clusters $k = 6$.

Perform k-Means and pick up proper cluster names

Display result on a map



Use elbow method to determine optimal number of clusters $k = 6$.

```
In [55]: # set number of clusters
k = 6


# run k-means clustering
kmeans = KMeans(n_clusters=k, random_state=0).fit(sights_categories.drop(['Name'], 1).drop

# check cluster labels generated for each row in the dataframe
kmeans.labels_

Out[55]: array([[0, 5, 1, 1, 1, 2, 5, 4, 1, 5, 2, 0, 5, 1, 2, 2, 2, 0, 1, 1, 1, 4,
                2, 1, 1, 1, 0, 4, 0, 0, 1, 2, 0, 2, 0, 1, 4, 4, 0, 1, 2, 2, 3, 5],
                dtype=int32)

In [67]: cluster_names = ['Lakes', 'Mountains', 'Ski Lodges', 'Hills', 'Forests', 'Ski Services']
```

Perform k-
Means and
pick up proper
cluster names



Display result
on a map

A person wearing a red coat is standing next to a vintage suitcase. The person's hand is visible, resting on the suitcase. The suitcase is light-colored with dark brown leather straps and buckles. The background is blurred, suggesting an outdoor setting. The entire image is overlaid with a dark, semi-transparent filter.

THANK YOU

Stay healthy and positive