

# Login - Valid Username and Password

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
✗ Critical	↑ High	Positive	Other
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Success and Enter The Dashboard Menu

## Attachments



image.png

image.png

## Tags

Login

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4

Action

Click "**Login Button**"

---

Input data

---

Expected result

---

# Login - Invalid Password

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	<input type="radio"/> Medium	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Stay on the Login Page and Get The Message Error "CSRF token validation failed"

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Go to " <b>Base Url</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Invalid Password</b> "
Input data	Password : Fahmi123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

# Login - Invalid Username

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	<input type="radio"/> Medium	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Stay on the Login Page and Get The Message Error "CSRF token validation failed"

## Attachments




image.png image.png

## Steps to reproduce

Step	1
Action	Go to " <b>Base Url</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Invalid Username</b> "
Input data	Username : Fahmi
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

# Login - Empty Username and Password

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	<input type="radio"/> Medium	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Stay on the Login Page and Get The Message Error Under the Username and Password Fields "Required"

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Go to " <b>Base Url</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Click " <b>Login Button</b> "
Input data	
Expected result	

# Logout


<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
▲ Major	↑ High	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Back To Login Page

## Attachments



## Steps to reproduce

Step	1
Action	Open BaseUrl
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input Valid Username
Input data	Username : Admin
Expected result	
Step	3
Action	Input Valid Password
Input data	Password : admin123
Expected result	
Step	4
Action	Click Login Button

Input data

---

Expected result

---

Step 5

---

Action Click "**Drop Down Profile**"

---

Input data

---

Expected result

---

Step 6

---

Action Click "**Logout**"

---

Input data

---

Expected result

---

# Search System Users - Valid Username

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/viewSystemUsers>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Displays Data from the Username Entered

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Input "**Valid Username**"

---

Input data Username = Admin

---

Expected result

---

Step 7

---

Action Click "**Search**"

---

Input data

---

Expected result

---

# Search System Users - By User Role

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/viewSystemUsers>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Displays Data for the Selected User Role

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Choose "**User Role**"

---

Input data User Role : ESS

---

Expected result

---

Step 7

---

Action Click "**Search**"

---

Input data

---

Expected result

---

# Search System Users - By Employee Name

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/viewSystemUsers>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Displays Data for the Input Employee Name

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4

Action Click "Login Button"

Input data

Expected result

Step 5

Action Click "Admin"

Input data In Sidebar Menu

Expected result

Step 6


Action Choose "Employee Name"

Input data Employee Name : Paul Collings

Expected result

Step 7

Click "



Action

Input data

Expected result

Step 8

Action      Click "Search"

---

Input data

---

Expected  
result

---

# Search System Users - By Status

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/viewSystemUsers>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Displays Data for the Status Selected

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Choose "**Status**"

---

Input data Status : Enabled

---

Expected result

---

Step 7

---

Action Click "**Search**"

---

Input data

---

Expected result

---

# Button Reset

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/viewSystemUsers>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

When the Button is Pressed, the Field Will Automatically Be Empty

## Attachments




image.png

image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Input "**Username**"

---

Input data Username : "Admin"

---

Expected result

---

Step 7

---

Action Input "**User Role**"

---

Input data User Role : "admin"

---

Expected result

---

Step 8

---

Action Input "**Employee Name**"

---

Input data Employee Name : "Paul Collings"

---

Expected result

---

Step 9

---

Action Input "**Status**"

---

Input data Status : "Desebled"

---

Expected result

---

Step 10

---

Action Click "**Reset**"

---

Input data

---

Expected result

# Search System Users - Invalid Username

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/viewSystemUsers>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Get Message "**No Records Found**"

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Input "**Valid Username**"

---

Input data Username = pamiii

---

Expected result

---

Step 7

---

Action Click "**Search**"

---

Input data

---

Expected result

---

# Search System Users - Invalid Employee Name

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/viewSystemUsers>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

There is an "Invalid" message under the Employee Name field

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Choose "**Employee Name**"

---

Input data Employee Name : asdasda

---

Expected result

---

# Search System Users - Empty All Field

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/viewSystemUsers>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Show All Data

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Click "**Search**"

---

Input data

---

Expected result

---

# Add User - Input All Field

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/saveSystemUser>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Data Successfully Entered into the System

## Attachments



image.png

image.png

## Steps to reproduce

Step 1

Action Open "**BaseUrl**"

Input data <https://opensource-demo.orangehrmlive.com/>

Expected result

Step 2

Action Input "**Valid Username**"

Input data Username : Admin

Expected result

Step 3

Action Input "**Valid Password**"

Input data Password : admin123

Expected result

Step 4

Action Click "**Login Button**"

---

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data

---

Expected result

---

Step 6

---

Action Click "**Add**"

---

Input data

---

Expected result

---

Step 7

---

Action Select "**User Role**"

---

Input data User Role : "Admin"

---

Expected result

---

Step 8

---

Action Input "**Employee Name**"

---

Input data Employee Name : "Paul Collings"

---

Expected result

---

Step 9

---

Action Select "**Status**"

---

Input data Status : "**Enabled**"

---

Expected result

---

Step 10

Action Input "Username"

Input data Username : fahmi20

Expected result

Step 11

Action Input "Password"

Input data Password : "Dimasfahmi1"

Expected result

Step 12

Action Input "Confirm Password"

Confirm Password : "

The screenshot shows the OrangeHRM Admin interface with the 'User Management' tab selected. On the left, a sidebar menu is visible with options like PIM, Leave, Time, Recruitment, My Info, Performance, Dashboard, Directory, Maintenance, and Buzz. The main form is titled 'Add User' and includes fields for Employee Name\*, Username\*, Password\*, and Confirm Password\*. The 'Password\*' field is marked as 'Strongest'. A note at the bottom of the form area says: 'For a strong password, please use a hard to guess combination of text with upper and lower case characters, symbols and numbers.'

Input data



Expected  
result

---

Step 13

---

Action Click "**Save**"

---

Input data

---

Expected  
result

---

# Add User - No Select User Role

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/saveSystemUser>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Required" Message Appears

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data

---

Expected result

---

Step 6

---

Action Click "**Add**"

---

Input data

---

Expected result

---

Step 7

---

Action No Select "**User Role**"

---

Input data

---

Expected result

---

Step 8

---

Action Input "**Employee Name**"

---

Input data Employee Name : "Paul Collings"

---

Expected result

---

Step 9

---

Action Select "**Status**"

---

Input data Status : "**Enabled**"

---

Expected result

---

Step 10

---

Action Input "**Username**"

---

Input data Username : fahmi1212

---

Expected result

---

Step	11
Action	Input " <b>Password</b> "
Input data	Password : "Dimasfahmi1"
Expected result	
Step	12
Action	Input " <b>Confirm Password</b> "
Input data	Confirm Password : "Dimasfahmi1"
Expected result	
Step	13
Action	Click " <b>Save</b> "
Input data	
Expected result	

# Add User - Be Empty Employee Name

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/saveSystemUser>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Required" Message Appears

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data

---

Expected result

---

Step 6

---

Action Click "**Add**"

---

Input data

---

Expected result

---

Step 7

---

Action Select "**User Role**"

---

Input data User Role : Admin

---

Expected result

---

Step 8

---

Action Be Empty "**Employee Name**"

---

Input data

---

Expected result

---

Step 9

---

Action Select "**Status**"

---

Input data Status : "**Enabled**"

---

Expected result

---

Step 10

---

Action Input "**Username**"

---

Input data Username : fahmi1212

---

Expected result

---

Step	11
Action	Input " <b>Password</b> "
Input data	Password : "Dimasfahmi1"
Expected result	
Step	12
Action	Input " <b>Confirm Password</b> "
Input data	Confirm Password : "Dimasfahmi1"
Expected result	
Step	13
Action	Click " <b>Save</b> "
Input data	
Expected result	

# Add User - No Select Status

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/saveSystemUser>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Required" Message Appears

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data

---

Expected result

---

Step 6

---

Action Click "**Add**"

---

Input data

---

Expected result

---

Step 7

---

Action Select "**User Role**"

---

Input data User Role : Admin

---

Expected result

---

Step 8

---

Action Input "**Employee Name**"

---

Input data Employee Name : "Paul Collings"

---

Expected result

---

Step 9

---

Action No Select "**Status**"

---

Input data

---

Expected result

---

Step 10

---

Action Input "**Username**"

---

Input data Username : fahmi1212

---

Expected result

---

Step	11
Action	Input " <b>Password</b> "
Input data	Password : "Dimasfahmi1"
Expected result	
Step	12
Action	Input " <b>Confirm Password</b> "
Input data	Confirm Password : "Dimasfahmi1"
Expected result	
Step	13
Action	Click " <b>Save</b> "
Input data	
Expected result	

# Add User - Be Empty Username

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/saveSystemUser>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Required" Message Appears

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data

---

Expected result

---

Step 6

---

Action Click "**Add**"

---

Input data

---

Expected result

---

Step 7

---

Action Select "**User Role**"

---

Input data User Role : Admin

---

Expected result

---

Step 8

---

Action Input "**Employee Name**"

---

Input data Employee Name : "Paul Collings"

---

Expected result

---

Step 9

---

Action Select "**Status**"

---

Input data Status : "**Enabled**"

---

Expected result

---

Step 10

---

Action Be Empty "**Username**"

---

Input data

---

Expected result

---

Step	11
Action	Input " <b>Password</b> "
Input data	Password : "Dimasfahmi1"
Expected result	
Step	12
Action	Input " <b>Confirm Password</b> "
Input data	Confirm Password : "Dimasfahmi1"
Expected result	
Step	13
Action	Click " <b>Save</b> "
Input data	
Expected result	

# Add User - Be Empty Password

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/saveSystemUser>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Required" Message Appears

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data

---

Expected result

---

Step 6

---

Action Click "**Add**"

---

Input data

---

Expected result

---

Step 7

---

Action Select "**User Role**"

---

Input data User Role : Admin

---

Expected result

---

Step 8

---

Action Input "**Employee Name**"

---

Input data Employee Name : "Paul Collings"

---

Expected result

---

Step 9

---

Action Select "**Status**"

---

Input data Status : "**Enabled**"

---

Expected result

---

Step 10

---

Action Input "**Username**"

---

Input data Username : fahmi1212

---

Expected result

---

Step	11
Action	Be Empty " <b>Password</b> "
Input data	
Expected result	
Step	12
Action	Input " <b>Confirm Password</b> "
Input data	Confirm Password : "Dimasfahmi1"
Expected result	
Step	13
Action	Click " <b>Save</b> "
Input data	
Expected result	

# Add User - Be Empty Confirm Password

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/saveSystemUser>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Required" Message Appears

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data

---

Expected result

---

Step 6

---

Action Click "**Add**"

---

Input data

---

Expected result

---

Step 7

---

Action Select "**User Role**"

---

Input data User Role : Admin

---

Expected result

---

Step 8

---

Action Input "**Employee Name**"

---

Input data Employee Name : "Paul Collings"

---

Expected result

---

Step 9

---

Action Select "**Status**"

---

Input data Status : "**Enabled**"

---

Expected result

---

Step 10

---

Action Input "**Username**"

---

Input data Username : fahmi1212

---

Expected result

---

Step	11
Action	Input " <b>Password</b> "
Input data	Password : "Dimasfahmi1"
Expected result	
Step	12
Action	Be Empty " <b>Confirm Password</b> "
Input data	
Expected result	
Step	13
Action	Click " <b>Save</b> "
Input data	
Expected result	

# Add User - Input No Record Employee Name

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/saveSystemUser>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Invalid" Message Appears

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data

---

Expected result

---

Step 6

---

Action Click "**Add**"

---

Input data

---

Expected result

---

Step 7

---

Action Select "**User Role**"

---

Input data User Role : Admin

---

Expected result

---

Step 8

---

Action Input "**Employee Name**"

---

Input data Employee Name : fahmifahmi12

---

Expected result

---

Step 9

---

Action Select "**Status**"

---

Input data Status : "**Enabled**"

---

Expected result

---

Step 10

---

Action Input "**Username**"

---

Input data Username : fahmi20

---

Expected result

---

Step	11
Action	Input " <b>Password</b> "
Input data	Password : "Dimasfahmi1"
Expected result	
Step	12
Action	Input " <b>Confirm Password</b> "
Input data	Confirm Password : "Dimasfahmi1"
Expected result	
Step	13
Action	Click " <b>Save</b> "
Input data	
Expected result	

# Add User - Fill in the existing Username

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/saveSystemUser>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Already exists" Message Appears

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data

---

Expected result

---

Step 6

---

Action Click "**Add**"

---

Input data

---

Expected result

---

Step 7

---

Action Select "**User Role**"

---

Input data User Role : Admin

---

Expected result

---

Step 8

---

Action Input "**Employee Name**"

---

Input data Employee Name : "Paul Collings"

---

Expected result

---

Step 9

---

Action Select "**Status**"

---

Input data Status : "**Enabled**"

---

Expected result

---

Step 10

---

Action Input "**Username**"

---

Input data Username : "fahmi20"

---

Expected result

---

Step	11
Action	Input " <b>Password</b> "
Input data	Password : "Dimasfahmi1"
Expected result	
Step	12
Action	Input " <b>Confirm Password</b> "
Input data	Confirm Password : "Dimasfahmi1"
Expected result	
Step	13
Action	Click " <b>Save</b> "
Input data	
Expected result	

# Add User - Password No Number

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/saveSystemUser>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Your password must contain minimum 1 number" Message Appears

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data

---

Expected result

---

Step 6

---

Action Click "**Add**"

---

Input data

---

Expected result

---

Step 7

---

Action Select "**User Role**"

---

Input data User Role : Admin

---

Expected result

---

Step 8

---

Action Input "**Employee Name**"

---

Input data Employee Name : "Paul Collings"

---

Expected result

---

Step 9

---

Action Select "**Status**"

---

Input data Status : "**Enabled**"

---

Expected result

---

Step 10

---

Action Input "**Username**"

---

Input data Username : fahmi12

---

Expected result

---

Step	11
Action	Input " <b>Password</b> "
Input data	Password : "Dimasfahmi"
Expected result	

# Add User - Password and Confirm Password are not the same

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/saveSystemUser>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Passwords do not match" Message Appears

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data

---

Expected result

---

Step 6

---

Action Click "**Add**"

---

Input data

---

Expected result

---

Step 7

---

Action Select "**User Role**"

---

Input data User Role : Admin

---

Expected result

---

Step 8

---

Action Input "**Employee Name**"

---

Input data Employee Name : "Paul Collings"

---

Expected result

---

Step 9

---

Action Select "**Status**"

---

Input data Status : "**Enabled**"

---

Expected result

---

Step 10

---

Action Input "**Username**"

---

Input data Username : fahmi12

---

Expected result

---

Step	11
Action	Input " <b>Password</b> "
Input data	Password : "Dimasfahmi1"
Expected result	
Step	12
Action	Input " <b>Confirm Password</b> "
Input data	Confirm Password : "Fahmi"
Expected result	
Step	13
Action	Click " <b>Save</b> "
Input data	
Expected result	

# Add User - Password Does Not Meet Terms

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/saveSystemUser>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Should have at least 7 characters" Message Appears

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data

---

Expected result

---

Step 6

---

Action Click "**Add**"

---

Input data

---

Expected result

---

Step 7

---

Action Select "**User Role**"

---

Input data User Role : Admin

---

Expected result

---

Step 8

---

Action Input "**Employee Name**"

---

Input data Employee Name : "Paul Collings"

---

Expected result

---

Step 9

---

Action Select "**Status**"

---

Input data Status : "**Enabled**"

---

Expected result

---

Step 10

---

Action Input "**Username**"

---

Input data Username : fahmi12

---

Expected result

---

Step	11
Action	Input " <b>Password</b> "
Input data	Password : "Fahmi"
Expected result	
Step	12
Action	Input " <b>Confirm Password</b> "
Input data	Confirm Password : "Fahmi"
Expected result	
Step	13
Action	Click " <b>Save</b> "
Input data	
Expected result	

# Add User - Username Does Not Meet Terms

<https://opensource-demo.orangehrmlive.com/web/index.php/admin/saveSystemUser>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Already exists" Message Appears

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data

---

Expected result

---

Step 6

---

Action Click "**Add**"

---

Input data

---

Expected result

---

Step 7

---

Action Select "**User Role**"

---

Input data User Role : Admin

---

Expected result

---

Step 8

---

Action Input "**Employee Name**"

---

Input data Employee Name : "Paul Collings"

---

Expected result

---

Step 9

---

Action Select "**Status**"

---

Input data Status : "**Enabled**"

---

Expected result

---

Step 10

---

Action Input "**Username**"

---

Input data Username : "fahm"

---

Expected result

---

Step	11
Action	Input " <b>Password</b> "
Input data	Password : "Dimasfahmi1"
Expected result	
Step	12
Action	Input " <b>Confirm Password</b> "
Input data	Confirm Password : "Dimasfahmi1"
Expected result	
Step	13
Action	Click " <b>Save</b> "
Input data	
Expected result	

## Edit User - All Field

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

### Pre-conditions

All Fields Changed to new data

### Attachments



image.png

image.png

### Steps to reproduce

Step 1

Action Open "**BaseUrl**"

Input data <https://opensource-demo.orangehrmlive.com/>

Expected result

Step 2

Action Input "**Valid Username**"

Input data Username : Admin

Expected result

Step 3

Action Input "**Valid Password**"

Input data Password : admin123

Expected result

Step 4

Action Click "**Login Button**"

Input data

Expected result

Step 5

Action Click "**Admin**"

Input data In Sidebar Menu

Expected result

Step 6

Action Click "**Logo Edit**"

Input data Table Data >> Actions

Expected result

Step 7

Action Edit "**User Role**"

Input data User Role : "ESS"

Expected result

Step 8

Action Edit "**Employee Name**"

Input data EN : "Odis Adalwin"

Expected result

Step 9

Action Edit "**Status**"

Input data Statuss : "Disebled"

Expected result

Step 10

Action Edit "Username"

Username :

The screenshot shows the OrangeHRM web application's Admin dashboard. The main navigation bar includes links for User Management, Job, Organization, Qualifications, Nationalities, Corporate Branding, and Configuration. On the left, a sidebar lists PIM, Leave, Time, Recruitment, My Info, Performance, Dashboard, Directory, Maintenance, and Buzz. The central area is titled 'Add User'. At the bottom left, a green notification bar displays a checkmark icon and the text 'Successfully Saved'. The status bar at the bottom right shows the system is running on 'OrangeHRM OS 5.4'.

Input data

Expected result

Step 11

Action Click Button "Yes"

Input data in Change Password ?

Expected result

Step 12

Action Edit "Password"

Input data Password : Dimasfahmi12

Expected result

Step 13

---

Action Edit "**Confirm Password**"

---

Input data Confirm Password : Dimasfahmi12

---

Expected result

---

Step 14

---

Action Click "**Save**"

---

Input data

---

Expected result

---

# Edit User - All Field Except Password

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Fields Changed to new data

## Attachments



image.png

image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Click "**Logo Edit**"

---

Input data Table Data >> Actions

---

Expected result

---

Step 7

---

Action Edit "**User Role**"

---

Input data User Role : "ESS"

---

Expected result

---

Step 8

---

Action Edit "**Employee Name**"

---

Input data EN : "Fahmi1212"

---

Expected result

---

Step 9

---

Action Edit "**Status**"

---

Input data Status : "Enabled"

---

Expected result

---

Step 10

---

Action Edit "**Username**"

---

Input data Username : Rizzal12

---

Expected result

---

Step 11

Action

Click "**Save**"

---

Input data

---

Expected result

---

# Edit User - Empty All Field

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Required" Message

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Click "**Edit Logo**"

---

Input data Table Data >> Actions

---

Expected result

---

Step 7

---

Action Empty "**User Role**"

---

Input data

---

Expected result "Required" Message

---

Step 8

---

Action Empty "**Employee Name**"

---

Input data

---

Expected result "Required" Message

---

Step 9

---

Action Empty "**Status**"

---

Input data

---

Expected result "Required" Message

---

Step 10

---

Action Empty "**Username**"

---

Input data

---

Expected result "Required" Message

---

Step 11

Action	Click Button " <b>Yes</b> "
Input data	in Change Password ?
Expected result	
Step	12
Action	Empty " <b>Password</b> "
Input data	
Expected result	"Required" Message
Step	13
Action	Empty " <b>Confirm Password</b> "
Input data	
Expected result	"Required" Message
Step	14
Action	Click " <b>Save</b> "
Input data	
Expected result	

# Edit User - Empty All Field Except Password

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Required" Message

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Click "**Edit Logo**"

---

Input data Table Data >> Actions

---

Expected result

---

Step 7

---

Action Empty "**User Role**"

---

Input data

---

Expected result "Required" Message

---

Step 8

---

Action Empty "**Employee Name**"

---

Input data

---

Expected result "Required" Message

---

Step 9

---

Action Empty "**Status**"

---

Input data

---

Expected result "Required" Message

---

Step 10

---

Action Empty "**Username**"

---

Input data

---

Expected result "Required" Message

---

Step 11

Action

Click "**Save**"

---

Input data

---

Expected result

---

## Edit User - User Role

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

### Pre-conditions

Fields Changed to new data

### Attachments




image.png

image.png

### Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Click "**Logo Edit**"

---

Input data Table Data >> Actions

---

Expected result

---

Step 7

---

Action Edit "**User Role**"

---

Input data User Role : "Admin"

---

Expected result

---

Step 8

---

Action Click "**Save**"

---

Input data

---

Expected result

---

# Edit User - Employee Name Valid Data

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Fields Changed to new data

## Attachments



image.png

image.png

## Steps to reproduce

Step 1

Action Open "**BaseUrl**"

Input data <https://opensource-demo.orangehrmlive.com/>

Expected result

Step 2

Action Input "**Valid Username**"

Input data Username : Admin

Expected result

Step 3

Action Input "**Valid Password**"

Input data Password : admin123

Expected result

Step 4

Action Click "Login Button"

Input data

Expected result

Step 5

Action Click "Admin"

Input data In Sidebar Menu

Expected result

Step 6

Action Click "Logo Edit"


Input data Table Data >> Actions

Expected result

Step 7

Action Edit "Employee Name"

EN : "



Input data

Expected result

Step 8

Action      Click "Save"

---

Input data

---

Expected  
result

---

## Edit User - Status

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

### Pre-conditions

Fields Changed to new data

### Attachments




image.png

image.png

image.png

### Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Click "**Logo Edit**"

---

Input data Table Data >> Actions

---

Expected result

---

Step 7

---

Action Edit "**Status**"

---

Input data Status : "Enabled"

---

Expected result

---

Step 8

---

Action Click "**Save**"

---

Input data

---

Expected result

---

# Edit User - Username

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
<input type="radio"/> Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Fields Changed to new data

## Attachments




image.png

image.png

image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Click "**Logo Edit**"

---

Input data Table Data >> Actions

---

Expected result

---

Step 7

---

Action Edit "**Username**"

---

Input data Username : Fahmi121

---

Expected result

---

Step 8

---

Action Click "**Save**"

---

Input data

---

Expected result

---

# Edit User - Only Password

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Required" Message in Field Confirm Password

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Click "**Logo Edit**"

---

Input data Table Data >> Actions

---

Expected result

---

Step 7

---

Action Click Button "**Yes**"

---

Input data in Change Password ?

---

Expected result

---

Step 8

---

Action Edit "**Password**"

---

Input data Password : Dimasfahmi11

---

Expected result

---

Step 9

---

Action Click "**Save**"

---

Input data

---

Expected result

---

# Edit User - Password and Confirm Password

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Fields Changed to new data

## Attachments




image.png

image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Click "**Logo Edit**"

---

Input data Table Data >> Actions

---

Expected result

---

Step 7

---

Action Click Button "**Yes**"

---

Input data in Change Password ?

---

Expected result

---

Step 8

---

Action Edit "**Password**"

---

Input data Password : Dimasfahmi11

---

Expected result

---

Step 9

---

Action Edit "**Confirm Password**"

---

Input data Confirm Password : Dimasfahmi11

---

Expected result

---

Step 10

---

Action Click "**Save**"

---

Input data

---

Expected result

---

# Edit User - Password No Number

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Your password must contain minimum 1 number" Message

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Click "**Logo Edit**"

---

Input data Table Data >> Actions

---

Expected result

---

Step 7

---

Action Click Button "**Yes**"

---

Input data in Change Password ?

---

Expected result

---

Step 8

---

Action Edit "**Password**"

---

Input data Password : Dimasfahmi

---

Expected result

---

Step 9

---

Action Click "**Save**"

---

Input data

---

Expected result

---

# Edit User - Password and Confirm Password are not the same

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Passwords do not match" Message

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Click "**Logo Edit**"

---

Input data Table Data >> Actions

---

Expected result

---

Step 7

---

Action Click Button "**Yes**"

---

Input data in Change Password ?

---

Expected result

---

Step 8

---

Action Edit "**Password**"

---

Input data Password : Dimasfahmi11

---

Expected result

---

Step 9

---

Action Edit "**Confirm Password**"

---

Input data Confirm Password : Dimasfahmi

---

Expected result

---

Step 10

---

Action Click "**Save**"

---

Input data

---

Expected result

---

# Edit User - Password Does Not Meet Terms

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Should have at least 7 characters" Message

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Click "**Logo Edit**"

---

Input data Table Data >> Actions

---

Expected result

---

Step 7

---

Action Click Button "**Yes**"

---

Input data in Change Password ?

---

Expected result

---

Step 8

---

Action Edit "**Password**"

---

Input data Password : Dimas

---

Expected result

---

Step 9

---

Action Click "**Save**"

---

Input data

---

Expected result

---

# Edit User - Employee Name Invalid Data

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Negative	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Fields Changed to new data

## Attachments




image.png

image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "

Input data

---

Expected result

---

Step 5

---

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Click "**Logo Edit**"

---

Input data Table Data >> Actions

---

Expected result

---

Step 7

---

Action Edit "**Employee Name**"

---

Input data EN : "Fahmi"

---

Expected result

---

Step 8

---

Action Click "**Save**"

---

Input data

---

Expected result

---

# Delete User

<b>Severity</b>	<b>Priority</b>	<b>Behavior</b>	<b>Type</b>
O Normal	— Not set	Not set	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
Not set	No	-	Not automated

## Status

Actual

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	
Expected result	

Step	5
Action	Click "Admin"
Input data	In Sidebar Menu
Expected result	
Step	6
Action	Click Icon "Trash"
Input data	
Expected result	
Step	7
Action	Click "Yes, Delete"
Input data	
Expected result	

# Delete Admin

<b>Severity</b>	<b>Priority</b>	<b>Behavior</b>	<b>Type</b>
O Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
Not set	No	-	Not automated
<b>Status</b>			
Actual			

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	
Expected result	

Step	5
Action	Click "Admin"
Input data	In Sidebar Menu
Expected result	
Step	6
Action	Click Icon "Trash"
Input data	In Admin Data
Expected result	
Step	7
Action	Click "Yes, Delete"
Input data	
Expected result	

# Multiple Delete

Severity	Priority	Behavior	Type
O Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Selected data will be deleted

## Attachments




image.png

image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	

Expected result

---

Step	5
Action	Click " <b>Admin</b> "
Input data	In Sidebar Menu

Expected result

---

Step	6
Action	Select some data to be deleted
Input data	3 Data

Expected result

---

Step	7
Action	Click Icon " <b>Trash</b> "
Input data	Above List data

Expected result

---

Step	8
Action	Click " <b>Yes, Delete</b> "
Input data	
Expected result	

# Edit Organization - Input All Field

Severity	Priority	Behavior	Type
O Normal	— Not set	Positive	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	
Expected result	

Step	5
Action	Click "Admin"
Input data	In Sidebar Menu
Expected result	
Step	6
Action	Click "Organization"
Input data	In Dropdown Menu
Expected result	
Step	7
Action	Click "Edit"
Input data	
Expected result	
Step	8
Action	Input "Organization Name"
Input data	OrangeHRM
Expected result	
Step	9
Action	Input "Registration Number"
Input data	1122334455
Expected result	
Step	10
Action	Input "Tax ID"
Input data	5544332211
Expected result	
Step	11
Action	Input "Phone"
Input data	081127371839

**Expected result**

---

Step	12
Action	Input "Fax"
Input data	555432

**Expected result**

---

Step	13
Action	Input "Email"
Input data	info@orangehrm.com

**Expected result**

---

Step	14
Action	Input "Address Street 1"
Input data	538 Teal Plaza

**Expected result**

---

Step	15
Action	Input "Address Street 2"
Input data	550 Sesame Street

**Expected result**

---

Step	16
Action	Input "City"
Input data	Secaucus

**Expected result**

---

Step	17
Action	Input "State/Province"
Input data	KN

**Expected result**

---

Step	18
Action	Input "Zip/Postal Code"

Input data	13132
Expected result	
Step	19
Action	Select "Country"
Input data	Indonesia
Expected result	
Step	20
Action	Input "Notes"
Input data	Orange is a website
Expected result	
Step	21
Action	Click "Save"
Input data	
Expected result	Successfully Updated

# Edit Organization - Empty All Field

Severity	Priority	Behavior	Type
O Normal	↑ High	Negative	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated

## Status

Actual

## Pre-conditions

Empty All Field Text

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	

**Expected result**

---

Step 5

Action Click "Admin"

Input data In Sidebar Menu

**Expected result**

---

Step 6

Action Click "Organization"

Input data In Dropdown Menu

**Expected result**

---

Step 7

Action Click "Edit"

Input data

**Expected result**

---

Step 8

Action Empty "Organization Name"

Input data

Expected result Required Input Data

Step 9

Action Empty "Registration Number"

Input data

**Expected result**

---

Step 10

Action Empty "Tax ID"

Input data

**Expected result**

---

Step 11

Action Empty "Phone"

**Input data**

---

**Expected result**

---

**Step** 12

---

**Action** Empty "Fax"

---

**Input data**

---

**Expected result**

---

**Step** 13

---

**Action** Empty "Email"

---

**Input data**

---

**Expected result**

---

**Step** 14

---

**Action** Empty "Address Street 1"

---

**Input data**

---

**Expected result**

---

**Step** 15

---

**Action** Empty "Address Street 2"

---

**Input data**

---

**Expected result**

---

**Step** 16

---

**Action** Empty "City"

---

**Input data**

---

**Expected result**

---

**Step** 17

---

**Action** Empty "State/Province"

---

**Input data**

---

**Expected result**

---

Step	18
Action	Empty "Zip/Postal Code"
Input data	
Expected result	
Step	19
Action	Empty "Country"
Input data	
Expected result	
Step	20
Action	Empty "Notes"
Input data	
Expected result	
Step	21
Action	Click "Save"
Input data	
Expected result	

# Edit Organization - Empty Registration Number

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Empty Registration Number Field

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	

**Expected result**

---

Step 5

Action Click "**Admin**"

Input data In Sidebar Menu

**Expected result**

---

Step 6

Action Click "Organization"

Input data In Dropdown Menu

**Expected result**

---

Step 7

Action Click "Edit"

Input data

**Expected result**

---

Step 8

Action Input "Organization Name"

Input data OrangeHRM

**Expected result**

---

Step 9

Action Empty "Registration Number"

Input data

**Expected result**

---

Step 10

Action Input "Tax ID"

Input data 5544332211

**Expected result**

---

Step 11

Action Input "Phone"

Input data 081127371839

---

Expected result

---

Step 12

---

Action Input "Fax"

---

Input data 555432

---

Expected result

---

Step 13

---

Action Input "Email"

---

Input data info@orangehrm.com

---

Expected result

---

Step 14

---

Action Input "Address Street 1"

---

Input data 538 Teal Plaza

---

Expected result

---

Step 15

---

Action Input "Address Street 2"

---

Input data 550 Sesame Street

---

Expected result

---

Step 16

---

Action Input "City"

---

Input data Secaucus

---

Expected result

---

Step 17

---

Action Input "State/Province"

---

Input data KN

---

Expected result

---

Step	18
Action	Input "Zip/Postal Code"
Input data	13132
Expected result	
Step	19
Action	Select "Country"
Input data	Indonesia
Expected result	
Step	20
Action	Input "Notes"
Input data	Orange is a website
Expected result	
Step	21
Action	Click "Save"
Input data	
Expected result	Successfully Updated

# Edit Organization - Empty Tax ID

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated

## Status

Actual

## Pre-conditions

Empty Tax ID Field

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	

## Expected result

---

Step	5
Action	Click " <b>Admin</b> "
Input data	In Sidebar Menu

## Expected result

---

Step	6
Action	Click "Organization"
Input data	In Dropdown Menu

## Expected result

---

Step	7
Action	Click "Edit"
Input data	

## Expected result

---

Step	8
Action	Input "Organization Name"
Input data	OrangeHRM

## Expected result

---

Step	9
Action	Input "Registration Number"
Input data	1122334455

## Expected result

---

Step	10
Action	Empty "Tax ID"
Input data	

## Expected result

---

Step	11
Action	Input "Phone"

Input data 081127371839

---

Expected result

---

Step 12

---

Action Input "Fax"

---

Input data 555432

---

Expected result

---

Step 13

---

Action Input "Email"

---

Input data info@orangehrm.com

---

Expected result

---

Step 14

---

Action Input "Address Street 1"

---

Input data 538 Teal Plaza

---

Expected result

---

Step 15

---

Action Input "Address Street 2"

---

Input data 550 Sesame Street

---

Expected result

---

Step 16

---

Action Input "City"

---

Input data Secaucus

---

Expected result

---

Step 17

---

Action Input "State/Province"

---

Input data KN

---

Expected result

---

Step	18
Action	Input "Zip/Postal Code"
Input data	13132
Expected result	
Step	19
Action	Select "Country"
Input data	Indonesia
Expected result	
Step	20
Action	Input "Notes"
Input data	Orange is a website
Expected result	
Step	21
Action	Click "Save"
Input data	
Expected result	Successfully Updated

# Edit Organization - Empty Phone

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Empty Phone Field

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	

**Expected result**

---

Step 5

Action Click "**Admin**"

Input data In Sidebar Menu

**Expected result**

---

Step 6

Action Click "Organization"

Input data In Dropdown Menu

**Expected result**

---

Step 7

Action Click "Edit"

Input data

**Expected result**

---

Step 8

Action Input "Organization Name"

Input data OrangeHRM

**Expected result**

---

Step 9

Action Input "Registration Number"

Input data 1122334455

**Expected result**

---

Step 10

Action Input "Tax ID"

Input data 5544332211

**Expected result**

---

Step 11

Action Empty "Phone"

Input data

---

Expected result

---

Step 12

---

Action Input "Fax"

---

Input data 555432

---

Expected result

---

Step 13

---

Action Input "Email"

---

Input data info@orangehrm.com

---

Expected result

---

Step 14

---

Action Input "Address Street 1"

---

Input data 538 Teal Plaza

---

Expected result

---

Step 15

---

Action Input "Address Street 2"

---

Input data 550 Sesame Street

---

Expected result

---

Step 16

---

Action Input "City"

---

Input data Secaucus

---

Expected result

---

Step 17

---

Action Input "State/Province"

---

Input data KN

---

Expected result

---

Step	18
Action	Input "Zip/Postal Code"
Input data	13132
Expected result	
Step	19
Action	Select "Country"
Input data	Indonesia
Expected result	
Step	20
Action	Input "Notes"
Input data	Orange is a website
Expected result	
Step	21
Action	Click "Save"
Input data	
Expected result	Successfully Updated

# Edit Organization - Empty Fax

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Empty Fax Field

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	

**Expected result**

---

Step 5

Action Click "**Admin**"

Input data In Sidebar Menu

**Expected result**

---

Step 6

Action Click "Organization"

Input data In Dropdown Menu

**Expected result**

---

Step 7

Action Click "Edit"

Input data

**Expected result**

---

Step 8

Action Input "Organization Name"

Input data OrangeHRM

**Expected result**

---

Step 9

Action Input "Registration Number"

Input data 1122334455

**Expected result**

---

Step 10

Action Input "Tax ID"

Input data 5544332211

**Expected result**

---

Step 11

Action Input "Phone"

Input data	081127371839
Expected result	
Step	12
Action	Empty "Fax"
Input data	
Expected result	
Step	13
Action	Input "Email"
Input data	info@orangehrm.com
Expected result	
Step	14
Action	Input "Address Street 1"
Input data	538 Teal Plaza
Expected result	
Step	15
Action	Input "Address Street 2"
Input data	550 Sesame Street
Expected result	
Step	16
Action	Input "City"
Input data	Secaucus
Expected result	
Step	17
Action	Input "State/Province"
Input data	KN
Expected result	

Step	18
Action	Input "Zip/Postal Code"
Input data	13132
Expected result	
Step	19
Action	Select "Country"
Input data	Indonesia
Expected result	
Step	20
Action	Input "Notes"
Input data	Orange is a website
Expected result	
Step	21
Action	Click "Save"
Input data	
Expected result	Successfully Updated

# Edit Organization - Empty Email

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated

## Status

Actual

## Pre-conditions

Empty Email Field

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	

**Expected result**

---

Step 5

Action Click "**Admin**"

Input data In Sidebar Menu

**Expected result**

---

Step 6

Action Click "Organization"

Input data In Dropdown Menu

**Expected result**

---

Step 7

Action Click "Edit"

Input data

**Expected result**

---

Step 8

Action Input "Organization Name"

Input data OrangeHRM

**Expected result**

---

Step 9

Action Input "Registration Number"

Input data 1122334455

**Expected result**

---

Step 10

Action Input "Tax ID"

Input data 5544332211

**Expected result**

---

Step 11

Action Input "Phone"

Input data 081127371839

---

Expected result

---

Step 12

---

Action Input "Fax"

---

Input data 555432

---

Expected result

---

Step 13

---

Action Empty "Email"

---

Input data

---

Expected result

---

Step 14

---

Action Input "Address Street 1"

---

Input data 538 Teal Plaza

---

Expected result

---

Step 15

---

Action Input "Address Street 2"

---

Input data 550 Sesame Street

---

Expected result

---

Step 16

---

Action Input "City"

---

Input data Secaucus

---

Expected result

---

Step 17

---

Action Input "State/Province"

---

Input data KN

---

Expected result

---

Step	18
Action	Input "Zip/Postal Code"
Input data	13132
Expected result	
Step	19
Action	Select "Country"
Input data	Indonesia
Expected result	
Step	20
Action	Input "Notes"
Input data	Orange is a website
Expected result	
Step	21
Action	Click "Save"
Input data	
Expected result	Successfully Updated

# Edit Organization - Empty Address

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated

## Status

Actual

## Pre-conditions

Empty All Address Field

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	

**Expected result**

---

Step 5

Action Click "**Admin**"

Input data In Sidebar Menu

**Expected result**

---

Step 6

Action Click "Organization"

Input data In Dropdown Menu

**Expected result**

---

Step 7

Action Click "Edit"

Input data

**Expected result**

---

Step 8

Action Input "Organization Name"

Input data OrangeHRM

**Expected result**

---

Step 9

Action Input "Registration Number"

Input data 1122334455

**Expected result**

---

Step 10

Action Input "Tax ID"

Input data 5544332211

**Expected result**

---

Step 11

Action Input "Phone"

Input data 081127371839

---

Expected result

---

Step 12

---

Action Input "Fax"

---

Input data 555432

---

Expected result

---

Step 13

---

Action Input "Email"

---

Input data info@orangehrm.com

---

Expected result

---

Step 14

---

Action Empty "Address Street 1"

---

Input data

---

Expected result

---

Step 15

---

Action Empty "Address Street 2"

---

Input data

---

Expected result

---

Step 16

---

Action Empty "City"

---

Input data

---

Expected result

---

Step 17

---

Action Empty "State/Province"

---

Input data

---

Expected result

---

Step	18
Action	Empty "Zip/Postal Code"
Input data	
Expected result	
Step	19
Action	Select "Country"
Input data	-- Select --
Expected result	
Step	20
Action	Input "Notes"
Input data	Orange is a website
Expected result	
Step	21
Action	Click "Save"
Input data	
Expected result	Successfully Updated

# Add Locations - Input All Field

Severity	Priority	Behavior	Type
O Normal	— Not set	Positive	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated

## Status

Actual

## Pre-conditions

Input All Field Text

## Attachments




image.png image.png

## Steps to reproduce

Step 1

Action Open "**BaseUrl**"

Input data <https://opensource-demo.orangehrmlive.com/>

Expected result

Step 2

Action Input "**Valid Username**"

Input data Username : Admin

Expected result

Step 3

Action Input "**Valid Password**"

Input data Password : admin123

Expected result

Step 4

Action Click "**Login Button**"

Input data

---

Expected  
result

---

Step 5

Action Click "**Admin**"

---

Input data In Sidebar Menu

---

Expected  
result

---

Step 6

Action Click "Organization"

---

Input data In Dropdown Menu

---

Expected  
result

---

Step 7

Action Select "Locations"

---

Input data In Dropdown Menu

---

Expected  
result

---

Step 8

Action Click "+ Add"

---

Input data

---

Expected  
result

---

Step 9

Action Input "Name"

---

Input data Joni Morningstar

---

Expected  
result

---

Step 10

Action Input "City"

---

Input data Jakarta

---

Expected  
result

---

Step 11

Action Input "State/Province"

---

Input data Jakarta Timur

---

Expected  
result

---

Step 12

Action Input "ZIP/Postal Code"

---

Input data 13132

---

Expected  
result

---

Step 13

Action Select "Country"

---

Input data Indonesia

---

Expected  
result

---

Step 14

Action Input "Phone"

---

Input data 012681238012

---

Expected  
result

---

Step 15

Action Input "Fax"

---

Input data 276662

---

Expected  
result

---

Step 16

Action Input "Address"

---

**Input data**

Add Location

Name\*  
Joni Morningstar

City  
Jakarta

State/Province  
Jakarta Timur

Zip/Postal Code  
131132

Country\*  
Indonesia

Phone  
012681238012

Fax  
27266

Address  
554 Sesame Street

Notes  
Halo aku Joni

\* Required

Cancel Save

OrangeHRM OS 5.4  
© 2005 - 2023 OrangeHRM, Inc. All rights reserved.

## Expected result

Step 17

Action Input "Notes"

Input data Halo aku joni

## Expected result

Step 18

Action Click "Save"

Input data

Expected result Successfully Saved

# Add Locations - Empty All Field

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Empty All Field Text

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	

## Expected result

---

Step	5
Action	Click " <b>Admin</b> "
Input data	In Sidebar Menu

## Expected result

---

Step	6
Action	Click "Organization"
Input data	In Dropdown Menu

## Expected result

---

Step	7
Action	Select "Locations"
Input data	In Dropdown Menu

## Expected result

---

Step	8
Action	Click "+ Add"
Input data	

## Expected result

---

Step	9
Action	Empty "Name"
Input data	

Expected result      Required

---

Step	10
Action	Empty "City"
Input data	

## Expected result

---

Step	11
Action	Empty "State/Province"

**Input data**

---

**Expected result**

---

**Step** 12

---

**Action** Empty "ZIP/Postal Code"

---

**Input data**

---

**Expected result**

---

**Step** 13

---

**Action** Select "Country"

---

**Input data** -- Select --

---

**Expected result** Required

---

**Step** 14

---

**Action** Empty "Phone"

---

**Input data**

---

**Expected result**

---

**Step** 15

---

**Action** Empty "Fax"

---

**Input data**

---

**Expected result**

---

**Step** 16

---

**Action** Empty "Address"

---

**Input data**

---

**Expected result**

---

**Step** 17

---

**Action** Empty "Notes"

---

**Input data**

---

**Expected result**

---

Step	18
Action	Click "Save"
Input data	
Expected result	

# Add Locations - Empty All Field Except Name and Country

Severity	Priority	Behavior	Type
O Normal	— Not set	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Not automated
Status			
Actual			

## Pre-conditions

Empty All Field Except Name and Country

## Attachments




image.png image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	

**Expected result**

---

Step 5

Action Click "**Admin**"

Input data In Sidebar Menu

**Expected result**

---

Step 6

Action Click "Organization"

Input data In Dropdown Menu

**Expected result**

---

Step 7

Action Select "Locations"

Input data In Dropdown Menu

**Expected result**

---

Step 8

Action Click "+ Add"

Input data

**Expected result**

---

Step 9

Action Input "Name"

Input data Joni Morningstar

**Expected result**

---

Step 10

Action Empty "City"

Input data

**Expected result**

---

Step 11

Action Empty "State/Province"

---

Input data

---

Expected result

---

Step 12

---

Action Empty "ZIP/Postal Code"

---

Input data

---

Expected result

---

Step 13

---

Action Select "Country"

---

Input data Indonesia

---

Expected result

---

Step 14

---

Action Empty "Phone"

---

Input data

---

Expected result

---

Step 15

---

Action Empty "Fax"

---

Input data

---

Expected result

---

Step 16

---

Action Empty "Address"

---

Input data

---

Expected result

---

Step 17

---

Action Empty "Notes"

---

Input data

---

Expected result

---

Step	18
Action	Click "Save"
Input data	
Expected result	Successfully Saved

# Add Locations - Empty Name

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Empty Name Field Text

## Attachments



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	

Expected result

---

Step 5

Action Click "Admin"

Input data In Sidebar Menu

Expected result

---

Step 6

Action Click "Organization"

Input data In Dropdown Menu

Expected result

---

Step 7

Action Select "Locations"

Input data In Dropdown Menu

Expected result

---

Step 8

Action Click "+ Add"

Input data

Expected result

---

Step 9

Action Empty "Name"

Input data

Expected result Required

Step 10

Action Input "City"

Input data Jakarta

Expected result

---

Step 11

Action Input "State/Province"

Input data	Jakarta Timur
Expected result	
Step	12
Action	Input "ZIP/Postal Code"
Input data	13132
Expected result	
Step	13
Action	Select "Country"
Input data	Indonesia
Expected result	
Step	14
Action	Input "Phone"
Input data	012681238012
Expected result	
Step	15
Action	Input "Fax"
Input data	276662
Expected result	
Step	16
Action	Input "Address"
Input data	554 Sesame Street
Expected result	
Step	17
Action	Input "Notes"
Input data	Halo aku joni
Expected result	

Step

18

---

Action

Click "Save"

---

Input data

---

Expected result

---

# Add Locations - No Select Country

<b>Severity</b>	<b>Priority</b>	<b>Behavior</b>	<b>Type</b>
O Normal	— Not set	Negative	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

No Select Country Dropdown

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	

**Expected result**

---

Step 5

Action Click "**Admin**"

Input data In Sidebar Menu

**Expected result**

---

Step 6

Action Click "Organization"

Input data In Dropdown Menu

**Expected result**

---

Step 7

Action Select "Locations"

Input data In Dropdown Menu

**Expected result**

---

Step 8

Action Click "+ Add"

Input data

**Expected result**

---

Step 9

Action Input "Name"

Input data Joni Morningstar

**Expected result**

---

Step 10

Action Input "City"

Input data Jakarta

**Expected result**

---

Step 11

Action Input "State/Province"

Input data Jakarta Timur

Expected result

Step 12

Action Input "ZIP/Postal Code"

Input data 13132

Expected result

Step 13

Action Select "Country"

Input data -- Select --

Expected result Required

Step 14

Action Input "Phone"

Input data 012681238012

Expected result

Step 15

Action Input "Fax"

Input data 276662

Expected result

Step 16

Action Input "Address"

Input data 554 Sesame Street

Expected result

Step 17

Action Input "Notes"

Input data Halo aku joni

Expected result

Step	18
Action	Click "Save"
Input data	
Expected result	

# Edit Locations - Edit All Field

<b>Severity</b>	<b>Priority</b>	<b>Behavior</b>	<b>Type</b>
O Normal	— Not set	Positive	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Edit All Field Text Data

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	
Expected result	
Step	5
Action	Click " <b>Admin</b> "

**Input data** In Sidebar Menu

**Expected result**

**Step** 6

**Action** Click "Organization"

**Input data** In Dropdown Menu

**Expected result**

**Step** 7

**Action** Select "Locations"

**Input data**

**Expected result**

**Step** 8

**Action** Click "Edit"

**Input data** On Table Records Found

**Expected result**

**Step** 9

**Action** Edit "Name"

**Input data** Joni Morningstar

**Expected result**

**Step** 10

**Action** Edit "City"

**Input data** Jakarta

**Expected result**

**Step** 11

**Action** Edit "State/Province"

**Input data** Jakarta Timur

**Expected result**

**Step** 12

Action	Edit "ZIP/Postal Code"
Input data	13132
Expected result	
Step	13
Action	Re-select "Country"
Input data	Indonesia
Expected result	
Step	14
Action	Edit "Phone"
Input data	012681238012
Expected result	
Step	15
Action	Edit "Fax"
Input data	276662
Expected result	
Step	16
Action	Edit "Address"
Input data	554 Sesame Street
Expected result	
Step	17
Action	Edit "Notes"
Input data	Halo aku joni
Expected result	
Step	18
Action	Click "Save"
Input data	

Expected result

Successfully Updated

---

# Edit Locations - Empty All Field

<b>Severity</b>	<b>Priority</b>	<b>Behavior</b>	<b>Type</b>
O Normal	— Not set	Negative	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Empty All Field Text Data

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	
Expected result	
Step	5
Action	Click " <b>Admin</b> "

**Input data** In Sidebar Menu

**Expected result**

---

**Step** 6

**Action** Click "Organization"

**Input data** In Dropdown Menu

**Expected result**

---

**Step** 7

**Action** Select "Locations"

**Input data**

**Expected result**

---

**Step** 8

**Action** Click "Edit"

**Input data** On Table Records Found

**Expected result**

---

**Step** 9

**Action** Empty "Name"

**Input data**

**Expected result** Required

---

**Step** 10

**Action** Empty "City"

**Input data**

**Expected result**

---

**Step** 11

**Action** Empty "State/Province"

**Input data**

**Expected result**

---

**Step** 12

Action	Empty "ZIP/Postal Code"
Input data	
Expected result	
Step	13
Action	Re-select "Country"
Input data	-- Select --
Expected result	Required
Step	14
Action	Empty "Phone"
Input data	
Expected result	
Step	15
Action	Empty "Fax"
Input data	
Expected result	
Step	16
Action	Empty "Address"
Input data	
Expected result	
Step	17
Action	Empty "Notes"
Input data	
Expected result	
Step	18
Action	Click "Save"
Input data	

## Expected result

---

# Edit Locations - Empty All Field Except Name and Country

Severity	Priority	Behavior	Type
O Normal	— Not set	Negative	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated

## Status

Actual

## Pre-conditions

Empty All Field Except Name and Country

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	
Expected result	
Step	5
Action	Click " <b>Admin</b> "

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Click "Organization"

---

Input data In Dropdown Menu

---

Expected result

---

Step 7

---

Action Select "Locations"

---

Input data In Dropdown Menu

---

Expected result

---

Step 8

---

Action Click "Edit"

---

Input data On Table Record Found

---

Expected result

---

Step 9

---

Action Edit "Name"

---

Input data Joni Morningstar

---

Expected result

---

Step 10

---

Action Empty "City"

---

Input data

---

Expected result

---

Step 11

---

Action Empty "State/Province"

---

Input data

---

Expected result

---

Step 12

Action	Empty "ZIP/Postal Code"
Input data	
Expected result	
Step	13
Action	Re-select "Country"
Input data	Indonesia
Expected result	
Step	14
Action	Empty "Phone"
Input data	
Expected result	
Step	15
Action	Empty "Fax"
Input data	
Expected result	
Step	16
Action	Empty "Address"
Input data	
Expected result	
Step	17
Action	Empty "Notes"
Input data	
Expected result	
Step	18
Action	Click "Save"
Input data	

Expected result

Successfully Saved

---

# Edit Locations - Empty Name

<b>Severity</b>	<b>Priority</b>	<b>Behavior</b>	<b>Type</b>
O Normal	— Not set	Negative	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Empty Name Field Text

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	
Expected result	
Step	5
Action	Click " <b>Admin</b> "

**Input data** In Sidebar Menu

**Expected result**

**Step** 6

**Action** Click "Organization"

**Input data** In Dropdown Menu

**Expected result**

**Step** 7

**Action** Select "Locations"

**Input data** In Dropdown Menu

**Expected result**

**Step** 8

**Action** Click "Edit"

**Input data** On Table Record Found

**Expected result**

**Step** 9

**Action** Empty "Name"

**Input data**

**Expected result** Required

**Step** 10

**Action** Edit "City"

**Input data** Jakarta

**Expected result**

**Step** 11

**Action** Edit "State/Province"

**Input data** Jakarta Timur

**Expected result**

**Step** 12

Action	Edit "ZIP/Postal Code"
Input data	13132
Expected result	
Step	13
Action	Re-select "Country"
Input data	Indonesia
Expected result	
Step	14
Action	Edit "Phone"
Input data	012681238012
Expected result	
Step	15
Action	Edit "Fax"
Input data	276662
Expected result	
Step	16
Action	Edit "Address"
Input data	554 Sesame Street
Expected result	
Step	17
Action	Edit "Notes"
Input data	Halo aku joni
Expected result	
Step	18
Action	Click "Save"
Input data	

## Expected result

---

# Edit Locations - No Select Country

<b>Severity</b>	<b>Priority</b>	<b>Behavior</b>	<b>Type</b>
O Normal	— Not set	Negative	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

No Select Country Dropdown

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	
Expected result	
Step	5
Action	Click " <b>Admin</b> "

Input data In Sidebar Menu

---

Expected result

---

Step 6

---

Action Click "Organization"

---

Input data In Dropdown Menu

---

Expected result

---

Step 7

---

Action Select "Locations"

---

Input data In Dropdown Menu

---

Expected result

---

Step 8

---

Action Click "Edit"

---

Input data On Table Record Found

---

Expected result

---

Step 9

---

Action Edit "Name"

---

Input data Joni Morningstar

---

Expected result

---

Step 10

---

Action Edit "City"

---

Input data Jakarta

---

Expected result

---

Step 11

---

Action Edit "State/Province"

---

Input data Jakarta Timur

---

Expected result

---

Step 12

Action	Edit "ZIP/Postal Code"
Input data	13132
Expected result	
Step	13
Action	Re-select "Country"
Input data	-- Select --
Expected result	Required
Step	14
Action	Edit "Phone"
Input data	012681238012
Expected result	
Step	15
Action	Edit "Fax"
Input data	276662
Expected result	
Step	16
Action	Edit "Address"
Input data	554 Sesame Street
Expected result	
Step	17
Action	Edit "Notes"
Input data	Halo aku joni
Expected result	
Step	18
Action	Click "Save"
Input data	

## Expected result

---

# Delete Locations - Delete Successfully

<b>Severity</b>	<b>Priority</b>	<b>Behavior</b>	<b>Type</b>
O Normal	— Not set	Positive	Functional
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

Have a data to delete

## Attachments



image.png



image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	

**Expected result**

---

Step	5
Action	Click " <b>Admin</b> "
Input data	In Sidebar Menu

**Expected result**

---

Step	6
Action	Click "Organization"
Input data	In Dropdown Menu

**Expected result**

---

Step	7
Action	Select "Locations"
Input data	In Dropdown Menu

**Expected result**

---

Step	8
Action	Select Record to Delete
Input data	

**Expected result**

---

Step	9
Action	Click "Yes, Delete"
Input data	

Expected result      Successfully Deleted

---

# Forget Password

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
○ Normal	↑ High	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
E2E	No	-	Not automated
<b>Status</b>			
Actual			

## Pre-conditions

"Reset Password link sent successfully" Message

## Tags

Login

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Click " <b>Forgot your password?</b> "
Input data	
Expected result	
Step	3
Action	Input " <b>Username</b> "
Input data	Username = "Admin"
Expected result	
Step	4
Action	Click " <b>Reset Password</b> "
Input data	
Expected result	

# Delete Employee User

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
Not set	No	-	Not automated
<b>Status</b>			
Actual			

## Attachments




image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	
Expected result	

Step	5
Action	Click " <b>PIM</b> "
Input data	In Sidebar Menu
Expected result	
Step	6
Action	Click Icon " <b>Trash</b> "
Input data	In Table >> Actions
Expected result	
Step	7
Action	Click " <b>Yes, Delete</b> "
Input data	
Expected result	

# Delete Multiple Employee User

<https://opensource-demo.orangehrmlive.com/>

Severity	Priority	Behavior	Type
○ Normal	— Not set	Positive	Other
<b>Layer</b>	<b>Is Flaky</b>	<b>Milestone</b>	<b>Automation</b>
Not set	No	-	Not automated
<b>Status</b>			
Actual			

## Attachments




image.png

image.png

## Steps to reproduce

Step	1
Action	Open " <b>BaseUrl</b> "
Input data	<a href="https://opensource-demo.orangehrmlive.com/">https://opensource-demo.orangehrmlive.com/</a>
Expected result	
Step	2
Action	Input " <b>Valid Username</b> "
Input data	Username : Admin
Expected result	
Step	3
Action	Input " <b>Valid Password</b> "
Input data	Password : admin123
Expected result	
Step	4
Action	Click " <b>Login Button</b> "
Input data	
Expected result	

Step	5
Action	Click " <b>PIM</b> "
Input data	In Sidebar Menu
Expected result	
Step	6
Action	Click " <b>Select Multiple Button</b> "
Input data	
Expected result	
Step	7
Action	Click Icon " <b>Trash</b> "
Input data	Above List data
Expected result	
Step	8
Action	Click " <b>Yes, Delete</b> "
Input data	
Expected result	