DoctorsBook an appointment

Consult

Consult with top doctors

Pharmacy
Medicines & health products

Diagnostics


Book tests & checkups

For Providers 🗸

Security & help ~

Login / Signup

Home > Medicine Info > Altacef CV 500 Tablet



Altacef CV 500 Tablet

Manufactured By GLENMARK PHARMACEUTICALS LTD

Contains Cefuroxime (500 mg) + Clavulanic Acid (125 mg)

Description

Altacef CV 500 Tablet is an antibiotic consisting of cefuroxime and clavulanic acid. It is used to tre bacterial infections affecting the lungs, nose, throat, ears, skin and urinary tract. It works by interf with the formation of the bacterial cell wall and eventually kills them. Altacef CV 500 Tablet is not effective against infections caused by viruses.

Altacef CV 500 Tablet has some common side effects such as diarrhoea, stomach pain, headache, weakness, nausea, and vomiting. As this medicine may cause dizziness or drowsiness, avoid driving vehicles or operating machines. Do not take this medicine if you are previously allergic to it. Conta doctor if any side effects are seen for a longer period. Altacef CV 500 Tablet is not recommended in children below 12 years of age.

Altacef CV 500 Tablet can be taken with or without food. For the ease of remembering, take this t around the same time every day. Once an antibiotic is started, it is always recommended to finish entire course of treatment. Do not take antibiotics without consulting your doctor because unnec use of an antibiotic can reduce its effectiveness.

Altacef CV 500 Tablet may interact with live vaccines. Hence, maintain a time gap of at least 2 hot between administration. Inform your doctor if you have any liver, kidney, seizure or gastrointesting diseases before taking this medicine. If you are pregnant, planning pregnancy or are breastfeeding recommended to take this medicine only after consulting your doctor.

QUICK LINKS: Side effects Concerns Usage Related products



Side effects

Major & minor side effects for Altacef CV 500 Tablet

- Diarrhoea
- Headache
- Difficult or painful urination
- Change in taste
- Abdominal pain RARE
- Acid or sour stomach RARE

Uses of Altacef CV 500 Tablet

What is it prescribed for?

Pharyngitis/Tonsilitis

Free Online Consultations

Every Monday to Saturday, 5pm to 6pm

Know More >

- Sinusitis
- Acute bronchitis
- Skin and soft tissue infections
- Urinary tract infections
- Lyme disease
- Acute bacterial otitis media

Read More

Related Products

List of related products

Altacef CV 250 Tablet

Concerns

Commonly asked questions

How long does it take for this medicine to take effect?

Altacef CV 500 Tablet starts working within 2-3 hours after taking it.

How long do the effects of this medicine last?

The effect of Altacef CV 500 Tablet lasts for an average duration of 4-8 hours.

Is it safe to consume alcohol while taking this medicine?

Interaction with alcohol is unknown. It is advisable to consult your doctor befor consumption.

Is this a habit forming medicine?

No habit-forming tendencies were reported for Altacef CV 500 Tablet.


Can this medicine be taken during pregnancy?

Altacef CV 500 Tablet is safe to use in pregnancy to treat bacterial infections. However, it is recommended to use this medicine only after consulting your doc

Can this medicine be taken while breast-feeding?

Altacef CV 500 Tablet is safe to use during breastfeeding. It enters into breast r low levels. However, your doctor prescribes this medicine only if the benefits outweigh the risks. If it is used in your breastfeeding, the baby should be observ for symptoms such as diarrhoea and yeast infection.

When not to use?	
Warnings	
Dosage	
Interactions	
General Instructions	
Other details	
References	
Related Questions	Free Online Consultations Every Monday to Saturday, 5pm to 6pm Know More >



Information on this page was last updated on 24 Aug 2021

Disclaimer

We've made all possible efforts to ensure that the information provided here is accurate, up-to-date and complete, however, it should not be treated as a substitute for proadvice, diagnosis or treatment. Practo only provides reference source for common information on medicines and does not guarantee its accuracy or exhaustiveness. The abse for any drug or combination thereof, should not be assumed to indicate that the drug or combination is safe, effective, or appropriate for any given patient. Practo does responsibility for any aspect of healthcare administered with the aid of information provided above. If you have any doubts about your medication then we strongly record consult with your doctor, nurse or healthcare provider. See detailed T&C here.

Practo	For patients	For doctors	For hospitals	More	Social
Blog Search for Careers Search for Press Health Fe Contact Consult a Order mer Practo ap	Ask free health questions Search for doctors Search for clinics Health Feed Consult a Doctor Order medicines Practo app Practo Plus	Practo Consult Practo Health Feed Practo Profile For Clinics Ray by Practo Practo Reach Ray Tab Practo Pro	Insta by Practo Qikwell by Practo	Help Developers Privacy Policy Terms & Conditions Healthcare directory	Facebook Twitter LinkedIn YouTube GitHub
		•	•		

Copyright © 2017, Practo. All rights reserved Consult now | Email: support@practo.com

Practo Technologies Pvt. Ltd., Salarpuria Symbiosis, Arekere Village, Begur Hobli, Bannerghatta Main Rd, Bengaluru, Karnataka 560076

