USER GUIDE

Using MIRQAB

A practical guide for SOC administrators, security analysts and IT technicians using the MIRQAB SOC Dashboard.

TEAM

Bdoor Fahed Alosaimi
Nouf Saleh Altalhi
Alaa Rafa Al Saad

PROJECT


MIRQAB — AI-Powered Security Operations Platform for SMBs
27 September 2026

Before you start

Who this is for	Admins, Security Analysts and IT Technicians. Employees use the separate Employee Desktop app.
Where to open it	The evaluator demo is at `http://localhost:8080`. The development stack is at `https://localhost/` (it uses a self-signed certificate, so the browser will show a warning).
What you see depends on your role	IT Technicians see only their own department. Admins and Security Analysts see the whole organization.

> **About the screenshots**
> All images are real, unmodified captures of the running application taken by the team's QA scripts between 19 and 26 Sep 2026. They show development and test data, never customer data. Some screens in this guide have no screenshot available; the text says so.

1. Log in




Sign-in page (Arabic interface). The language switch is at the top right.

1. Enter your work email and password, then select **Sign in** (تسجيل الدخول). Use the eye icon to show or hide the password.
2. If you forgot your password, **Forgot password?** starts the password-reset flow (ask your MIRQAB administrator if you do not receive a reset link).
3. After 5 attempts within a minute, the login is temporarily rate-limited. Wait a minute and try again.

Your session renews automatically in the background, and you are signed out if your session can no longer be renewed.

2. Dashboard (Overview)




Overview page (Arabic, dark theme) — development data.

- **KPI tiles:** critical incidents, high-severity incidents, total alerts, open tickets, departments at risk.
- **Live Network Map:** your organization's topology. Red highlights show active attacks, and you can click a device to open its incident.
- **Active Incidents:** the newest open incidents. Click one to open it.
- **Simulation Mode:** *Start* generates clearly-labelled synthetic attacks for training and demos. Simulated incidents never trigger automated containment.

3. Incidents

Open **Incidents** in the sidebar. Filter by severity (Low, Medium, High, Critical) and department. Each row shows the Case ID (for example `INC-20260919-0001`), alert title, device, department, severity, detection time and status. Selecting an incident opens the two-window incident view.

4. Investigation




The two-window incident view: Incident Response (left) and Incident Investigation (right). Development test incident.

The **Incident Response** window holds everything you *do*: status, the response timer, response actions and the response log. The **Incident Investigation** window holds everything you *need to understand*:

- **What Happened:** attack type, narrative, how it started, source and destination, process or command.
- **Attack Progression:** timeline of detection, tickets and actions.
- **Relevant Evidence:** see section 5.
- **Security Analysis:** MITRE tactic and technique (section 6).
- **Indicators (IOC/IOA/C2)** and **Persistence Findings**. Empty sections say so explicitly.
- **AI Analysis:** lateral-movement probability, estimated spread time, affected devices and business impact. These are statistics from your department's past incidents, not predictions from an AI model.

Long texts collapse behind **Read more**. On narrow screens the two windows stack vertically.

5. Evidence




An expanded evidence item with its source label and raw log line.

Every event that contributed to the incident appears as an evidence item. Its label tells you where it came from: **Live Agent** (a forwarder such as Wazuh), **Open-Source Dataset**, **Simulation (Synthetic)** or **Manual / Test**. Use **Read more / Show less** to see the full text and the raw excerpt.

6. MITRE ATT&CK

The Security Analysis card shows the MITRE **tactic** (for example *Credential Access*) and **technique** (for example *T1110 Brute Force*). MIRQAB maps 12 common techniques. If an event matches none of them, it is shown as *Unclassified* rather than guessed.

7. Suggested Solutions




Similar-attack analysis, the Apply Suggested Solutions button and the Similar Incidents list.

1. Review **Analysis — Similar to a previous attack**: the similarity score, when the similar attack last happened, and which responses were effective then.
2. Expand entries in **Similar Incidents** to see *why* they are similar.
3. Select **Apply Suggested Solutions** to log the recommended actions. High-impact actions (such as isolation) wait for explicit analyst approval, and isolation always goes through the confirmation dialog (section 11).

8. Response timer (5-minute window)

Every **HIGH** or **CRITICAL** incident shows a **Response required** countdown from 5:00.

- Select **Acknowledge & Investigate** to take ownership. Before the deadline, this cancels automated containment for this incident. Clicking it twice is harmless.
- If nobody responds in time, MIRQAB takes one automatic decision. It either requests isolation of the device (only if an endpoint-control provider is configured, the policy is enabled and the incident is not simulated), or records why containment was not attempted. You receive a notification with the result.
- After acknowledgement, the timer shows **Responded in …**. MEDIUM and LOW incidents show whether they are overdue, but they never trigger automation.




"Responded in 1m 7s" — and a failed isolation attempt recorded honestly ("fetch failed").

Admins can switch automated containment off entirely with the **5-Minute Response Window** policy under **Policies & Rules**.

9. Device topology

The **Live Network Map** (and the map on the Overview) shows internet → firewall → core switch → servers → departments → devices. Use the zoom controls to navigate. Devices with active incidents are highlighted. **The Citadel — Live View** offers a wallboard view and an **Attack Path** tab that replays the public APT29 emulation plan (demo data).




Devices page (Arabic) with department filter, status, security score, View alerts and Simulate Attack. These are seeded virtual devices.

10. Device interaction

Clicking a device node on the map opens a small information panel. When the device has a real active incident, the panel offers **Isolate device**, which opens that incident directly on its isolation confirmation step. If there is no active incident, the panel says so and no isolation button is offered. On the **Devices** page, *View alerts* lists the device's incidents and *Simulate Attack* runs a synthetic scenario against it.

11. Isolation



The isolation confirmation dialog.

1. In the Incident Response window, select **Isolate Endpoint**.
2. Read the confirmation: only this endpoint is affected, and the action is recorded against the case. Select **Yes, isolate this endpoint**.
3. The action appears as pending until the endpoint confirms. It then becomes **Isolated** (success) or shows a red **Isolation failed** message with the reason.

> **Good to know**
>
> Isolation requires a configured endpoint-control provider (Wazuh Active Response) and a real agent on the device. It has been verified in a lab only. The evaluator demo cannot isolate anything. Releasing an isolation is not available in MIRQAB: it must be done on the endpoint or in Wazuh.

12. Tickets

No screenshot available. HIGH and CRITICAL incidents open a ticket automatically (for example `TCK-000167`), and the incident panel links to it (**Open Ticket**). On the **Tickets** page, filter by status tab, change a ticket's status and reassign it. Technicians see only their department's tickets.

13. Audit logs

No screenshot available. **Audit Logs** lists security-relevant events: sign-ins, failed sign-ins, denied access, status changes, response actions and their outcomes, policy changes and response-window decisions, each with actor and time. The log is read-only, and nobody can edit or delete entries through the application.

14. Reports


No screenshot available. From any incident, select **Download Case Report (PDF)** for an 11-section report: summary, evidence, timeline, IOC, IOA, persistence, C2, AI analysis, actions, recommendations and audit trail.

15. Weekly reports

No screenshot available. On the **Reports** page, choose a week to view its summary, **generate** the weekly SOC report on demand, or **download** an existing one. MIRQAB also generates it automatically every Monday at 05:00 UTC for the previous week.

16. Language switching (Arabic / English)


Use the language button in the top bar (it shows **EN** or **AR**, and **English** on the login page). Arabic uses a right-to-left layout. Some labels in the incident panel still appear in English in Arabic mode.



The incident view in Arabic with the light theme.

17. Dark / light mode

Open **Settings** → **Appearance** and choose **Dark**, **Light** or **System** (follow your operating system).



Light theme, English.

18. Notifications

No dedicated screenshot available. The bell icon in the top bar shows the unread count (visible as "9+" in the screenshots above). New HIGH/CRITICAL incidents create a **Response required** notification, and an expired response window creates a **Containment result** notification. Open **Notifications** in the sidebar to see them all, filtered by incident, ticket, policy or audit. Notifications arrive instantly. They go to SOC users; employees are not notified individually.

19. Quick reference

I want to...	Go to
See what needs attention now	Overview → Active Incidents
Take ownership of a critical incident	Incident → Acknowledge & Investigate
Understand an attack	Incident → Investigation window
Find what worked before	Investigation → Similar Incidents / Suggested Solutions
Contain a device	Incident → Isolate Endpoint → confirm
Prove what was done	Download Case Report · Audit Logs · Reports
Disable automated containment	Policies & Rules → 5-Minute Response Window
Change language or theme	Top bar language button · Settings → Appearance