# MIX responder price − R_mitig_SN

## biomass price − World (R12 mean)

Scenario R_mitig_SN | price lvl | commodity: biomass
P_ref: input_prices_R12_default.csv
P: input_prices_R12.csv
World = R12 unweighted mean (12 regions)
P_ref as in file (not smoothed)




## biomass price − R12 regions

Scenario R_mitig_SN | price lvl | commodity: biomass
P_ref: input_prices_R12_default.csv
P: input_prices_R12.csv
World = R12 unweighted mean (12 regions)
P_ref as in file (not smoothed)



# MIX responder demand − R_mitig_SN

## resid_cook_biomass − World (R12 sum)

Scenario R_mitig_SN | EJ/yr
Commodity: resid_cook_biomass
ELASTICITY_REF_YEAR: 2020




## resid_cook_biomass − R12 regions

Scenario R_mitig_SN | EJ/yr
Commodity: resid_cook_biomass
ELASTICITY_REF_YEAR: 2020




respond before  respond after

# MIX responder price − R_mitig_SN

## lightoil price − World (R12 mean)

Scenario R_mitig_SN | price lvl | commodity: lightoil
P_ref: input_prices_R12_default.csv
P: input_prices_R12.csv
World = R12 unweighted mean (12 regions)
P_ref as in file (not smoothed)




## lightoil price − R12 regions

Scenario R_mitig_SN | price lvl | commodity: lightoil
P_ref: input_prices_R12_default.csv
P: input_prices_R12.csv
World = R12 unweighted mean (12 regions)
P_ref as in file (not smoothed)



# MIX responder demand − R_mitig_SN

## resid_cook_lightoil − World (R12 sum)

Scenario R_mitig_SN | EJ/yr
Commodity: resid_cook_lightoil
ELASTICITY_REF_YEAR: 2020




respond before  respond after

## resid_cook_lightoil − R12 regions

Scenario R_mitig_SN | EJ/yr
Commodity: resid_cook_lightoil
ELASTICITY_REF_YEAR: 2020



# MIX responder price − R_mitig_SN

## gas price − World (R12 mean)

Scenario R_mitig_SN | price lvl | commodity: gas
P_ref: input_prices_R12_default.csv
P: input_prices_R12.csv
World = R12 unweighted mean (12 regions)
P_ref as in file (not smoothed)




## gas price − R12 regions

Scenario R_mitig_SN | price lvl | commodity: gas
P_ref: input_prices_R12_default.csv
P: input_prices_R12.csv
World = R12 unweighted mean (12 regions)
P_ref as in file (not smoothed)



# MIX responder demand − R_mitig_SN

## resid_apps_gas − World (R12 sum)

Scenario R_mitig_SN | EJ/yr
Commodity: resid_apps_gas
ELASTICITY_REF_YEAR: 2020







## resid_apps_gas − R12 regions

Scenario R_mitig_SN | EJ/yr
Commodity: resid_apps_gas
ELASTICITY_REF_YEAR: 2020



# MIX responder price − R_mitig_SN

## electr price − World (R12 mean)

Scenario R_mitig_SN | price lvl | commodity: electr
P_ref: input_prices_R12_default.csv
P: input_prices_R12.csv
World = R12 unweighted mean (12 regions)
P_ref as in file (not smoothed)




## electr price − R12 regions

Scenario R_mitig_SN | price lvl | commodity: electr
P_ref: input_prices_R12_default.csv
P: input_prices_R12.csv
World = R12 unweighted mean (12 regions)
P_ref as in file (not smoothed)



# MIX responder demand − R_mitig_SN

## resid_cook_electr − World (R12 sum)

Scenario R_mitig_SN | EJ/yr
Commodity: resid_cook_electr
ELASTICITY_REF_YEAR: 2020




## resid_cook_electr − R12 regions

Scenario R_mitig_SN | EJ/yr
Commodity: resid_cook_electr
ELASTICITY_REF_YEAR: 2020






# MIX responder demand − R_mitig_SN

## resid_apps_electr − World (R12 sum)

Scenario R_mitig_SN | EJ/yr
Commodity: resid_apps_electr
ELASTICITY_REF_YEAR: 2020







## resid_apps_electr − R12 regions

Scenario R_mitig_SN | EJ/yr
Commodity: resid_apps_electr
ELASTICITY_REF_YEAR: 2020