MIX responder price − R_mitig_mod

biomass price − World (R12 mean)

Scenario R_mitig_mod | price lvl | commodity: biomass
P_ref: input_prices_R12_default.csv
P: input_prices_R12.csv
World = R12 unweighted mean (12 regions)
P_ref as in file (not smoothed)



biomass price − R12 regions

Scenario R_mitig_mod | price lvl | commodity: biomass
P_ref: input_prices_R12_default.csv
P: input_prices_R12.csv
World = R12 unweighted mean (12 regions)
P_ref as in file (not smoothed)



MIX responder demand − R_mitig_mod

resid_cook_biomass − World (R12 sum)

Scenario R_mitig_mod | EJ/yr
Commodity: resid_cook_biomass
ELASTICITY_REF_YEAR: 2020



resid_cook_biomass − R12 regions

Scenario R_mitig_mod | EJ/yr
Commodity: resid_cook_biomass
ELASTICITY_REF_YEAR: 2020



respond before respond after

MIX responder price − R_mitig_mod

lightoil price − World (R12 mean)

Scenario R_mitig_mod | price lvl | commodity: lightoil
P_ref: input_prices_R12_default.csv
P: input_prices_R12.csv
World = R12 unweighted mean (12 regions)
P_ref as in file (not smoothed)



lightoil price − R12 regions

Scenario R_mitig_mod | price lvl | commodity: lightoil
P_ref: input_prices_R12_default.csv
P: input_prices_R12.csv
World = R12 unweighted mean (12 regions)
P_ref as in file (not smoothed)



MIX responder demand − R_mitig_mod

resid_cook_lightoil − World (R12 sum)

Scenario R_mitig_mod | EJ/yr
Commodity: resid_cook_lightoil
ELASTICITY_REF_YEAR: 2020



resid_cook_lightoil − R12 regions

Scenario R_mitig_mod | EJ/yr
Commodity: resid_cook_lightoil
ELASTICITY_REF_YEAR: 2020



MIX responder price − R_mitig_mod

gas price − World (R12 mean)

Scenario R_mitig_mod | price lvl | commodity: gas
P_ref: input_prices_R12_default.csv
P: input_prices_R12.csv
World = R12 unweighted mean (12 regions)
P_ref as in file (not smoothed)



gas price − R12 regions

Scenario R_mitig_mod | price lvl | commodity: gas
P_ref: input_prices_R12_default.csv
P: input_prices_R12.csv
World = R12 unweighted mean (12 regions)
P_ref as in file (not smoothed)



MIX responder demand − R_mitig_mod

resid_apps_gas − World (R12 sum)

Scenario R_mitig_mod | EJ/yr
Commodity: resid_apps_gas
ELASTICITY_REF_YEAR: 2020



resid_apps_gas − R12 regions

Scenario R_mitig_mod | EJ/yr
Commodity: resid_apps_gas
ELASTICITY_REF_YEAR: 2020



respond before respond after

MIX responder price − R_mitig_mod

electr price − World (R12 mean)

Scenario R_mitig_mod | price lvl | commodity: electr
P_ref: input_prices_R12_default.csv
P: input_prices_R12.csv
World = R12 unweighted mean (12 regions)
P_ref as in file (not smoothed)



electr price − R12 regions

Scenario R_mitig_mod | price lvl | commodity: electr
P_ref: input_prices_R12_default.csv
P: input_prices_R12.csv
World = R12 unweighted mean (12 regions)
P_ref as in file (not smoothed)



MIX responder demand − R_mitig_mod

resid_cook_electr − World (R12 sum)

Scenario R_mitig_mod | EJ/yr
Commodity: resid_cook_electr
ELASTICITY_REF_YEAR: 2020



resid_cook_electr − R12 regions

Scenario R_mitig_mod | EJ/yr
Commodity: resid_cook_electr
ELASTICITY_REF_YEAR: 2020



respond before respond after

MIX responder demand − R_mitig_mod

resid_apps_electr − World (R12 sum)

Scenario R_mitig_mod | EJ/yr
Commodity: resid_apps_electr
ELASTICITY_REF_YEAR: 2020



respond before respond after

resid_apps_electr − R12 regions

Scenario R_mitig_mod | EJ/yr
Commodity: resid_apps_electr
ELASTICITY_REF_YEAR: 2020