Ice Information Data Classification and Encoding Guide

Edition 1.2.0 – January 2025





Published by the International Hydrographic Organization 4b quai Antoine 1 er Principauté de Monaco Tel: (377) 93.10.81.00 Fax: (377) 93.10.81.40 info@iho.int \www.iho.int

© Copyright International Hydrographic Organization 2025

This work is copyright. Apart from any use permitted in accordance with the Berne Convention for the Protection of Literary and Artistic Works (1886), and except in the circumstances described below, no part may be translated, reproduced by any process, adapted, communicated or commercially exploited without prior written permission from the International Hydrographic Organization (IHO). Copyright in some of the material in this publication may be owned by another party and permission for the translation and/or reproduction of that material must be obtained from the owner.

This document or partial material from this document may be translated, reproduced or distributed for general information, on no more than a cost recovery basis. Copies may not be sold or distributed for profit or gain without prior written agreement of the IHO Secretariat and any other copyright holders.

In the event that this document or partial material from this document is reproduced, translated or distributed under the terms described above, the following statements are to be included:

"Material from IHO publication [reference to extract: Title, Edition] is reproduced with the permission of the IHO Secretariat (Permission No/...) acting for the International Hydrographic Organization (IHO), which does not accept responsibility for the correctness of the material as reproduced: in case of doubt, the IHO's authentic text shall prevail. The incorporation of material sourced from IHO shall not be construed as constituting an endorsement by IHO of this product."

"This [document/publication] is a translation of IHO [document/publication] [name]. The IHO has not checked this translation and therefore takes no responsibility for its accuracy. In case of doubt the source version of [name] in [language] should be consulted."

The IHO Logo or other identifiers shall not be used in any derived product without prior written permission from the IHO Secretariat.

Contents

1	Overview	. 1
1.1	Preface	. 1
1.2	S-101 Annex A — Data Classification and Encoding Guide — Metadata	. 1
1.3	Terms, definitions and abbreviations	
1.3.1	Terms and definitions.	
1.3.2	Abbreviated terms	
1.4	Use of language	
1.5	Maintenance	
2	General	
2 2.1	Introduction	
2.1	Descriptive characteristics	. 4
	Descriptive characteristics	
2.2.1	Feature	
2.2.2	Geographic feature class	
2.2.3	Meta feature class	
2.2.4	Charted background feature	
2.3	Spatial characteristics	
2.3.1	Spatial primitives	
3	Geo Features	
3.1	Sea Ice	
4	Geo Feature Attribute and Enumerate Descriptions	
5	General	
5.1	Introduction	
6	Geo Features	
6.1	Sea Ice	
6.2	Sea Ice	
6.3	Lake Ice	
6.4	Lake Ice	
6.5	Iceberg Area	
6.6	Iceberg Area	
6.7	Ice Edge	
6.8	lce Edge	
6.9	Iceberg Limit	
6.10	Iceberg Limit	
6.11	Limit of Open Water	
6.12	Limit of Open Water	
6.13	Limit of all Known Ice	
6.14	Limit of All Known Ice	
6.15	Line of Ice Ridge	
6.16	Line of Ice Ridge	
6.17	Line of Ice Lead	
6.18	Line of Ice Lead	
6.19	Line of Ice Fracture	
6.20	Line of Ice Fracture	10
6.21	Line of Ice Crack	10
6.22	Line of Ice Crack	
6.23	Ice Compacting	11
6.24	Ice Compacting	11
6.25	Ice Lead	11
6.26	Ice Lead	
6.27	lceberg	
6.28	lceberg	
6.29	Floaberg	
6.30	Floeberg	12
6.31	Ice Thickness	13
6.32	Ice Thickness	13
6.33	Ice Shear	
6.34	Ice Shear	
6.35	Ice Divergence	14

14 14 15 15 15 15 16 16 16 17 17 17 17
14 15 15 15 15 16 16 16 17 17 17 17 17
17 17 17 18
17 17 18
17 18
18
19
19
20
20
20
20
21
21
21
21
21
21
23
23
24
24
24
24
25
25
25
25
25
25
26
26
26
26 26
26 26 27 27 27 27 27

7.39	Ice rafting Concentration	28
7.40	Ice Rafting Concentration	28
7.41	Ice Ridge Clasification	28
7.42	Ice Ridge Classification	28
7.43	Ice Ridge Concentration	29
7.44	Ice Ridge Concentration	29
7.45	Ice Ridge Frequency	30
7.46	Ice Ridge Frequency	30
7.47	Ice Ridge Maximum Height	30
7.48	Ice Ridge Maximum Height	
7.49	Ice Stage of Developmenet	30
7.50	Ice Stage of Development	
7.51	Ice Thickness Type	
7.52	Ice Thickness Type	
7.53	Iceberg Size	31
7.54	Iceberg Size	
7.55	Lake Ice Stage of Development	
7.56	Lake Ice Stage of Development	
7.57	Level Ice	
7.58	Level Ice	
7.59	Maximum Ice Thickness	
7.60	Maximum Ice Thickness	
7.61	Maximum Width of Ice Lead (or Fracture or Crack)	
7.62	Maximum Width of Ice Lead (or Fracture or Crack)	
7.63	Minimum Width of Ice Lead (or Fracture or Crack)	
7.64	Minimum Width of Ice Lead (or Fracture or Crack)	
7.65	Number of Ice Objecs	
7.66	Number of Ice Objects	
7.67	Number of Icebergs in an Area	
7.68	Number of Icebergs in Area	
7.69	Snow Depth	
7.70	Snow Depth	
7.71	Snow Cover Concentration	
7.72	Snow Cover Concentration	34

Document History

Changes to this Specification are coordinated by WMO/IOC Joint Technical Commission for Oceanography and Marine Meteorology (JCOMM). New editions will be made available via the IHO web site.

Table 1

Version Number	Date	Approved By Purpose	
1.2.0	xx January 2025	WMO	Draft 1. Version number in line with the PS

1

1 Overview

1.1 Preface

The "Data Classification and Encoding Guide" has been developed to provide consistent, standardized instructions for encoding S-411 data.

The purpose of the Data Classification and Encoding Guide is to facilitate S-411 encoding to meet JCOMM—ETSI standards for the proper display of Ice Information in an ECDIS. The document describes how to encode ice information considered relevant to be displayed on an ECDIS. The content of an Ice Information product is at the discretion of the producing authority provided that the conventions described within this document are followed. A "producing authority" is a Hydrographic Office (HO) or an organization authorized by a government, HO or other relevant government institution to produce Ice Information product.

The entire S-411 Standard, including the S-411 ENC Product Specification, is available at the following web site, https://iho.int/.

1.2 S-101 Annex A — Data Classification and Encoding Guide — Metadata

NOTE This information uniquely identifies this Annex to the Product Specification and provides

information about its creation and maintenance.

Title The World Meteorological Organization Ice Information Product Specification, Annex A

Data Classification and Encoding Guide

Version1.2.0Datexx 2025LanguageEnglish

Classification Unclassified

Contact World Meteorological Organization

7 bis, avenue de la Paix

P.O. Box 2300

CH-1211 Geneva 2, Switzerland Telephone: +41 (0) 22 730 84 03 Email: publications@wmo.int

URL https://mwo.int/
Identifier S-411 Annex A

Maintenance Changes to S-411 Annex A; Data Classification and Encoding Guide are coordinated by

the JCOMM — ETSI Project Team, and must be made available via the IHO web site.

1.3 Terms, definitions and abbreviations

1.3.1 Terms and definitions

See S-411 Product Specification Main document, clause 1.3.2.

1.3.2 Abbreviated terms

For a list of abbreviations, see the Ice Information Product Specification, Clause 1.3.3.

1.4 Use of language

Within this document:

"Must" indicates a mandatory requirement.

- "Should" indicates an optional requirement, that is the recommended process to be followed, but is not mandatory.
- "May" means "allowed to" or "could possibly" and is not mandatory.

1.5 Maintenance

Changes to the Data Classification and Encoding Guide must occur in accordance with the S-411 Ice Information Product Specification clause 1.6.

2 General

2.1 Introduction

This S-411 Data Classification and Encoding Guide (DCEG) contains rules and guidance for converting data describing the real world into data products that conform to the S-411 specification.

The S-411 specification contains an application schema (UML model) describing the conceptual domain model in terms of classes and a Feature Catalogue (see S-411 Annex B) that specifies the data model, i.e., specifies the data model types corresponding to the various classes in the application schema.

To simplify the DCEG text, the various data model types will be provided without the suffixes "class", "type" or "instance"; e.g. the term "feature" should be understood as "feature class" or "feature type" or "feature instance" as best fits the immediate context in which it is used (and where there might be confusion, it is written out in full as feature class/type/instance). The model defines real world entities as a combination of descriptive and spatial characteristics (S-411 Product Specification clause 6).

This clause of the DCEG contains general information needed to understand the encoding rules and describes fundamental common rules and constraints. It also describes datasets and metadata. The data model object types used within S-411 and their encoding rules and guidelines are defined in detail in subsequent clauses of this document.

Within this document the features and attributes appear in **bold text** or *italic text*, to distinguish them from surrounding words.

2.2 Descriptive characteristics

2.2.1 Feature

A feature contains descriptive attributes that characterize real world entities.

The word 'feature' as used in the ISO 191xx series and in S-100 based product specifications has two distinct but related senses – 'feature type' and 'feature instance'. A feature instance is a single occurrence of the feature and is represented as an object in a dataset.

The location of a feature instance on the Earth's surface is indicated by a relationship to one or more spatial primitive instances.

S-411 only makes use of the **Geographic (Geo) feature type** which carries the descriptive characteristics of a real-world entity.

2.2.2 Geographic feature class

Geographic (Geo) feature types carry the descriptive characteristics of a real world entity which is provided by a spatial primitive instance.

2.2.3 Meta feature class

Meta feature type contains information about other features.

2.2.4 Charted background feature

The data product would mostly be visualized as an overlay of an ENC or other GIS applications. Consequently, all necessary descriptive and spatial characteristics to provide a charted background should be provided by the underlying application.

2.3 Spatial characteristics

2.3.1 Spatial primitives

The allowable geometric primitive for each feature type is defined in the Feature Catalogue. Allowable geometric primitives are point, curve and surface. Each spatial value must be referenced by at least one feature instance.

Within this document, allowable primitives are included in the description of each feature type. For easy reference, Table 2-1 below summarises the allowable geometric primitives for each feature. In the Table, abbreviations are as follows: point (P), curve © and surface (S).

Table — Features and their spatial primitives

Feature	Р	С	S
Geographic Features	l l		
Floeberg	Р		
Grounded Hummock	Р		
Ice Compacting	Р		
Ice Divergence	Р		
Ice Drift	Р		
Ice Edge		С	
Ice Fracture		С	
Ice Keel/Bummock	Р		
Ice Lead		С	
Ice Rafting	Р		
Ice Ridge/Hummock	Р		
Ice Shear	Р		
Ice Thickness	Р		
Iceberg	Р		
Iceberg Area			S
Iceberg Limit		С	
Jammed Brash Barrier	Р		
Lake Ice			S
Limit of All Known Ice		С	
Limit of Open Water		С	
Line of Ice Crack		С	
Line of Ice Fracture		С	

Feature	Р	С	s
Line of Ice Lead		С	
Line of Ice Ridge		С	
Sea Ice			S
Seperate Giant Floe (TBC)	Р		
Snow Cover	Р		
Stage of Melt	Р		
Strips and Patches	Р		

3 Geo Features

3.1 Sea Ice

Table 3-1

IHO Definition: SEA ICE is an area at sea that is covered, in whole or in part, with ice.						
S-101 Geo Feature: Military Practice Area (MIPARE)						
Primitives: Point, Surface						
S-411 Attribute S-57 Acronym Allowable Encoding Value *Type						
Total Concentration	(ICEACT)		EN	0,0		
Partial Concentration	(ICEAPC)		EN	0,0		

4 Geo Feature Attribute and Enumerate Descriptions

- 5 General
- 5.1 Introduction
- 6 Geo Features
- 6.1 Sea Ice

6.2 Sea Ice

Table 6-1

IHO Definition: Sea Ice is an area at sea that is covered, in whole or in part, with ice.			
S-411 Geo Feature: Sea Ice			
Primitives: surface			

Table 6-2

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Total Concentration	(ICEACT)		EN	0,1
Partial Concentration	(ICEAPC)		EN	0,3
Ice Stage of Development	(ICESOD)		EN	0,5
Floe Sizes	(ICEFLZ)		EN	0,3
Concentration of Strips and Patches	(ICESPC)		EN	0,1
Level Ice	(ICELVL)		EN	0,1
Compacting Strength	(ICECST)		EN	0,1
Ice Fracture Type	(ICEFTY)		EN	0,1
Ice Drift Speed	(ICEDSP)		RE	0,1
Ice Drift Direction	(ICEDDR)		EN	0,1
Ice Ridge Concentration	(ICERCN)		EN	0,3
Ice Ridge Frequency	(ICERFQ)		IN	0,1
Ice Ridge Mean Height	(ICERMH)		IN	0,1
Ice Ridge Maximum Height	(ICERXH)		IN	0,1
Ice Ridge Classification	(ICERDV)		EN	0,1
Ice Keel Concentration	(ICEKCN)		EN	0,1
Ice Average Thickness	(ICETCK)		IN	0,1
Maximum Ice Thickness	(ICEMAX)		IN	0,1
Mimimum Ice Thickness	(ICEMIN)		IN	0,1
Ice Thickness Type	(ICETTY)		EN	0,1
Melt Stage	(ICEMLT)		EN	0,1
Snow Cover Concentration	(ICESCN)		EN	0,1
Snow Depth	(ICESCT)		IN	0,1
Direction of Sastrugi	(ICEDOS)		EN	0,1
Ice Lead Status	(ICELST)		EN	0,1
Frequency of Leads or Fractures	(ICELFQ)		IN	0,1
Orientation of Leads or Fractures	(ICELOR)		EN	0,1
Ice Lead (or Fracture or Crack) Width	(ICELWD)		IN	0,1
Combination Ice Stage of Development and Floe Size for the 1st partial concentration	()		С	0,3
Combination Ice Stage of Development and Floe Size for the 2nd partial concentration	()		С	0,3
Combination Ice Stage of Development and Floe Size for the 3rd partial concentration	()		С	0,3

Ice Breccia for the first partial concentration	()	С	0,3
Ice Breccia for the second partial concentration	()	С	0,3
Ice Breccia for the third partial concentration	()	С	0,3
Snow cover	(IA_SNG)	EN	0,1
Stage of Melting	(IA_MLT)	EN	0,1
Contamination	(IA_PLG)	EN	0,1
Hills Concentration	(IA_HLG)	EN	0,1
Fractures Concentration	(IA_ DUG)	EN	0,1

6.3 Lake Ice

6.4 Lake Ice

Table 6-3

IHO Definition: Lake Ice is an area on a lake that is covered, in whole or in part, with ice.			
S-411 Geo Feature: Lake Ice			
Primitives: surface			

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Total Concentration	(ICEACT)		EN	0,1
Partial Concentration	(ICEAPC)		EN	0,3
Lake Ice Stage of Development	(ICELSO)		EN	0,5
Floe Sizes	(ICEFLZ)		EN	0,3
Concentration of Strips and Patches	(ICESPC)		EN	0,1
Level Ice	(ICELVL)		EN	0,1
Compacting Strength	(ICECST)		EN	0,1
Ice Fracture Type	(ICEFTY)		EN	0,1
Ice Drift Speed	(ICEDSP)		RE	0,1
Ice Drift Direction	(ICEDDR)		EN	0,1
Ice Ridge Concentration	(ICERCN)		EN	0,3
Ice Ridge Frequency	(ICERFQ)		IN	0,1
Ice Ridge Mean Height	(ICERMH)		IN	0,1
Ice Ridge Maximum Height	(ICERXH)		IN	0,1
Ice Ridge Classification	(ICERDV)		EN	0,1

Ice Keel Concentration (ICEKCN) EN 0,1 Ice Average Thickness (ICETCK) IN 0,1 Maximum Ice Thickness (ICEMAX) IN 0,1 Mimimum Ice Thickness (ICEMIN) IN 0,1 Ice Thickness Type (ICETTY) EN 0,1 Melt Stage (ICEMLT) EN 0,1 Snow Cover Concentration (ICESCN) EN 0,1
Maximum Ice Thickness (ICEMAX) IN 0,1 Mimimum Ice Thickness (ICEMIN) IN 0,1 Ice Thickness Type (ICETTY) EN 0,1 Melt Stage (ICEMLT) EN 0,1 Snow Cover Concentration (ICESCN) EN 0,1
Mimimum Ice Thickness (ICEMIN) IN 0,1 Ice Thickness Type (ICETTY) EN 0,1 Melt Stage (ICEMLT) EN 0,1 Snow Cover Concentration (ICESCN) EN 0,1
Ice Thickness Type
Melt Stage (ICEMLT) EN 0,1 Snow Cover Concentration (ICESCN) EN 0,1
Snow Cover Concentration (ICESCN) EN 0,1
(
0 D U
Snow Depth (ICESCT) IN 0,1
Direction of Sastrugi (ICEDOS) EN 0,1
Ice Lead Status (ICELST) EN 0,1
Frequency of Leads or Fractures (ICELFQ) IN 0,1
Orientation of Leads or Fractures (ICELOR) EN 0,1
Ice Lead (or Fracture or Crack) Width (ICELWD) IN 0,1

6.5 Iceberg Area

6.6 Iceberg Area

Table 6-5

IHO Definition: An Iceberg Area is an area at sea in which icebergs, bergy bits, or growlers are present.
S-411 Geo Feature: Iceberg Area
Primitives: surface

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Number of Icebergs in Area	(ICEBNM)		IN	0,1
Iceberg Size	(ICEBSZ)		EN	0,1
Iceberg Concentration	(IA_BCN)		EN	0,1
Prevailing Iceberg Form	(IA_BFM)		EN	0,1
Maximum Height of Above Water Part (iceberg/ grounded hummock)	(IA_BUH)		IN	0,1

6.7 Ice Edge

6.8 Ice Edge

Table 6-7

IHO Definition: The demarcation at any given time between the open sea and sea ice of any kind and in any concentration, whether fast or drifting.

S-411 Geo Feature: Ice Edge

Primitives: curve

Table 6-8

|--|

6.9 Iceberg Limit

6.10 Iceberg Limit

Table 6-9

IHO Definition : Limit of all known Icebergs.	
S-411 Geo Feature: Iceberg Limit	
Primitives: curve	

Table 6-10

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity	
----------------	---------	--------------------------	------	--------------	--

6.11 Limit of Open Water

6.12 Limit of Open Water

Table 6-11

<u>IHO Definition</u>: The demarcation at any given time between sea ice and freely navigable water, in which sea ice is present in concentrations less than 1/10.

S-411 Geo Feature: Limit of Open Water

Primitives: curve

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity	
----------------	---------	--------------------------	------	--------------	--

6.13 Limit of all Known Ice

6.14 Limit of All Known Ice

Table 6-13

<u>IHO Definition</u>: The limit of all known ice, including both sea ice of any kind and icebergs.<u>S-411 Geo Feature:</u> Limit of All Known Ice

Primitives: curve

Table 6-14

S-411Attribute Acronym Allowable Encoding Value Type Multiplicity

6.15 Line of Ice Ridge

6.16 Line of Ice Ridge

Table 6-15

IHO Definition: Line of Ice Ridge is a line or wall of broken ice forced up by pressure processes.

S-411 Geo Feature: Line of Ice Ridge

Primitives: curve

Table 6-16

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Ice Ridge Classification	(ICERDV)		EN	0,1
Ice Ridge Mean Height	(ICERMH)		IN	0,1
Ice Ridge Maximum Height	(ICERXH)		IN	0,1

6.17 Line of Ice Lead

6.18 Line of Ice Lead

Table 6-17

IHO Definition: Line of Ice Lead identifies any passage-way(s) through ice which is (are) navigable by surface vessels.

S-411 Geo Feature: Line of Ice Lead

Primitives: curve

Table 6-18

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Ice Stage of Development	(ICESOD)		EN	0,5
Number of Ice Objects	(IA_OBN)		IN	0,1
Average Width of Ice Lead (or Fracture or Crack)	(ICEDVW)		IN	0,1
Minimum Width of Ice Lead (or Fracture or Crack)	(IA_ DMW)		IN	0,1
Maximum Width of Ice Lead (or Fracture or Crack)	(IA_ DXW)		IN	0,1

6.19 Line of Ice Fracture

6.20 Line of Ice Fracture

Table 6-19

IHO Definition: Any break or rupture through the ice cover, or through the single floe, resulting from deformation processes. Length may vary from a few meters to a few kilometers.

S-411 Geo Feature: Line of Ice Fracture

Primitives: curve

Table 6-20

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Ice Stage of Development	(ICESOD)		EN	0,5
Number of Ice Objects	(IA_OBN)		IN	0,1
Average Width of Ice Lead (or Fracture or Crack)	(ICEDVW)		IN	0,1
Minimum Width of Ice Lead (or Fracture or Crack)	(IA_ DMW)		IN	0,1
Maximum Width of Ice Lead (or Fracture or Crack)	(IA_ DXW)		IN	0,1

6.21 Line of Ice Crack

6.22 Line of Ice Crack

Table 6-21

IHO Definition: Line of Ice Crack identifies any ice breakup, but no passage-way(s) for surface vessels.

S-411 Geo Feature: Line of Ice Crack

Primitives: curve

Table 6-22

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Ice Stage of Development	(ICESOD)		EN	0,5
Number of Ice Objects	(IA_OBN)		IN	0,1
Average Width of Ice Lead (or Fracture or Crack)	(ICEDVW)		IN	0,1
Minimum Width of Ice Lead (or Fracture or Crack)	(IA_ DMW)		IN	0,1
Maximum Width of Ice Lead (or Fracture or Crack)	(IA_ DXW)		IN	0,1

6.23 Ice Compacting

6.24 Ice Compacting

Table 6-23

IHO Definition: Pieces of ice are said to be compacting when they are subjected to a converging motion, which increases ice concentration and/or produces stresses which may result in ice deformation.

S-411 Geo Feature: Ice Compacting

Primitives: point

Table 6-24

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Compacting Strength	(ICECST)		EN	0,1

6.25 Ice Lead

6.26 Ice Lead

Table 6-25

IHO Definition: Ice Lead identifies any fracture(s) or passage-way(s) through ice which is (are) navigable by surface vessels.

S-411 Geo Feature: Ice Lead

Primitives: point

6-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity	
----------------	---------	--------------------------	------	--------------	--

Ice Location Information	(ICELOC)	EN	0,1
Ice Lead Status	(ICELST)	EN	0,1
Ice Lead (or Fracture or Crack) Width	(ICELWD)	IN	0,1

6.27 Iceberg

6.28 Iceberg

Table 6-27

IHO Definition: An Iceberg is a massive piece of ice, greatly varying in shape and showing more than 5 meters above the sea surface which has broken away from a glacier, and which may be afloat or grounded. This Object Class also includes smaller forms of glacial ice, known as "Bergy Bits" and "Growlers", which are defined by their size Attribute. ICEBRG can indicate the location of a single iceberg or, if the attribute IA_OBN is specified and is greater than 1, multiple icebergs in the vicinity of a point.

S-411 Geo Feature: Iceberg

Primitives: point

Table 6-28

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Iceberg Size	(ICEBSZ)		EN	0,1
Ice Drift Speed	(ICEDSP)		RE	0,1
Ice Drift Direction	(ICEDDR)		EN	0,1
Number of Ice Objects	(IA_ OBN)		IN	0,1
Prevailing Iceberg Form	(IA_BFM)		EN	0,1
Maximum Height of Above Water Part (iceberg/ grounded hummock)	(IA_BUH)		IN	0,1

6.29 Floaberg

6.30 Floeberg

Table 6-29

IHO Definition: A Floeberg is a massive piece of sea ice composed of a hummock or a group of hummocks, frozen together and separated from any ice surroundings. They typically protrude up to 5 meters above the sea surface.

S-411 Geo Feature: Floeberg

Primitives: point

Table 6-30

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Ice Drift Speed	(ICEDSP)		RE	0,1
Ice Drift Direction	(ICEDDR)		EN	0,1

6.31 Ice Thickness

6.32 Ice Thickness

Table 6-31

IHO Definition : Ice Thickness provides a measure or estimate of ice thickness.
S-411 Geo Feature: Ice Thickness
Primitives: point

Table 6-32

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Ice Average Thickness	(ICETCK)		IN	0,1
Maximum Ice Thickness	(ICEMAX)		IN	0,1
Mimimum Ice Thickness	(ICEMIN)		IN	0,1
Ice Thickness Type	(ICETTY)		EN	0,1

6.33 Ice Shear

6.34 Ice Shear

Table 6-33

IHO Definition: An area of drift ice is subject to shear when the ice motion varies significantly in the direction normal to the motion, subjecting the ice to rotational forces.

S-411 Geo Feature: Ice Shear

Primitives: point

S	-411Attribute	Acronym	Allowable Encoding Value	Type	Multiplicity	
---	---------------	---------	--------------------------	------	--------------	--

6.35 Ice Divergence

6.36 Ice Divergence

Table 6-35

IHO Definition: Ice fields or floes in an area are subject to diverging or dispersive motion, thus reducing ice concentration and/or relieving stresses in the ice.

S-411 Geo Feature: Ice Divergence

Primitives: point

Table 6-36

vable Encoding Value Type Multiplicity	Acronym	S-411Attribute
--	---------	----------------

6.37 Ice Ridge or Hummock

6.38 Ice Ridge/Hummock

Table 6-37

IHO Definition: An Ice Ridge is a line or wall of broken ice forced up by pressure. A Hummock is a hillock of broken ice which has been forced upward by pressure.

S-411 Geo Feature: Ice Ridge/Hummock

Primitives: point

Table 6-38

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Ice Ridge Concentration	(ICERCN)		EN	0,1
Ice Ridge Frequency	(ICERFQ)		IN	0,3
Ice Ridge Mean Height	(ICERMH)		IN	0,1
Ice Ridge Maximum Height	(ICERXH)		IN	0,1
Ice Ridge Classification	(ICERDV)		EN	0,1

6.39 Ice keel or Bummock

6.40 Ice Keel/Bummock

Table 6-39

<u>IHO Definition:</u> From a submariner's point of view, a Keel is a downward projecting ridge on the underside of the ice canopy—the counterpart of a Ridge. A Bummock is the counterpart of a hummock on the underside of the ice canopy.

S-411 Geo Feature: Ice Keel/Bummock

Primitives: point

Table 6-40

S-411Attribute	Acronym	Allowable Encoding Value	Type	Multiplicity
Ice Keel Concentration	(ICEKCN)		EN	0,1
Ice Keel Frequency	(ICEKFQ)		IN	0,1
Ice Keel Mean Depth	(ICEKMD)		IN	0,1
Ice Keel Maximum Depth	(ICEKXD)		IN	0,1

6.41 Ice Drift

6.42 Ice Drift

Table 6-41

IHO Definition: Motion of an ice field or floe as a result of forces such as wind and currents.
S-411 Geo Feature: Ice Drift
Primitives: point

Table 6-42

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Ice Drift Speed	(ICEDSP)		RE	0,1
Ice Drift Direction	(ICEDDR)		EN	0,1

6.43 Ice Fracture

6.44 Ice Fracture

Table 6-43

IHO Definition: Any break or rupture through the ice pack, or a single floe, resulting from deformation processes. Length may vary from a few metres to many kilometres.

S-411 Geo Feature: Ice Fracture

Primitives: point

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Ice Fracture Type	(ICEFTY)		EN	0,1
Ice Location Information	(ICELOC)		EN	0,1

Number of Ice Objects	(IA_OBN)	IN	0,1
Ice Stage of Development	(ICESOD)	EN	0,1
Average Width of Ice Lead (or Fracture or Crack)	(ICEDVW)	IN	0,5
Minimum Width of Ice Lead (or Fracture or Crack) (IN	0,1
Maximum Width of Ice Lead (or Fracture or Crack)	(IA_ DXW)	IN	0,1

6.45 Ice Rafting

6.46 Ice Rafting

Table 6-45

IHO Definition : Pressure processes whereby one piece of ice overrides another.	
S-411 Geo Feature: Ice Rafting	
Primitives: point	

Table 6-46

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Ice Rafting Concentration	(ICEFCN)		EN	0,1

6.47 Jammed Brash Barrier

6.48 Jammed Brash Barrier

Table 6-47

IHO Definition : A strip or narrow belt of new, young or brash ice (usually 100-500 metres wide) formed at the edge of either drift or fast ice.
S-411 Geo Feature: Jammed Brash Barrier

Primitives: point

6.49 Stage of Ice melt

6.50 Stage of Melt

Table 6-49

IHO Definition: A description of the stage of melt of the ice; i.e. whether it has formed puddles on the surface and whether these have frozen.

S-411 Geo Feature: Stage of Melt

Primitives: point

Table 6-50

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Melt Stage	(ICEMLT)		EN	0,1

6.51 Snow Cover

6.52 Snow Cover

Table 6-51

IHO Definition : A description of the amount of snow covering the ice.	
S-411 Geo Feature: Snow Cover	
Primitives: point	

Table 6-52

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Snow Cover Concentration	(ICESCN)		EN	0,1
Snow Depth	(ICESCT)		IN	0,1
Direction of Sastrugi	(ICEDOS)		EN	0,1

6.53 Strips and Patches

6.54 Strips and Patches

Table 6-53

IHO Definition: A strip is a long narrow area of floating ice, about 1 kilometre or less in width, usually composed of small fragments detached from the main mass of ice, and run together under the influence of wind, swell or current. If the area of ice becomes more rounded in shape, it is referred to as a patch.

S-411 Geo Feature: Strips and Patches

Primitives: point

Table 6-54

S-411Attribute	Acronym	Allowable Encoding Value	Type	Multiplicity
Concentration of Strips and Patches	(ICESPC)		EN	0,1

6.55 Grounded Hummock

6.56 Grounded Hummock

Table 6-55

IHO Definition: Grounded Hummock identifies a hummock formation which is stranded.	
S-411 Geo Feature: Grounded Hummock	
Primitives: point	

Table 6-56

S-411Attribute	Acronym	Allowable Encoding Value	Туре	Multiplicity
Maximum Height of Above Water Part (iceberg/ grounded hummock)	(IA_ BUH)		IN	0,1

7 Attributes and Enumerates Descriptions

7.1 Brash Ice

7.2 Brash Ice

Table 7-1

<u>IHO Definition</u>: ICEBRS specifies the concentrations of very thick brash ("AV"), thick brash ("AK"), medium brash ("AM") and thin brash ice ("AT").

Attribute Type : enumeration

1) 01

IHO Definition :0/10 – 1/10

10) 10

IHO Definition :1/10

12) 12

IHO Definition :1/10 – 2/10

20) 20

IHO Definition :2/10

23) 23

 $\underline{\textbf{IHO Definition}}: 2/10-3/10$

30) 30

IHO Definition :3/10

34) 34

IHO Definition :3/10 – 4/10

40) 40

IHO Definition :4/10

45) 45

IHO Definition: 4/10 – 5/10

50) 50

IHO Definition:5/10

56) 56

IHO Definition:5/10 - 6/10

60) 60

IHO Definition :6/10

67) 67

IHO Definition: 6/10 - 7/10

70) 70

IHO Definition :7/10

78) 78

IHO Definition: 7/10 - 8/10

80)80

IHO Definition:8/10

89) 89

IHO Definition:8/10 – 9/10

90) 90

IHO Definition: 9/10

91) 91

IHO Definition:9/10 - 10/10

92) 92

IHO Definition :10/10

98) 98

IHO Definition :No Brash ice

99) 99

IHO Definition: Undetermined/Unknown

Remarks:

7.3 Compacting Strength

7.4 Compacting Strength

Table 7-2

IHO Definition: ICECST is an indication of strength of the compacting of the ice.

Attribute Type: enumeration

1) 01

IHO Definition: Little compacting

10) 10

IHO Definition :Slight compacting

12) 12

IHO Definition: Slight to moderate compacting

20) 20

IHO Definition: Moderate compacting

23) 23

IHO Definition: Moderate to strong compacting

30) 30

IHO Definition: Strong compacting

98) 98

IHO Definition: Ice divergence

99) 99

IHO Definition: Undetermined/Unknown

7.5 Contamination

7.6 Contamination

Table 7-3

IHO Definition: IA PLG describes the degree of contamination (aerial coverage) in thirds based on the

Russian national 3-point scale. Attribute Type: enumeration

IHO Definition: No or insignificant Contamination

10) 10

IHO Definition :<1/3 of area

12) 12

IHO Definition :<2/3 of area

IHO Definition: 1/3 - 2/3 of area

23) 23

IHO Definition :>1/3 area

30) 30

IHO Definition:>2/3 area

98) 98

IHO Definition: No Contamination

IHO Definition :Undetermined/Unknown

Remarks:

7.7 Direction of Sastrugi

7.8 Direction of Sastrugi

Table 7-4

IHO Definition: ICEDOS indicates the bearing of a sastrugi. Sastrugi are sharp, irregular ridges formed on a snow surface by wind erosion and deposition. On mobile floating ice the ridges are parallel to the direction of the wind at the time they were formed.

Attribute Type: enumeration

1) 01

IHO Definition :No Sastrugi

2) 02

IHO Definition :NE

IHO Definition :E

4) 04

IHO Definition :SE

5) 05

IHO Definition :S

6) 06

IHO Definition:SW

7) 07

IHO Definition:W 8) 08

IHO Definition: NW 9) 09

IHO Definition :N

10) 10

IHO Definition: Variable

99) 99

IHO Definition: Undetermined/Unknown

7.9 Frequency of Leads or Fractures

7.10 Frequency of Leads or Fractures

Table 7-5

IHO Definition: ICERFQ indicates the frequency of leads or fractures in number per nautical mile.

Attribute Type: integer

Remarks:

7.11 Fractures Concentration

7.12 Fractures Concentration

Table 7-6

IHO Definition: IA DUG describes the degree of disunity in an ice area. Attribute Type: enumeration 10) 10 IHO Definition: Frequency of Cracks and Leads seldom in 10 km on Route 20) 20 IHO Definition: Frequency of Cracks and Leads in 5 - 10 km on Route 30) 30 **IHO Definition**: Frequency of Cracks and Leads in 3 – 5 km on Route **IHO Definition**: Frequency of Cracks and Leads in 2 – 3 km on Route 50) 50 IHO Definition: Frequency of Cracks and Leads often in 2 km on Route IHO Definition: Small and Medium Floes - 1/10-3/10; Big Floes - 7/10-10/10 Conc. 70) 70 IHO Definition: Small and Medium Floes – 4/10-6/10; Big Floes – 4/10-6/10 Conc. IHO Definition: Small and Medium Floes - 7/10-10/10; Big Floes - 1/10-3/10 Conc.

IHO Definition: Small and Medium Floes Only

92) 92

IHO Definition: Small Floes Only

98) 98

IHO Definition: No Fractures

IHO Definition: Undetermined/Unknown

Remarks:

7.13 Partial Concentration

7.14 Partial Concentration

Table 7-7

IHO Definition: ICEAPC specifies the partial concentrations of ice in an area. ('Ca, Cband Cc').

Attribute Type: enumeration

1) 01

IHO Definition : Ice Free

2) 02

IHO Definition: Open Water (< 1/10 ice)

3) 03

IHO Definition: Bergy Water

10) 10

IHO Definition: 1/10 ice

12) 12

IHO Definition: 1/10 to 2/10 ice

13) 13

IHO Definition: 1/10 to 3/10 ice

20) 20

IHO Definition :2/10 ice

23) 23

IHO Definition: 2/10 to 3/10 ice

24) 24

IHO Definition: 2/10 to 4/10 ice

30) 30

IHO Definition: 3/10 ice

34) 34

IHO Definition: 3/10 to 4/10 ice 35) 35

IHO Definition: 3/10 to 5/10 ice

40) 40

IHO Definition: 4/10 ice

45) 45

IHO Definition:

46) 46

IHO Definition: 4/10 to 6/10 ice

50) 50

IHO Definition: 5/10 ice

56) 56

IHO Definition: 5/10 to 6/10 ice

IHO Definition: 5/10 to 7/10 ice

60) 60

IHO Definition:6/10 ice

67) 67

IHO Definition: 6/10 to 7/10 ice

68) 68

IHO Definition: 6/10 to 8/10 ice

70) 70

IHO Definition: 7/10 ice

78) 78

IHO Definition: 7/10 to 8/10 ice

79) 79

IHO Definition: 7/10 to 9/10 ice

80)80

IHO Definition: 8/10 ice

81) 81

IHO Definition: 8/10 to 10/10 ice

89) 89

IHO Definition: 8/10 to 9/10 ice

90) 90

IHO Definition: 9/10 ice

91) 91

IHO Definition: 9/10 to 10/10 ice

92) 92

IHO Definition: 10/10 ice

99) 99

IHO Definition : Undetermined/Unknown

7.15 Total Concentration

7.16 Total Concentration

Table 7-8

IHO Definition: ICEACT specifies the total concentration of ice in an area. It represents the ratio expressed in tenths describing the total area of the water surface covered by ice as a fraction of the whole area.

Attribute Type: enumeration

1) 01

IHO Definition: Ice Free

2) 02

IHO Definition :Open Water (< 1/10 ice)

3)03

IHO Definition: Bergy Water

10) 10

IHO Definition: 1/10 ice

12) 12

IHO Definition: 1/10 to 2/10 ice

13) 13

IHO Definition: 1/10 to 3/10 ice

20) 20

IHO Definition: 2/10 ice

23) 23

IHO Definition: 2/10 to 3/10 ice

24) 24

IHO Definition: 2/10 to 4/10 ice

30) 30

IHO Definition: 3/10 ice

34) 34

IHO Definition: 3/10 to 4/10 ice

35) 35

IHO Definition :3/10 to 5/10 ice

40) 40

IHO Definition :4/10 ice

45) 45

IHO Definition:

46) 46

IHO Definition: 4/10 to 6/10 ice

50) 50

IHO Definition :5/10 ice

56) 56

IHO Definition: 5/10 to 6/10 ice

57) 57

IHO Definition: 5/10 to 7/10 ice

60) 60

IHO Definition :6/10 ice

67) 67

IHO Definition :6/10 to 7/10 ice

68) 68

IHO Definition: 6/10 to 8/10 ice

70) 70

IHO Definition :7/10 ice

78) 78

IHO Definition :7/10 to 8/10 ice

79) 79

IHO Definition :7/10 to 9/10 ice

80)80

IHO Definition: 8/10 ice

81) 81

IHO Definition:8/10 to 10/10 ice

89) 89

IHO Definition: 8/10 to 9/10 ice

90) 90

IHO Definition: 9/10 ice

91) 91

IHO Definition: 9/10 to 10/10 ice

92) 92

IHO Definition: 10/10 ice

99) 99

IHO Definition :Undetermined/Unknown

Remarks:

7.17 Ice Average Thickness

7.18 Ice Average Thickness

Table 7-9

IHO Definition: Ice Average Thickness defines the average thickness of the ice.

Attribute Type: integer

Remarks:

7.19 Ice Drift Direction

7.20 Ice Drift Direction

Table 7-10

IHO Definition: ICEDDR indicates the direction in which an ice mass is drifting.

Attribute Type: enumeration

1) 01

IHO Definition: No Ice Motion

2) 02

IHO Definition: Ice Drift to NE

IHO Definition : Ice Drift to E

4) 04

IHO Definition: Ice Drift to SE

5) 05

IHO Definition: Ice Drift to S

6) 06 **IHO Definition** :lce Drift to SW

7) 07

IHO Definition: Ice Drift to W

80 (8

IHO Definition :lce Drift to NW

9) 09

IHO Definition: Ice Drift to N

10) 10

IHO Definition: Variable

99) 99

IHO Definition :Undetermined/Unknown

7.21 Ice Drift Speed

7.22 Ice Drift Speed

Table 7-11

IHO Definition: ICEDSP describes the speed in knots at which an ice mass is traveling.

Attribute Type: real

Remarks:

7.23 Ice Fracture Type

7.24 Ice Fracture Type

Table 7-12

IHO Definition: ICEFTY indicates the type of fracture, based upon width.

Attribute Type: enumeration

1) 01

IHO Definition :Crack (0 to 1m wide)

2) 02

IHO Definition: Very Small Fracture (>1m to 50m wide)

3) 03

IHO Definition :Small Fracture (>50m to 200m wide)

4) 04

IHO Definition : Medium Fracture (>200m to 500m wide)

5) 05

IHO Definition :Large Fracture (>500m wide)

Remarks:

7.25 Ice Keel Concentration

7.26 Ice Keel Concentration

Table 7-13

IHO Definition: ICEKCN describes the concentration of ice keels beneath an ice area.

Attribute Type: enumeration

1) 01

IHO Definition: 0/10 – 1/10

10) 10

IHO Definition: 1/10

12) 12

IHO Definition: 1/10 – 2/10

20) 20

IHO Definition :2/10

23) 23

IHO Definition: 2/10 – 3/10

30) 30

IHO Definition: 3/10

34) 34

 $\underline{\textbf{IHO Definition}}: 3/10-4/10$

40) 40

IHO Definition :4/10

45) 45

IHO Definition: 4/10 - 5/10

50) 50

IHO Definition: 5/10

56) 56

IHO Definition:5/10 – 6/10

60) 60

IHO Definition :6/10

67) 67

IHO Definition:6/10 – 7/10

70) 70

IHO Definition: 7/10

78) 78

IHO Definition: 7/10 - 8/10

80) 80

IHO Definition: 8/10

89) 89

IHO Definition:8/10 – 9/10

90) 90

IHO Definition: 9/10

91) 91

IHO Definition:9/10 – 10/10

92) 92

IHO Definition: 10/10

98) 98

IHO Definition: No Keels

99) 99

IHO Definition :Undetermined/Unknown

Remarks:

7.27 Ice Keel Frequency

7.28 Ice Keel Frequency

Table 7-14

IHO Definition: ICERFQ indicates the frequency of ice keels in number per nautical mile

Attribute Type: integer

Remarks:

7.29 Ice Keel Maximum Depth

7.30 Ice Keel Maximum Depth

Table 7-15

IHO Definition: ICERMT indicates the maximum depth of ice keels in decimetres.

Attribute Type : integer

7.31 Ice Keel Mean Depth

7.32 Ice Keel Mean Depth

Table 7-16

IHO Definition: Indicates the mean depth of ice keels in decimetres.

Attribute Type: integer

Remarks:

7.33 Ice Lead (or Fracture or crack) Width

7.34 Ice Lead (or Fracture or Crack) Width

Table 7-17

IHO Definition: ICELWD indicates the width of a lead or fracture or crack in metres.

Attribute Type: integer

Remarks:

7.35 Ice Lead Status

7.36 Ice Lead Status

Table 7-18

IHO Definition: The Ice Lead Status indicates the surface nature of the lead.

Attribute Type: enumeration

1) 01

IHO Definition :Open Lead

2) 02

IHO Definition :Frozen Lead

99) 99

IHO Definition :Undetermined/Unknown

Remarks:

7.37 Ice Location Information

7.38 Ice Location Information

Table 7-19

IHO Definition: ICELOC indicates whether the break is at a specific location, or whether there is a presence

in the area.

Attribute Type: enumeration

1) 01

IHO Definition: Specific Location

2) 02

IHO Definition: Presence in Area

7.39 Ice rafting Concentration

7.40 Ice Rafting Concentration

Table 7-20

IHO Definition: ICEFCN describes the concentration of ice rafting in an ice area. Attribute Type: enumeration 1) 01 **IHO Definition**: 0/10 - 1/10 10) 10 IHO Definition: 1/10 12) 12 **IHO Definition**: 1/10 – 2/10 20) 20 IHO Definition: 2/10 23) 23 **IHO Definition** :2/10 – 3/10 30) 30 IHO Definition: 3/10 34) 34 **IHO Definition**: 3/10 - 4/10 40) 40 IHO Definition :4/10 45) 45 **IHO Definition**: 4/10 - 5/10 50) 50 IHO Definition :5/10 56) 56 **IHO Definition**:5/10 – 6/10 60) 60 IHO Definition: 6/10 67) 67 **IHO Definition**:6/10 – 7/10 70) 70 IHO Definition: 7/10 78) 78 **IHO Definition**: 7/10 - 8/10 80)80 IHO Definition: 8/10 89) 89 **IHO Definition**:8/10 – 9/10 90) 90 IHO Definition: 9/10 91) 91 **IHO Definition**:9/10 – 10/10 92) 92 IHO Definition: 10/10 98) 98 **IHO Definition**: No Rafting IHO Definition :Undetermined/Unknown

7.41 Ice Ridge Clasification

Remarks:

7.42 Ice Ridge Classification

Table 7-21

IHO Definition: ICERDV describes the predominant type of ice ridge(s) present.

Attribute Type: enumeration

1) 01

IHO Definition : New Ridge

2) 02

IHO Definition: Weathered Ridge

3) 03

IHO Definition: Very Weathered Ridge

4) 04

IHO Definition: Aged Ridge

5) 05

IHO Definition: Consolidated Ridge

6) 06

IHO Definition :Ridge

7) 07

IHO Definition: Ridged Ice Zone

8) 08

IHO Definition: Ridge Barrier

99) 99

IHO Definition :Undetermined/Unknown

Remarks:

7.43 Ice Ridge Concentration

7.44 Ice Ridge Concentration

Table 7-22

IHO Definition: ICERCN describes the concentration of hummocked ice in an ice area. Up to three values may be given in the list to correspond to the partial concentrations in ICEAPC.

Attribute Type: enumeration

1) 01

IHO Definition: 0/10 - 1/10

10) 10

IHO Definition: 1/10

12) 12

IHO Definition: 1/10 - 2/10

20) 20

IHO Definition :2/10

23) 23

IHO Definition :2/10 – 3/10

30) 30

IHO Definition: 3/10

34) 34

IHO Definition :3/10 – 4/10

40) 40

IHO Definition :4/10

45) 45

IHO Definition: 4/10 – 5/10

50) 50

IHO Definition :5/10

56) 56

IHO Definition:5/10 – 6/10

60) 60

IHO Definition :6/10

67) 67

IHO Definition:6/10 – 7/10

70) 70

IHO Definition :7/10

78) 78

IHO Definition: 7/10 - 8/10

80) 80

IHO Definition: 8/10

89) 89

IHO Definition:8/10 - 9/10

90) 90

IHO Definition: 9/10

91) 91

IHO Definition:9/10 - 10/10

92) 92

IHO Definition :10/10

98) 98

IHO Definition: No Ridging

99) 99

IHO Definition :Undetermined/Unknown

Remarks:

7.45 Ice Ridge Frequency

7.46 Ice Ridge Frequency

Table 7-23

IHO Definition: ICERFQ indicates the frequency of ice ridges in number per nautical mile

Attribute Type: integer

Remarks:

7.47 Ice Ridge Maximum Height

7.48 Ice Ridge Maximum Height

Table 7-24

IHO Definition: ICERMT indicates the maximum height of ice ridge(s) in decimetres.

Attribute Type: integer

Remarks:

7.49 Ice Stage of Developmenet

7.50 Ice Stage of Development

Table 7-25

IHO Definition: Ice Stage of Development describes the ages and thicknesses of the ice ('So, Sa, Sb, Sc and

Sď').

Attribute Type: enumeration

1) 01

IHO Definition: Ice Free

70) 70

IHO Definition :Brash Ice

30) 80

IHO Definition: No stage of development

81) 81

IHO Definition :New Ice (<10 cm)

82) 82

IHO Definition :Nilas Ice Rind (<10 cm)

83)83

IHO Definition : Young Ice (10 to <30 cm)

84) 84

IHO Definition: Grey Ice (10 to <15 cm)

85) 85

IHO Definition: Grey - White Ice (15 to <30 cm)

86) 86

IHO Definition :First Year Ice (30 to 200 cm)

87) 87

IHO Definition: Thin First Year Ice (30 to <70 cm)

88)88

IHO Definition: Thin First Year Ice Stage 1 (30 to <50 cm)

89) 89

IHO Definition: Thin First Year Ice Stage 2 (50 to <70 cm)

90) 90

IHO Definition: Code not currently assigned

91) 91

IHO Definition: Medium First Year Ice (70 to 120 cm)

92) 92

IHO Definition: Code not currently assigned

93) 93

IHO Definition: Thick First Year Ice (>120 cm)

94) 94

IHO Definition: Residual Ice

95) 95

IHO Definition :Old Ice

96) 96

IHO Definition : Second Year Ice

97) 97

IHO Definition : Multi-Year Ice

98) 98

IHO Definition :Glacier Ice (Icebergs)

99) 99

IHO Definition: Undetermined/Unknown

Remarks:

7.51 Ice Thickness Type

7.52 Ice Thickness Type

Table 7-26

IHO Definition: ICETTY indicated whether the thickness of the ice was measured or estimated.

Attribute Type: enumeration

1) 01

IHO Definition: Measured

2) 02

IHO Definition: Estimated

99) 99

IHO Definition :Undetermined/Unknown

Remarks:

7.53 Iceberg Size

7.54 Iceberg Size

Table 7-27

IHO Definition: The "Iceberg Size" categorizes the size of an iceberg.

Attribute Type: enumeration

1) 01

IHO Definition: Growler (<1m asl)
2) 02

IHO Definition: Bergy Bit (1-<5m asl; 5-<15m length)
3) 03

IHO Definition: Small Iceberg (5-15m asl; 15-60m length)
4) 04

IHO Definition: Medium Iceberg (16-45m asl; 61-120m length)
5) 05

IHO Definition: Large Iceberg (46-75m asl; 121-200m length)
6) 06

IHO Definition: Very Large Iceberg (>75m asl; >200m length)
7) 07

IHO Definition: Ice Island Fragment
8) 08

IHO Definition: Ice Island (in the Northern Hemisphere) or Very Large Tabular Berg (in the Southern Ocean)
9) 09

IHO Definition: Radar Target
99) 99

IHO Definition: Undetermined/Unknown

Remarks:

7.55 Lake Ice Stage of Development

7.56 Lake Ice Stage of Development

Table 7-28

IHO Definition: Lake Ice Stages of Development describe the ages and thicknesses of lake ice. ('So, Sa, Sb, Sc and Sd') Attribute Type: enumeration 1) 01 **IHO Definition**: New Lake Ice (<5cms) 2) 02 IHO Definition: Thin Lake Ice (5-<15cms) 3) 03 IHO Definition :Medium Lake Ice (15-<30cms) IHO Definition :Thick Lake Ice (30-70cms) 5) 05 **IHO Definition**: Very Thick Lake Ice (>70cms) 70) 70 IHO Definition :Brash Ice 99) 99 **IHO Definition**: Undetermined/Unknown Remarks:

7.57 Level Ice

7.58 Level Ice

Table 7-29

IHO Definition: ICELVL is an indication as to whether or not the ice has been affected by deformation

Attribute Type: enumeration
1) 01

IHO Definition: Level(undeformed)
2) 02

IHO Definition: Deformed

99) 99

IHO Definition: Undetermined/Unknown

Remarks:

7.59 Maximum Ice Thickness

7.60 Maximum Ice Thickness

Table 7-30

IHO Definition: ICEMAX specifies the maximum thickness of the ice.

Attribute Type: integer

Remarks:

7.61 Maximum Width of Ice Lead (or Fracture or Crack)

7.62 Maximum Width of Ice Lead (or Fracture or Crack)

Table 7-31

IHO Definition: IA_DXW defines the maximum width of the lead or fracture or crack.

Attribute Type: integer

Remarks:

7.63 Minimum Width of Ice Lead (or Fracture or Crack)

7.64 Minimum Width of Ice Lead (or Fracture or Crack)

Table 7-32

IHO Definition: IA_DMW defines the minimum width of the lead or fracture or crack.

Attribute Type: integer

Remarks:

7.65 Number of Ice Objecs

7.66 Number of Ice Objects

Table 7-33

IHO Definition: IA_OBN defines the number of ice objects (cracks, leads, fractures, icebergs).

Attribute Type : integer

7.67 Number of Icebergs in an Area

7.68 Number of Icebergs in Area

Table 7-34

IHO Definition: ICEBNM indicates the number of Icebergs within a specified area.

Attribute Type: integer

Remarks:

7.69 Snow Depth

7.70 Snow Depth

Table 7-35

IHO Definition: ICESCT specifies the depth of snow cover on the ice.

Attribute Type: integer

Remarks:

7.71 Snow Cover Concentration

7.72 Snow Cover Concentration

Table 7-36

IHO Definition: ICESCN indicates the concentration (aerial coverage) of snow in tenths.

Attribute Type: enumeration

1) 01

IHO Definition: 1/10

2) 02

IHO Definition: 2/10

3) 03

IHO Definition: 3/10

4) 04

IHO Definition :4/10

5) 05

IHO Definition: 5/10

6) 06

IHO Definition: 6/10

7) 07

IHO Definition:7/10

8) 08

IHO Definition: 8/10

9) 09

IHO Definition: 9/10

10) 10

IHO Definition: 10/10

IHO Definition :<1/10 12) 12

IHO Definition: No Snow Cover

IHO Definition :Undetermined/Unknown