
## **Exercise for Attendance**

## Code

```
👅 File Edit View Navigate Code Analyze Refactor Ruild Run Iools VCS Window Help exercise_for_attendance - main.dart [exercise_for_attendance] - Android Stu
   ▼ Resercise_for_attendance C:\Users\USER\Androi
     ▶ ■ android [exercise_for_attendance_android]
     ▶ 🗽 build
▶ 🖳 ios
                                                                void main() => runApp(MyApp());
     ▶ test
                                                              class MyApp extends StatelessWidget {
A
        ## .flutter-plugins-dependencies
        # .gitignore
₫ .metadata
                                                                 Widget build(BuildContext context) {
                                                                     title: 'Flutter Demo',
theme: ThemeData(
        = exercise_for_attendance.iml
        # pubspec.yaml
                                                                   - home: MyHomePage(),
        ► IIII External Libraries
     Scratches and Consoles
                                                             class MyHomePage extends StatefulWidget {
                                                                 _MyHomePageState createState() => _MyHomePageState();
                                                             class _MyHomePageState extends State<MyHomePage> {
👅 File Edit View Navigate Code Analyze Refactor Build Run Iools VCS Window Help exercise_for_attendance - main.dart [exercise_for_attendance] - Android Studio
     ► I android [exercise_for_attendance_android]
     ▶ 🖙 build
▶ 🚞 ios
     ▶ In test
        🐇 .gitignore 🗂 .metadata
                                                               Moverride
     Scratches and Consoles
                                                                          — Padding(
                                                                           padding: const EdgeInsets.all(10.0),
— child: Text(
                                                                                "An Example How on Flutter Sensor library is used",
style: TextStyle(fontSize: 18.0, fontWeight: FontWeight.w900),
```

```
🔼 File Edit View Navigate Code Analyze Refactor Build Run Iools VCS Window Help 💎 exercise for attendance - main.dart [exercise_for_attendance] - Android Studio
     exercise_for_attendance C:\Users\USER\Andro
     ► 📭 android [exercise_for_attendance_android]
     ▶ 🗽 build
▶ 🛄 ios
                                                         flutter-plugins
                                                                                   TableRow(
        🚜 .gitignore
                                                                                     children: [
                                                                                       - Padding(
                                                                                        padding: const EdgeInsets.all(8.0),
child: Text(
        reversise_for_attendance.iml
       机 pubspec.yaml
        ₫ README.md
      Scratches and Consoles
                                                                                    TableRow(
👅 File Edit View Navigate Code Analyze Refactor Ruild Run Tools VCS Window Help exercise for attendance - main.dart [exercise for attendance] - Android Studio
exercise_for_attendance ) lib ) 🐔 main.dart
  ▼ ■ exercise_for_attendance C:\Users\USER\Andro
     ► ■ android [exercise_for_attendance_android]
                                                                                         padding: const EdgeInsets.all(8.0),
     ► lig build
► light ios
► lib
        🗂 .flutter-plugins-dependencies
                                                                                       Padding(
                                                                                        padding: const EdgeInsets.all(8.0),
                                                                                          -child: Text(
                                                                                            y.toStringAsFixed(2), //trim the asis value to 2 style: TextStyle(fontSize: 20.0)), // Text
        exercise_for_attendance.iml
        apubspec.yaml
        Scratches and Consoles
                                                                                       padding.
— child: Text(
                                                                                        Padding(
                                                                                        padding: const EdgeInsets.all(8.0),
—child: Text(
```



## Screen short

