## ANDROID PROGRAMMING WITHFLUTTER

## Flutter Exercise page 33 Exploring widget

Source code

```
check_attendance_week5
                                         import 'package:flutter/material.dart';
  ▼ 📭 check_attendance_week5 C:\Users\US
                                          void main() => runApp(MyApp());
    android [check_attendance_week5]
    ▶ 😹 build
▶ 🛄 ios
                                          Widget build(BuildContext context) {
                                             return MaterialApp(
       🚜 .gitignore
                                               - appBar: AppBar(
       # .metadata
      .packages
      rheck_attendance_week5.iml
                                             ) , // Scaffold
theme: ThemeData(primarySwatch: Colors.purple),
      # pubspec.lock
       👬 pubspec.yaml
      ₫ README.md
                                         class MoneyBox extends StatelessWidget {
                                         String title ; // List name
double amount; // Money Amount
                                         Color color;

double size; // size of container
```

```
🚈 File Edit <u>View N</u>avigate Code Analyze <u>R</u>efactor <u>B</u>uild R<u>u</u>n <u>T</u>ools VC<u>S W</u>indow <u>H</u>elp - check_attendance_week5 - main.dart.[check_attendance_week
T: Project
                                                          MoneyBox(this.title,this . amount,this.color,this . size );
   ▼ In check_attendance_week5 C:\Users\US 28
     ► I android [check_attendance_week5]
      build ios
                                                              padding: const EdgeInsets.all (10.0) ,
      ▼ lib
                                                                  color: color, borderRadius: BorderRadius.circular(10)), // BoxDecoration
Reson
                                                              height: size ,
           🐔 main.dart
                                                            -child: Row(
         🚜 .gitignore
         🏥 .metadata
         🗂 .packages
                                                  rheck_attendance_week5.iml
         d pubspec.lock
         📶 pubspec.yaml
                                                                  -child: Text(

₫ README.md

                                                                       amount.toString(),
                                                  Widget myLayoutWidget() {
                                                         return Padding(
                                                         padding: const EdgeInsets.all (10.0) ,
 👅 <u>File Edit View N</u>avigate <u>C</u>ode Analyze <u>Refactor Build Run Jools VCS Wi</u>ndow <u>H</u>elp - check_attendance_week5 - main.dart[check_attendance_week5] - Android Studio
     check_attendance_week5 C:\Users\US
     ▶ android [check_attendance_week5]
    ▶ 🗽 build
▶ 🛄 ios
                                                 Widget myLayoutWidget() {
        🚜 .gitignore
                                                  padding: const EdgeInsets.all (10.0) ,
— child: Column(
        🖺 .packages
                                                    — SizedBox(height: 10,) ,
— MoneyBox('Income',50000,Colors.green,100'),

₫ README.md

                                                    MoneyBox('Overdue',3600,Colors.orange,100 ),
— SizedBox(height: 10,) ,
```

## Emulator mode

