```jsp
<%@page import="org.apache.catalina.connector.Response"%>
<%@page import="Web.Edit"%>
<%@page import="java.io.PrintWriter"%>
<%@page import="DB.DB_Info"%>
<%@page import="bean.Information"%>
<%@page import="java.sql.*"%>
<%@ page language="java" contentType="text/html; charset=windows-1256"
    pageEncoding="windows-1256"%>
<!DOCTYPE html>
<html>
<head>

<meta charset="windows-1256">
<style><%@ include file="css/Lists.css"%>

body {font-family: Arial;}

/* Style the tab */
.tab {
  overflow: hidden;
  border: 1px solid #ccc;
  background-color: #f1f1f1;
}
label{
font-style:italic;

font-size: 14px;
}
h2{
```

```css
  font-size: 21px;


}
.lebel_list{
font-size: 21px;
}
/* Style the buttons inside the tab */
.tab button {
  background-color: inherit;
  float: left;
  border: none;
  outline: none;
  cursor: pointer;
  padding: 14px 16px;
  transition: 0.3s;
  font-size: 17px;
}

/* Change background color of buttons on hover */
.tab button:hover {
  background-color: #ddd;
}

/* Create an active/current tablink class */
.tab button.active {
  background-color: #ccc;
}

/* Style the tab content */
```

```css
.tabcontent {
  display: none;
  padding: 6px 12px;
  border: 1px solid #ccc;
  border-top: none;
}
</style>
```

```html
<title>Editing</title>
</head>
<body>

<h2>Tabs</h2>
<p>Click on the buttons inside the tabbed menu:</p>
<form action="edit" method="post">
<button type= "submit" name="GetBack">Get Back</button>
</form>
<div class="tab">
 <button class="tablinks" onclick="openBar(event, 'class')">Assign classes</button>
 <button class="tablinks" onclick="openBar(event, 'teacher')">Assign Teachers</button>
 </div>

<div id="class" class="tabcontent">
 <h3>Enter Data </h3>
 <form action="edit" method="post">
   <label for="SubjectName">Subject Name:</label><br><br>
 <input type = "text" id = "SubjectName" name ="SubjectName"><br><br>
 <label for="classNum">Class Number:</label><br><br>
 <input type = "text" id = "classNum" name ="classNum"><br><br>
```

```html
<label for="ClassTime">Class Time:  (without any latters)</label><br><br>

<input type = "text" id = "classTime" name ="classTime"><br><br>


<button type= "submit" name="assign" >Assign</button>
</form>




<br><br><br>
<h2>Subject Not Assigned</h2>          <br><br>
                    <%
                                        DB_Info db = new DB_Info();
                                        Connection conn = db.getConnection();
                                        Statement stmt = conn.createStatement();
                                        ResultSet rs;
                                        rs = stmt.executeQuery("SELECT subject.sub
from "+

                                        "subject where class is NULL and time is NULL");

                                        while (rs.next()) {
                                                out.print("<div class='st_row'>");

                                                out.println("<div class='st_column
_ID'>" + rs.getString("sub") + "</div>");

                                                out.print("</div>");

                                        }
```

```jsp
                                        rs.close();
                                        %>

            <br><br><br>

             <h2>Classes Availabel</h2>     <br><br>

                        <%

                                        rs = stmt.executeQuery("Select classes.class
from classes where time is null");

                                        while (rs.next()) {
                                                out.print("<div class='st_row'>");

                                                out.println("<div class='st_column
_ID'>" + rs.getInt("class") + "</div>");

                                                out.print("</div>");

                                        }
                                        rs.close();
                                        %>

</div>

<div id="teacher" class="tabcontent">

 <h3>Enter Data </h3>
 <form action="edit" method="post">
 <label for="TeacherID">Teacher ID:</label><br><br>
 <input type = "text" id = "TeacherID" name ="TeacherID"><br><br>
```

```html
<label for="TeacherName">Teacher Name:</label><br><br>

<input type = "text" id = "TeacherName" name ="TeacherName"><br><br>

 <label for="classNumber">Class Number:</label><br><br>

<input type = "text" id = "classNumber" name ="classNumber"><br><br>

 <label for="classTime">Class Time:</label><br><br>

<input type = "text" id = "classTime" name ="classTime"><br><br>

<button type= "submit" id="assign" name="assignNTeacher" >Assign</button>

</form>


<br><br><br>

<h2>Teachers Not Assigned</h2>        <br><br>
```
```jsp
                        <%



                                                rs = stmt.executeQuery("SELECT teachers.ID ,
teachers.Name from teachers WHERE class is null and time is NULL ");



                                                while (rs.next()) {

                                                        out.print("<div class='st_row'>");



                                                        out.println("<div class='st_column
_ID'>" + rs.getInt("ID") + "</div>");

                                                        out.println("<div class='st_column
_ID'>" + rs.getString("Name") + "</div>");



                                                        out.print("</div>");



                                                }
                                                rs.close();
                                                %>
```

```
</div>


<script >

function openBar(evt, barName) {
 var i, tabcontent, tablinks;
 tabcontent = document.getElementsByClassName("tabcontent");
 for (i = 0; i < tabcontent.length; i++) {
  tabcontent[i].style.display = "none";
 }
 tablinks = document.getElementsByClassName("tablinks");
 for (i = 0; i < tablinks.length; i++) {
  tablinks[i].className = tablinks[i].className.replace(" active", "");
 }
 document.getElementById(barName).style.display = "block";
 evt.currentTarget.className += " active";
}


</script>

</body>
</html>
```