

LAN Design for Golf View Apartments Master Plan

- **Personal Areas:**

- Block A: 6 flats x 15 floors = 90
- Block B: 5 flats x 14 floors = 70
- Block C: 4 flats x 14 floors = 56
- Block D: 7 flats x 14 floors = 98
- Block E: 5 flats x 14 floors = 70
- Total flats = **384**

- **Common Areas:**

- Club House: 4 rooms x 2 floors = 8
- Basement (private parking)
- Garden, Playgrounds
- Footpath, Guest parking
- Entrance, Exit Gate



Network Requirements

- **Personal Areas:**

- **200Mbps** private connection per **flat** (384).
- A flat may choose a lower or higher bandwidth.
- All flats in a **block** choose a **common ISP**.
- Each floor needs **3 security cameras** (2 stairs, 1 lift).
- Up to **6 security cameras** per **block** in **ground floor** (entrances).

- Flats: 1 WiFi router x 384 flats = 384

- **Common Areas:**

- **200Mbps** Public WiFi for each room in **club house**.
- **Basement** should support up to **15 security cameras**.
- **200Mbps** Public WiFi in garden, playgrounds, footpath (10+).
- Up to **15 security cameras** along the **footpath** (max).
- **2 HD security cameras** at **entrance, exit**.
- **Centralized security monitoring** at A-106 for all blocks.

- Club House: 4 WiFi AP x 2 floors = 8
- Garden, Playgrounds, Footpath: 10 WiFi AP (long range)

Network Plan: Personal Areas


- The network for Golf View Apartments requires a **personal (private) internet connection** per-user as well as a **public internet connection**, that is paid through their society expenses.
- For the **personal network**, each **flat** is provided with a WiFi router, which creates a **private LAN** within the flat.
- All devices in each flat receive a private IP address of the form 192.168.1.*, which the router translates to a public IP address when it forwards packets to the internet.
- The **router** itself receives its **public IP address** from the **DHCP server** installed at **ISP's central office**. In order to make this work, all routers (from all flats) are connected into a single network, which is then linked with the ISP through **single-mode fiber** cable on the **switch**. A managed switch is used to allow rate-limiting per user if necessary.
- Routers of **each block** are connected up into a single network, and they are then connected to the ISP separately. This ensures it is possible to **switch ISP** for each block separately if so desired by the owners.
- **8-port gigabit unmanaged switches** connect all routers on a **floor** (4-7). Each such switch is then connected to the **central managed switch** per **block**. The central switch is a **10 gigabit switch** with **4 SFP ports** for optical fibre termination from ISP.
- Assuming an average of **6 flats per floor** with **200Mbps** connection a **1 Gb** switch should be enough as users are not all using full-bandwidth all the time.
- Similarly a **10 Gb** central switch is expected to be sufficient for an average of **14 floor** (per block).
- Per **floor** a **network cabinet**, w/ patch panel is used, and **network rack w/ patch panel** in **central room** (106).

Network Plan: Common Areas

- The **common areas** for Golf View Apartments require a **public internet connection**, that is paid through their society expenses. This is designed as a separate network, which connects all **IP security cameras** and **wireless access points** on a local network. This local network is then connected through a **router** to an **ISP**.
- All the network devices (cameras, APs) are initially connected to other nearest ones with an **8-port gigabit unmanaged switch** (this includes the ones within the club house), and later connected to the nearest **24-port 10 gigabit managed central switch** that is installed one per **block**.
- The central switch is to be kept in **flat 106** of each **block**. This flat is reserved by the management. This central switch is not connected to the Personal Net central switch also present at the same site.
- The per-**block central switches** are then connected with **Cat6 cable** (all ethernet cables used are Cat6) to the **central router** that is placed in Block A.
- This central router makes the common area devices into one **common private network**, assigning private IP addresses to each device with its DHCP.
- The **router** in turn receives its **public IP** from **ISP's DHCP** and it uses this to translate any packets sent from cameras & APs to public IP for the internet, vice versa.
- The central **router** is **10 gigabit** with **2 SFP** ports for optical fibre termination from ISP.
- The society doesn't expect heavy internet usage from common areas and hence **10 GbE per-block switches & 10 GbE central router** is considered sufficient.
- Uses same rack space as the Personal Net devices.


Network Design

Block A Floor (similar for Blocks B-E)




Basement near Block A (similar for Blocks B-E)

Network Design




Network Design


Footpath near Block A (similar for Blocks B-E)



Network Design




Network Design



Block A-106 Central (similar for Blocks B-E)

Network Design



Network Implementation

- MikroTik CRS326-24G-2S+RM router: ₹18,000
- Ubiquiti UF-SM-10G transceiver: ₹4,000
- TP-Link Jetstream T1600G-28TS switch: ₹1,90,000
- TP-Link 10GBase-LR SFP+ LC Transceiver: ₹20,000
- TP-Link TL-SG108E switch: ₹4,16,000
- TP-Link TL-WA901N WiFi AP: ₹37,500
- TP-Link TL-WR845N WiFi router: ₹6,54,500
- 2U Wall mount Cabinet Box: ₹1,10,500
- 12U Wall mount Network Rack: ₹48,000
- Cat6 RJ45 Connector Plugs w/ Hood: ₹18,000
- Cat6 Ethernet Cable (Roll): ₹1,50,000
- RJ45 Cat6 Cable Jointer: ₹3,000
- 1.5m Cat6 Patch Cable: ₹1,35,000
- M6 Cage Nuts, Washers & screws: ₹27,000
- Mass Rack 10" Tray: ₹36,000
- D-Link 24-port Cat6 Patch Panel: ₹2,70,000
- RJ45/11 Crimper, Cutter & Stripper Tool: ₹3,000
- River Fox Punch Down Tool Cat 5e/6: ₹1,500
- Moelissa MS-LT02 RJ45/11 Cable tester: ₹1,500
- **Total Cost: ₹21,43,500**

RS1 MikroTik CRS326-24G-2S+RM Cloud Router Switch

- This is the router for devices (cameras, WiFi access points) common network. It does the job of a DHCP server, assigning private IP addresses to each common net device and translating any packets forwarded to the internet to public address (NAT/PAT).
- Single mode optical fibre connection from ISP is terminated here (from ISP's central office). This is a separate connection taken by the Golf View Society and a common internet connection for internet access provided in Club House, Gardens, Playgrounds & Footpath.
- 24 x 1 Gb ethernet port
- 2 x 10 Gb SFP+ cages
- Dual boot RouterOS / SwOS
- 1 as the central router.
- **Quantity: 1**
- **Cost: ₹18000 x 1 = ₹18,000**



Ubiquiti UF-SM-10G 1310nm 10km SFP+ Transceiver

- This Small Form-factor Pluggable (SFP) optical transceiver is to be inserted into the SFP+ cage of **RS1**, so that a 10Gpbs 1270/1330nm fiber line can be terminated at the router. The optical fiber must be a single-mode fiber upto 10km length. It accepts dual LC connector
- This is the router for devices (cameras, WiFi access points) common network. It does the job of a DHCP server, assigning private IP addresses to each common net device and translating any packets forwarded to the internet to public address (NAT/PAT).
- Single mode optical fibre connection from ISP is terminated here (from ISP's central office). This is a separate connection taken by the Golf View Society and a common internet connection for internet access provided in Club House, Gardens, Playgrounds & Footpath.
- 2 per block as central switch.
- **Quantity:** 2 x 5 blocks = 10
- **Cost:** ₹2000 x 2 = **₹4,000**



SW2 TP-Link Jetstream T1600G-28TS 24port Managed Switch

- This is the central switch that is for both personal & common net.
 - In the personal net, each floor's router connect to this central switch. Single mode optical fibre connection from ISP is terminated here (from ISP's central office). This connection is kept different for each block. The ISP's DHCP assigns public IP to all home routers in each flat.
 - In the common net, switches from club, basement, footpath connect here. This is installed per block, so the access switches always connect to the nearest central switch. The central switches connect together from each block to the central router over Cat6 cable. As a whole they form a LAN behind the router.
- 2 per block as central switch.
 - **Quantity:** 2 x 5 blocks = 10
 - **Cost:** ₹19000 x 10 = **₹1,90,000**
- 24 x 1 Gb ethernet port
 - 4 x SFP slots



TP-Link 10GBase-LR SFP+ LC Transceiver

- This is used with private net central switches to connect to ISP. The connection is individually made for each block.
- Single mode optical fibre connection from ISP is terminated through (from ISP's central office) this transceiver.
- Wave Length 1310 nm
- Fiber Type 9/125 μ m Single-Mode
- Max. Cable Length 10km
- Data Rate 1.25 Gbps
- Data Rate 10Gbps
- Port Type LC/UPC
- 2 per central switch of personal net.
- **Quantity:** 2 x 5 blocks = 10
- **Cost:** ₹2000 x 10 = **₹20,000**



SW1 TP-Link TL-SG108E 8-port GbE Unmanaged Switch

- This is an unmanaged switch that is used to make first level connections in both the personal and the common network. It then connects to the nearest central switch that is installed per block.
- 2 per floor (inc. club), 5 for basement, 5 for footpath, 1 for entry.
- **Quantity:** 2 x 14 floors x 4 blocks + 2 x 15 floors + 2 club + 5 basement + 5 footpath + 1 entry + 2 spares = 160
- **Cost:** ₹2600 x 160 = ₹4,16,000



TP-Link TL-WA901N Wireless Access Point

- This is a wireless access point without a router. It has the ability to extend WiFi. Used to provide internet connection in common areas.
- 1 in each room of club house + 15 across footpath
- **Quantity:** 4 rooms x 2 floors (club) + 15 footpath + 2 spares = 25
- **Cost:** ₹1500 x 25 = ₹37,500



TP-Link Archer A5 AC 1200 WiFi Dual Band Wireless Router

- This wireless router is provided to each flat. It is a dual band router to support more mobile devices.
- 1 for each flat
- **Quantity:** 1 x 384 flats + 1 spare = 385
- **Cost:** ₹1700 x 385 = ₹6,54,500



2U Wall mount Cabinet Box

- Holds the network devices onto the wall, for stable setup.
- 1 per floor + 2 for club + 1 for basement/block + 1 external/block + 1 entry/exit
- **Quantity:** 1 x 14 floors x 4 blocks + 1 x 15 floors + 2 club + (1 + 1) x 5 blocks + 1 entry + 1 spare = 85
- **Cost:** ₹1300 x 85 = **₹1,10,500**



12U Wall mount Network Rack

- Holds the network devices onto the wall, for stable setup.
- 1 per block (for switches) + 1 for central router
- **Quantity:** 1 x 5 blocks + 1 = 6
- **Cost:** ₹8000 x 6 = **₹48,000**



Cat6 RJ45 Connector Plugs w/ Hood

- This is the connector for Cat6 cable with staggered pins, which helps isolate signals at the port. It also minimizes distance from cable to reduce cross-talk.
- 2 per flat, 4 + 6 per floor (camera), 2 for external long connections, 2 for external short connections, 2 for block-block connections.
- **Quantity:** 2 x 384 flats + 10 x 14 floors x 4 blocks + 10 x 15 floors + 2 x (15 basement + 15 footpath cam + 15 wireless AP) + 2 x 2 entry/exit + 2 x (3 + 3 + 3) + 2 + 2 x 4 blocks + 400 spare = **2000**
- **Cost:** ₹9 x 2000 = **₹18,000**




Cat6 Ethernet Cable (Roll)

- Cat 6 cable supports 10Gbps utp 55m & 1Gbps upto 100m. Unlike Cat5e cable its wire pairs are twisted tighter, and it has a central plastic pair separator to maintain inter-pair distance as mentioned in the Cat6 specification. It is used for all cabling for uniformity sake.
- Avg. 10m per flat, avg. 40m + 30m (camera) per floor, 20m for external long connections, 10m for external short connections (including club house), 60m for block-block connections.
- **Quantity:** 10 x 384 flats + 70 x 2 x 14 floors x 4 blocks + 70 x 2 x 15 floors + 10 x (15 basement + 15 footpath cam + 15 wireless AP) + 10 x 2 entry/exit + 20 x (3 + 3 + 3) + 20 + 60 x 4 blocks + 310 spare = **15000**
- **Cost:** ₹10 x 15000 = **₹1,50,000**



RJ45 Cat6 Cable Jointer (Couple Plug)

- It is used to connect together 2 ethernet cables to form a longer cable. It also helps for maintaining some modularity.
- 2 per IP security camera & wireless AP.
- **Quantity:** 2 x (15 basement + 15 footpath cam + 15 wireless AP) + 2 x 2 entry/exit cam + 6 spares = **100**
- **Cost:** ₹30 x 100 = **₹3,000**



1.5m Cat6 Patch Cable

- It makes it easy to make a connection between a port in a patch panel to a port on a network device. It is usually made of stranded copper wire for repeated use.
- 16 needed per floor (inc. club house). 48 needed per block, central room & a few spares.
- **Quantity:** 16 x 14 floors x 4 blocks + 16 x 15 floors + 16 x 2 club + 48 x 5 blocks + 48 central + 44 spares = 1500
- **Cost:** ₹90 x 1500 = **₹1,35,000**



RJ45 Cat 6 Ethernet Cable Network LAN Cable

M6 Cage Nuts, Washers & Mounting screws for Server Rack & Cabinet

- It is used to mount network devices to racks.
- 16 needed per floor (inc. club house). 24 needed per block, central room & a few spares.
- **Quantity:** 16 x 14 floors x 4 blocks + 16 x 15 floors + 16 x 2 club + 24 x 5 blocks + 24 central + 38 spares = 1350
- **Cost:** ₹20 x 1350 = ₹27,000



Mass Rack 10" Tray

- Used to store additional length of cables below patch panel.
- 1 needed per floor (inc. club house). 2 needed per block, central room & a few spares.
- **Quantity:** 1 x 14 floors x 4 blocks + 1 x 15 floors + 1 x 2 club + 2 x 5 blocks + 2 central + 5 spares = 90
- **Cost:** ₹400 x 90 = ₹36,000



D-Link 24-port Cat6 Patch Panel

- It has ready to use RJ45 sockets on a panel that can be directly attached to a network rack. This helps in cable management, and allows one to easily visualize, setup and debug network connections to switches / routers.
- 1 needed per floor (inc. club house). 2 needed per block, central room & a few spares.
- **Quantity:** 1 x 14 floors x 4 blocks + 1 x 15 floors + 1 x 2 club + 2 x 5 blocks + 2 central + 5 spares = 90
- **Cost:** ₹3000 x 90 = **₹2,70,000**



RJ45/11 Crimper, Cutter & Stripper Tool

- This is a multitool that enables ethernet cables to be cut, insulation stripped, and the crimped onto a, RJ45 connector.
- Would be useful when performing network setup to the flats, per floor cabinets as well as in network rack for server room. Preferable to have one spare per block.
- **Quantity:** 5 blocks x 1 = 5
- **Cost:** ₹600 x 5 = **₹3,000**



River Fox Punch Down Tool Cat 5e/6

- It helps connect LAN cable to RJ45 socket (Keystone) in a Wall socket or a Patch panel. After stripping the outer cover of the Cat6 cable & plastic pair-separator, and plugging it into a Keystone, a neat connection can be made with this tool.
- Would be useful when performing network setup to the flats, per floor cabinets as well as in network rack for server room. Preferable to have one spare per block.
- **Quantity:** 5 blocks x 1 = 5
- **Cost:** ₹300 x 5 = ₹1,500



Moelissa MS-LT02 RJ45/11 Cable tester

- It helps check if a cable is properly connected to a network device (like switch). The remote helps identify wire you have connected to, if there are too many tangled wires.
- Would be useful for debugging connectivity issues when performing network setup / management. Preferable to have one spare per block.
- **Quantity:** 5 blocks x 1 = 5
- **Cost:** ₹300 x 5 = ₹1,500

