



भारतीय सूचना प्रौद्योगिकी संस्थान, पुणे

Indian Institute of Information Technology, Pune

(An Institute of National Importance by an Act of Parliament)

Gat No - 5 & 6, Vill - Nanoli-Tarf Chakan, PO – Talegaon, Tah – Maval, Dist - Pune, Maharashtra – 410507

आईआईआईटीपुणे/वर्क्स/निविदा/शॉपिंग कॉम्प्लेक्स/2025/5128

09.10.2025

निविदा आमंत्रण सूचना

NOTICE INVITING TENDER (NIT)

The Director, Indian Institute of Information Technology (IIIT) Pune, invites sealed percentage rate tenders in two-bid system (Technical Bid and Financial Bid) from experienced and eligible contractors/firms for the following work:

1. कार्य का नाम / **Name of Work**: Construction of Temporary Shopping Complex at IIIT Pune Campus.
2. अनुमानित लागत / **Estimated Cost**: ₹48,04,208.23/- (Rupees Forty-Eight Lakh Four Thousand Two Hundred Eight and Paise Twenty-Three Only)
(Based on DSR 2025 Electrical Work and DSR 2023 Civil Work with 112% cost index for Pune, as considered by CPWD Pune).
3. जमानत राशि / **Earnest Money Deposit (EMD)**: ₹1,20,000/- (Rupees One Lakh Twenty Thousand Only) in the form of Demand Draft/Banker's Cheque in favour of *Indian Institute of Information Technology Pune*, payable at Pune.

- a. Bidders with valid UDYAM MSE Certificates shall be exempted from payment of EMD.
- b. Alternatively, EMD can be paid online through:
<https://www.iiitp.ac.in/page/institute-payments>

Instructions for submission of EMD:

1. Click on the above link.
 2. Select Other Important Payment Related Tender/Guest House/Event/ Application/Sponsorship/Other
 3. Fill up the necessary details
 4. Make the payment
 5. Save and upload the generated payment slip with the Technical Bid.
4. कार्य पूरा करने की अवधि / **Time of Completion**: 04 (Four) Months from the date of issue of Work Order.
 5. पात्रता मानदंड / **Eligibility Criteria**:
 - a. The bidder must be a registered contractor with CPWD/MES/State PWD/PSU or equivalent Govt. Department.
 - b. Should have completed:
 - Three similar works each costing $\geq 40\%$ of estimated cost **OR**

- Two similar works each costing $\geq 60\%$ of estimated cost **OR**
- One similar work costing $\geq 80\%$ of estimated cost,

in the last 7 years in Govt/PSU/Autonomous Institution.

- Valid GST Registration and PAN card.
- Average annual turnover of ₹40 Lakhs during the previous 5 financial years.
- Should not have been blacklisted by any Govt./PSU/Autonomous Institution.

6. महत्वपूर्ण तिथियाँ / Important Dates:

- Issue of NIT: 09.10.2025 – 04:00 PM
- Start of submission: 10.10.2025 – 11:00 AM
- Pre-Bid Meeting: 16.10.2025 – 02:00 PM (Offline at IIIT Pune / Online via meeting link on request).

Note: Interested bidders may join for Pre-Bid Meeting Offline/ Online. For Online meeting, bidders may send an email to js1.procurement@iiitp.ac.in for a meeting link. For offline meeting the bidders may reach to the Conference Room, Indian Institute of Information Technology (IIIT) Pune, Gat No: 5 & 6, Vill: Nanoli Tarf Chakan, PO: Talegaon, Tah: Maval Dist: Pune, Maharashtra - 410507 at the scheduled time.

- Last Date for Submission of Bids: 31.10.2025 – 05:00 PM
- Opening of Technical Bids: 03.11.2025 – 11:00 AM
- Opening of Financial Bids: To be published later on the Institute website.

Note: List of eligible bidders in the Technical evaluation stage shall be published on the website Bidders may depute their authorised representative to be present at the Institute while opening of the Financial Bids.

7. निविदा जमा करने की प्रक्रिया / Submission of Tender:

- Two-envelope system:
 - Envelope-I (Technical Bid):** Eligibility documents, CA certified turnover certificate with UDIN, EMD, and all technical details.
 - Envelope-II (Financial Bid):** Duly filled percentage-based financial bid (Annexure A).
- Both envelopes sealed separately and placed inside a third envelope marked: *“Tender for Construction of Temporary Shopping Complex at IIIT Pune Campus”*
- The envelope should be addressed to:

The Registrar, Indian Institute of Information Technology Pune, Gat No: 5 & 6, Nanoli Tarf Chakan, PO: Talegaon, Tah: Maval, Dist: Pune, Maharashtra – 410507
- It shall be the sole responsibility of the bidder to ensure that the tender documents are submitted to the Institute on or before the stipulated last date and time. The Institute shall not be responsible for any delay in submission of bids due to postal transit, courier service, or any other reasons whatsoever.

Note: Bidders are further informed that the Institute is located in a relatively remote area; hence, they are strongly advised to confirm the availability and reliability of postal, courier, or logistics services before dispatching their bids.

- e. In the event of any doubt, ambiguity, or lack of clarity with respect to the technical specifications or works-related requirements, the provisions and criteria laid down in the CPWD Manual shall be treated as final and binding, and the same shall prevail over all other references or interpretations.
- f. For any query related to the Tender Conditions an Email may be sent to registrar@iiitp.ac.in

कुलसचिव
भारतीय सूचना प्रौद्योगिकी संस्थान पुणे

निविदा दस्तावेज़/ TENDER DOCUMENT

आईआईआईटी पुणे परिसर में अस्थायी शॉपिंग कॉम्प्लेक्स का निर्माण

Construction of Temporary Shopping Complex at IIIT Pune Campus

1. Tender No.: IIITPune/Works/Tender/Shopping Complex/2025/5128
2. Estimated Cost: ₹48,04,208.23/- (Rupees Forty-Eight Lakh Four Thousand Two Hundred Eight and Paise Twenty-Three Only)
(Based on DSR 2025 Electrical Work and DSR 2023 Civil Work with 112% cost index for Pune, as considered by CPWD Pune).
3. Time for Completion: 04 Months
4. Mode of Tender: **Two-Bid System** (Technical & Financial)
 - A. The tender shall be submitted in a two-envelope system:
 - a. Envelope-I (Technical Bid): Shall contain eligibility documents, CA certified turnover certificate with UDIN, EMD, and all technical details.
 - b. Envelope-II (Financial Bid): Shall contain only the financial bid (duly filled, signed, and stamped).
 - B. Both envelopes shall be sealed separately, clearly superscribed as "*Technical Bid – Tender for Construction of Temporary Shopping Complex at IIIT Pune Campus*", and placed inside a third sealed envelope superscribed as: "*Tender for Construction of 06 Nos. Security Watch Towers at IIIT Pune*"
 - C. The envelope should be addressed to:

The Registrar
Indian Institute of Information Technology (IIIT) Pune,
Gat No: 5 & 6, Vill: Nanoli Tarf Chakan,
PO: Talegaon, Tah: Maval Dist: Pune, Maharashtra - 410507.

बोलीदाताओं के लिए निर्देश/ INSTRUCTIONS TO BIDDERS (ITB)

1. General

- a. Sealed tenders are invited on behalf of the Director, IIIT Pune, under a two-bid system (Technical and Financial).
- b. The work shall be executed as per Specifications mentioned on this document and directions of the Engineer-in-Charge, IIIT Pune.

2. Submission of Bids

- a. The bidder must submit the **Technical Bid** and **Financial Bid** in two separate sealed envelopes as per the instructions provided in this document.
- b. Tenders without EMD or Supporting documents for EMD exemptions shall be summarily rejected.

3. Technical Bid (Envelope-I) must include:

- a. EMD or Supporting documents for EMD exemptions
- b. Bidder's eligibility documents (work experience, registration, CA certified turnover certificate with UDIN, PAN, GST, etc.).

- c. Signed copy of NIT and all pages of tender documents as token of acceptance.

4. Financial Bid (Envelope–II) must include:

- a. A percentage based Financial bid (duly filled, signed, and stamped as per the format attached in Annexure A).
- b. Any overwriting must be counter signed by the bidder.
- c. In the event that two or more bidders quote equal financial value, the following criteria shall be applied sequentially to determine the successful bidder:
 - **Experience-Based Preference:** The bidder who has successfully completed a more number of contracts of similar nature and magnitude shall be given preference.
 - **Turnover-Based Preference:** If the tie persists after applying the above criterion, the bidder with the higher average annual turnover during the last five financial years shall be selected.

Note: The decision of the Institute in applying these criteria shall be final and binding.

5. Bid Opening

- a. Technical Bids will be opened on the scheduled date.
- b. Only those bidders who qualify technically will have their Financial Bids opened at a date that shall be informed to the eligible bidders in advance. Bidders may send their authorized representatives to the Institute at the scheduled date.

6. Validity of Tender

- a. Bids shall remain valid for 120 days from the date of opening of Technical Bid.

7. Eligibility Criteria: Bidders should meet the following eligibility criteria:





- a. The bidder must be a registered contractor with CPWD/MES/State PWD/PSU or equivalent Govt. department.
- b. The bidder should have completed at least three similar works each costing not less than 40% of the estimated cost OR two similar works each costing not less than 60% of the estimated cost OR one similar work costing not less than 80% of the estimated cost in the last 07 years in Government / PSU / Autonomous Institution.
- c. The bidder should have valid GST registration and PAN card.
- d. The bidder should have an average annual turnover of ₹40 Lakhs during the previous five financial years.
- e. The bidder should not have been blacklisted by any Government / PSU / Autonomous Institution.

कार्य का दायरा / SCOPE OF WORK

The work involves:

- Construction of **10 shops**:
 - 7 shops of **12' x 15' ft** each
 - 3 shops of **20' x 15' ft** each
- Load-bearing brick masonry structure** with GI Sheet roofing.
- Electrical works: **1 Fan point, 2 Light points, 2 Switches, and 2 Socket (15 Amp) per shop.**
- Water supply provision**: 1 overhead water tank of 5000 litres with platform.
- Sanitation facilities**: Separate toilets for Ladies, Gents, and Divyang (Persons with Disability).
- The contractor shall maintain all safety standards, quality control, and compliance with CPWD norms.
- An indicative layout drawing is enclosed below for reference purposes only. This drawing is intended to provide a general understanding of the proposed scope and site conditions. The final and detailed layout, incorporating all necessary dimensions, specifications, and site requirements, shall be provided to the selected contractor after the award of the contract and prior to the commencement of work.

Construction of Shop and Toilet



बीओक्यू/ BILL OF QUANTITIES (BOQ)

Description	Qty.	Unit	Rate	Total Amount	DSR 2023(Civil) DSR 2025 (Electrical)
Excavation					
Earth work in excavation by mechanical means (Hydraulic excavator) / in manual means in foundation trenches or drains (not exceeding 1.5 m width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.- All kinds of soil.	110	Cum	260.30	28633.00	2.8
Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m in width or 10 sgm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50 m.					
Ordinary rock	60	Cum	632.95	37977.00	2.9.1
Hard rock (blasting prohibited)	40	Cum	1523.05	60922.00	2.9.3
Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering. lead up to 50 and for all lift.	250	Cum	196.00	49000.00	2.25
PCC work					
1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)	27	Cum	7294.7	196956.90	4.1.5
1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources)	25	Cum	6518.6	162965.00	4.1.10
Brick work and Stone work					
Random rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:6:12 (1 cement : 6 coarse sand : 12 graded stone aggregate 20 mm nominal size) upto plinth level with : Cement mortar 1:6 (1 cement : 6 coarse sand)	70	cum	7311.25	511787.50	7.1.1
Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in	10	Cum	7132.25	71322.50	6.1.2

foundation and plinth in:Cement mortar 1:6 (1 cement : 6 coarse sand)					
Brick work with non modular fly ash bricks conforming to IS:12894, class designation 10 average compressive strength in super structure above plinth level up to floor V level in :Cement mortar 1:6 (1 cement : 6 Coarse sand)	110	Cum	8752.55	962780.50	6.34.2
Damp-proof course					
Providing and laying damp-proof course 40 mm thick with cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 12.5 mm nominal size derived from natural sources)	70	sqm	410.85	28759.50	4.1
Finishing Work					
15mm cement plaster on rough side of single or half brick wall of mix:1:6 (1 cement: 6 coarse sand)	320	sqm	395.35	126512.00	13.5.2
Internal-12 mm cement plaster of mix1:6 1:6 (1 cement: 6 fine sand)	600	sqm	333.35	200010.00	13.1.2
External - Finishing walls with Acrylic Smooth exterior paint of required shade :New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm)	320	sqm	160.6	51392.00	13.46.1
Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	600	sqm	156.05	93630.00	13.8
Internal - Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gram/litre, of approved manufacturer and of required shade and colour all complete to achieve even shade and colour : 13.411 New work (two or more coats) over and including water thinnable priming coat with cement primer having VOC content less than 50 gram/litre	600	sqm	185.65	111390.00	13.41.1
Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture	100	sqm	226.25	22625.00	13.62.1
Flooring work					

Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sgm including pointing the joints with white cement and matching pigment etc., complete.	35	sqm	1096.55	38379.25	11.37
Providing and fixing 1st quality ceramic glazed floor tiles conforming to IS : in 15622 (thickness to be specified by the manufacturer) of approved make all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete.	35	sqm	1112.7	38944.50	11.37A
Steel Work					
Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	750	Kg	117.35	88012.50	10.1
Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-Charge) of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05mm) with zinc coating 120 grams per sgm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, total excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	550	sqm	738.65	406257.50	12.50

WPC Door					
Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid door/window/Clerestory windows & other Frames/ Chowkhat comprising of virgin PVC polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/ wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) fabricated with miter joints after applying PVC solvent cement and screwed with full body threaded star headed SS screws having minimum frame density of 750 kg/cum, screw withdrawal strength of 2200 N (Face) & of 1100 N (Edge), minimum compressive strength of 58 N/mm², modulus with elasticity 900 N/mm² and resistance to spread of flame of Class A category property of being termite/borer proof ,water proof and fire retardant and fixed in position with M.S hold fast/lugs/SS dash fasteners of required dia and length complete	22	metre	1111.3	24448.60	26.86.5
Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid decorative type flush door shutter of required size comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm², modulus of elasticity 850 N/mm² and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant. WPC to be laminated with PVC foil of minimum 14 microns thick of approved design pasted with hot melt adhesive on both faces of shutter and fixing with stainless steel butt hinges of required size with necessary full body threaded star headed counter sunk S.S screws, a =30 mm thick .	8	sqm	4764.2	38113.60	26.88.1

Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete :300x16 mm	8	Eac h	303.25	2426.00	9.96.1
Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :300x10 mm	4	Eac h	130.1	520.40	9.97.1
Rolling shutters					
Supplying and fixing rolling shutters 10 numbers of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to 1S: 4454 - part 1 and M.S. top cover of required thickness for rolling shutters.80x0.90 mm M.S. laths with 0.90 mm thick top cover	50	sqm	3191.35	159567.50	10.6.3
Providing and fixing ball bearing for rolling shutters.	20	Eac h	492.35	9847.00	10.7
Ventilation Jali					
Providing precast cement concrete Jali 1:2:4 (1 cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 6 mm nominal size), reinforced with 1.6 mm dia mild steel wire, including centering and shuttering, roughening cleaning, fixing and finishing in cement mortar 1:3 (1 cement: 3 fine sand) etc. complete, excluding plastering of the jambs, sills and soffits.50mm thick.	10	sqm	1886.90	18869.00	5.18.1
Sanitary Installation					
Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests.	2	Eac h	6767.4	13534.80	17.1.1

Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required :Range of three urinal basins with 10litre white P.V.C. automatic flushing cistern	1	Eac h	13417.3	13417.30	17.4.3
Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps	4	Eac h	2648.85	10595.40	17.7.1
Water supply line					
Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 50mm nominal dia Pipes.	200	mete r	794.25	158850.00	18.9.6
Providing and placing on terrace (at all floor levels) polyethylene water storage tank IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	5000	Per Lit	11.00	55000.00	18.48
Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 : 15 mm nominal bore	4	Eac h	506.80	2027.20	18.49.1
Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete :20mm nominal	3	Eac h	464.05	1392.15	18.18.3
Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 - 15 mm nominal bore	4	Eac h	574.30	2297.20	18.53.1

Waste Water					
Providing and fixing soil, waste and vent pipes :Hubless centrifugally cast iron pipeepoxy coated inside & outside 1S:15905 -100mm dia.	10	metr e	1169.30	11693.00	17.35.1.3
Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete.Hubless centrifugally cast (spun) iron epoxy coated inside & outside as per 1S:15905 -100mm dia.	5	each	567.20	2836.00	17.38.1.3
Providing and fixing shielded coupling for Hubless centrifugally cast iron pipe-SS 304 grade coupling with EPDM rubber gasket.-100mm dai	4	each	432.05	1728.20	17.57A1
Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.Semi rigid pipe 32 mm dia	7	Eac h	103.90	727.30	17.28.1
Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and labour charges, fittings & accessories etc. all complete, for all depths, 100 mm nominal size dia	20	metr e	672.30	13446.00	23.3.1
Electrical work .					
Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS/HFFR PVC insulated copper conductor single core cable in surface/recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS/HFFR PVC insulated copper conductor single core cable etc. as required.					
Group-A	35	Eac h	1189	41615.00	1.10.1
Wiring for circuit/ submain wiring along with earth wire with the following sizes of FRLS/HFFR PVC insulated copper conductor, single core cable in surface/recessed medium class PVC conduit as required.					
2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire	40	Mtrs.	267	10680.00	1.14.1
2 X 4 sq. mm + 1 X 4 sq. mm earth wire	120	Mtrs.	373	44760.00	1.14.3
2 X 6 sq. mm + 1 X 6 sq. mm earth wire	300	Mtrs.	482	144600.00	1.14.4
Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.	10	Eac h	402	4020.00	1.25
Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 &	20	Eac h	659	13180.00	1.32

15/16 A modular socket outlet and 15/16 A modular switch, connections etc. as required.					
Supplying and fixing following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator).					
6 way (4 + 18), Double door	1	Eac h	5299	5299.00	2.4.2
Supplying and fixing 5 A to 32 A rating, 240/415 V, 10kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.					
Single pole	18	Eac h	285	5130.00	2.10.1
Supplying and fixing following rating, four pole, (three phase and neutral), 415 volts, residual current circuit breaker (RCCB), having a sensitivity current 30 mA in the existing MCB DB complete with connections, testing and commissioning etc. as required.					
63 A	1	Eac h	3597	3597.00	2.15.3
Supplying and fixing DP sheet steel enclosure on surface/ recess along with 25/32 A 240 V "C" curve DP MCB complete with connections, testing and commissioning etc. as required.	10	Eac h	1258	12580.00	2.16
Supplying and Laying of XLPE insulated PVC sheathed aluminium conductor,armoured power cable of 1.1 KV grade ISI marked confirm to IS :- 7098 (part I)1988 and ROHS & REACH compliant of following size in existing RCC/HUME/STONEWARE/ HDPE / Metal pipe etc. as required.					
3½ x 25 sq. mm	200	Mtrs.	740	148060.73	MR

Supplying and laying of following size DWC HDPE pipe ISI marked along with all accessories like socket, bend, couplers etc. conforming to IS 14930, Part II complete with fitting and cutting, jointing etc. direct in ground (75cm below ground level) including excavation and refilling the trench for all kind of soils/ hard rock/ ordinary soil but excluding sand cushioning and protective covering etc., complete as required.					
63 mm dia (OD-63 mm & ID-51 mm nominal)	200	Mtrs.	289	57800.00	15.16.1
Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.					
3½ X 25 sq. mm (28mm)	2	Nos.	371	742.00	11.1.20
Single phase meters	10	Nos.	2300	23000.00	MR
Total				4,344,657.03	
Civil work -Total cost of DSR2023 item				3,829,593.30	A
Electrical work -Total cost of DSR2025 item				344,003.00	B
Market rate				171,060.73	C
As per CPWD norms for Pune -Add 12% Cost index on'A' .				459,551.20	D
Total A+B+C+D				4,804,208.23	

अनुबंध की विशेष शर्तें/ **SPECIAL CONDITIONS OF CONTRACT**

- 1) The work shall be completed within **04 months** from the date of award of the contract/ work order.
- 2) The contractor shall arrange all tools, plants, scaffolding, safety gear, and manpower.
- 3) All structural steel shall be ISI-marked and tested.
- 4) Any damage to Institute property during work shall be made good at contractor's cost.
- 5) The rates quoted shall be **inclusive of all taxes, duties, transportation/ freight charges and levies**.
- 6) Security deposit @ 5% of the contract/ work order value shall be required to be paid by the selected contractor within 15 days of the issue of the work order. Validity of the security deposit should be for 9 Months from the date of award of the contract/ work order. No interest shall be liable to be paid on the security deposit.

सामान्य नियम और शर्तें/ **GENERAL TERMS & CONDITIONS**

- 1) The Institute reserves the right to reject any or all bids without assigning any reason.
- 2) Conditional bids are liable to be rejected.
- 3) Payment shall be made as per actual measurements recorded jointly with the Engineer-in-Charge.

- 4) Liquidated damages @0.5% per week of delay, subject to max. 10% of contract value, shall be levied for delays.
- 5) The contractor must comply with labour laws, minimum wages, ESI, EPF, etc.

अनुलग्नक/ ANNEXURES

अनुलग्नकA/ Annexure A – Format of financial bid to be submitted by the bidder duly filled, sealed and signed.

अनुलग्नक B/ Annexure B – Declaration and Acceptance by the bidder without any deviation

अनुलग्नकC/ Annexure C – Declaration by Bidder (No Blacklisting, Acceptance of Terms)

अनुलग्नक D/ Annexure D – Checklist for Documents to be submitted

वित्तीय बोली (लिफाफा-II)

बोलीदाता द्वारा अपने लेटरहेड पर विधिवत भरा हुआ, मुहरबंद, हस्ताक्षरित और एक अलग लिफाफे में प्रस्तुत किया जाना है।

FINANCIAL BID (Envelope-II)

To be submitted by the bidder on its letterhead duly filled sealed signed and in a separate envelope

Name of Work: Construction of Temporary Shopping Complex at IIIT Pune Campus.

Tender No.: IIITPune/Works/Tender/Shopping Complex/2025/5128

Estimated Cost: ₹48,04,208.23/- (Rupees Forty-Eight Lakh Four Thousand Two Hundred Eight and Paise Twenty-Three Only)

To,

The Registrar,
Indian Institute of Information Technology (IIIT) Pune,

Sir,

With reference to your Notice Inviting Tender, I/we hereby offer to execute the above work at _____% (in figures) [Above / Below / At Par] the estimated cost put to tender.

- Percentage quoted in words: _____
- Percentage quoted in figures: _____

Thus, the total tendered cost of my/our offer comes to: ₹ _____
(Rupees _____ only).

Declaration

1. I/We have carefully read and understood the tender conditions, scope of work, BOQ, and all terms of the contract.
2. I/We agree to abide by all terms, conditions, and provisions of the tender document.
3. I/We hereby declare that the rates quoted are firm and inclusive of all applicable taxes, duties, levies, and charges, except GST, which shall be payable as per actual.

बोलीदाता के हस्ताक्षर मुहर सहित/ Signature of Bidder with Seal

नाम/ Name: _____

फर्म/ठेकेदार का नाम/ Name of Firm/Contractor: _____

पताAddress: _____

संपर्क / Contact No.: _____

तिथि/ Date: _____

बोलीदाता द्वारा बिना किसी विचलन के घोषणा और स्वीकृति

(बोलीदाता द्वारा अपने लेटरहेड पर विधिवत भरा हुआ, मुहरबंद और हस्ताक्षरित प्रस्तुत किया जाना है।)

Declaration and Acceptance by the bidder without any deviation

(To be submitted by the bidder on its letterhead duly filled sealed and signed)

Name of Work: Construction of Temporary Shopping Complex at IIIT Pune Campus.

Tender No.: IIITPune/Works/Tender/Shopping Complex/2025/5128

To,

The Registrar,
Indian Institute of Information Technology (IIIT) Pune,

Sir,

We hereby certify that we have carefully read and understood the entire tender document for the above work and we hereby agree to comply with all the terms, conditions, specifications, and requirements stipulated therein, without any deviations.

We also confirm that we have not stipulated any conditions in our bid and our offer is strictly in accordance with the tender conditions. Any deviation found at a later stage shall render our bid/contract liable for rejection/termination without any claim on the Institute.

बोलीदाता के हस्ताक्षर मुहर सहित/ **Signature of Bidder with Seal**

नाम/ Name: _____

फर्म/ठेकेदार का नाम/ Name of Firm/Contractor: _____ -

पता/Address: _____

संपर्क / Contact No.: _____

तिथि/ Date: _____

बोलीदाता द्वारा ब्लैकलिस्ट न किए जाने और शर्तों को स्वीकार करने के संबंध में घोषणा
(बोलीदाता द्वारा अपने लेटरहेड पर विधिवत भरा हुआ, मुहरबंद और हस्ताक्षरित प्रस्तुत किया जाना है।)

Declaration by Bidder regarding Non Blacklisting and Acceptance of Terms

(To be submitted by the bidder on its letterhead duly filled sealed and signed)

Name of Work: Construction of Temporary Shopping Complex at IIIT Pune Campus.

Tender No.: IIITPune/Works/Tender/Shopping Complex/2025/5128

To,

The Registrar,
Indian Institute of Information Technology (IIIT) Pune,

I/We, the undersigned, do hereby solemnly declare and affirm that:

1. No Blacklisting

- a. I/We have not been blacklisted, debarred, suspended, or removed from the approved list of contractors by any Central/State Government Department, Public Sector Undertaking, Autonomous Body, or any other organization in India during the last **five years**.

2. No Litigation / Criminal Case

- a. I/We are not involved in any litigation, arbitration, or criminal case which may affect our ability to undertake and complete the contract as per the tender conditions.

3. Authenticity of Information

- a. All information and documents submitted by me/us in support of this tender are true, genuine, and authentic to the best of my/our knowledge.
- b. I/We understand that if any information is found false or misleading at any stage, my/our bid/contract shall be liable for cancellation, and I/We shall be subject to appropriate action as per law.

4. Acceptance of Tender Conditions

- a. I/We have carefully read and understood all the terms, conditions, instructions, and provisions contained in the tender document.

बोलीदाता के हस्ताक्षर मुहर सहित/ **Signature of Bidder with Seal**

नाम/ Name: _____

फर्म/ठेकेदार का नाम/ Name of Firm/Contractor: _____ -

पता Address: _____

संपर्क / Contact No.: _____

तिथि/ Date: _____

प्रस्तुत किए जाने वाले दस्तावेजों की चेकलिस्ट
(बोलीदाता द्वारा अपने लेटरहेड पर विधिवत भरा हुआ, मुहरबंद और हस्ताक्षरित प्रस्तुत किया जाना है।)

Checklist for Documents to be Submitted

(To be submitted by the bidder on its letterhead duly filled sealed and signed)

Sl. No.	Document Description	Submitted (Yes/No)	Page No. in Bid	Remarks
1	Earnest Money Deposit (EMD) (Receipt of online submission/ DD/Banker's Cheque / Bank Guarantee or proof of exemption)			
2	Signed and stamped copy of the complete tender document (as acceptance of terms)			
3	Declaration by Bidder (No Blacklisting, Acceptance of Terms)			
4	No Deviation Certificate			
5	Registration certificate as contractor with CPWD/State PWD/PSU/MES or equivalent			
6	PAN Card (self-attested copy)			
7	GST Registration Certificate			
8	Proof for Experience: The bidder should have an experience of 10 (Ten) years for the execution of similar works in Government / PSU / Autonomous Institution.			
9	Proof of similar works completed in last 7 years (completion certificates/work orders)			

10	Audited financial statements / proof of turnover (₹40 Lakhs average during the previous five financial years)			
11	Financial Bid in prescribed format (Percentage Basis) – sealed in separate envelope			

बोलीदाता के हस्ताक्षर मुहर सहित/ Signature of Bidder with Seal

नाम/ Name: _____

फर्म/ठेकेदार का नाम/ Name of Firm/Contractor: _____ -

पता/Address: _____

संपर्क / Contact No.: _____

तिथि/ Date: _____