

Cors Durillon :



gerçure :





herpès labiale :



trachome :







lupus tuberculeux



impétigo bulleux



Épithélioma
baso-cellulaire



épithélioma
baso-cellulaire



teigne
microscopique





papillomes viraux
de la barbe



onyxis
dermatophytique



teigne favique

A close-up photograph of human skin, likely a child's arm, showing several small, raised, pearly-colored bumps characteristic of molluscum contagiosum. The skin is fair-toned. In the background, a dark blue fabric and a white object are partially visible.

molluscom
contagiosum

A close-up photograph of human skin, likely on an arm or leg, showing a large, raised, reddish-brown area characteristic of a severe allergic reaction (urticaria). The skin is slightly textured and the lighting is soft. The word "urticaire" is overlaid in white text on the right side of the image.

urticaire




A close-up photograph of a person's skin, likely on the back or arm, showing a large, raised, red, and inflamed area. The skin is covered with numerous small, raised bumps and streaks, characteristic of dermographism. A hand is visible at the bottom, holding a piece of white fabric or paper, possibly a bandage or a piece of clothing, which is partially covering the affected area. The text "dermogravisme" is overlaid on the image.

dermogravisme

kérion(teigne
inflammatoire)





varicelle

acné du dos



A close-up photograph of the plantar (bottom) view of a newborn's feet. The skin is a deep reddish-pink color. There are several small, dark, circular lesions scattered across the soles of both feet, particularly on the heels and towards the toes. The text 'Gale plantaire du NRS' is overlaid in white at the bottom center of the image.

**Gale plantaire du
NRS**



**eczéma
atopique**



impétigo




**épithélioma spino-
cellulaire de la lèvre**



**intertrigo sous
mammaire candidosique**

A close-up photograph of human skin, likely on a limb, showing several small, red, raised lesions. These lesions are characteristic of prurigo strophulus, a common childhood skin condition. The lesions are scattered across the skin, with some appearing as small, dark red papules and others as slightly larger, more diffuse red areas. The skin itself is light-colored and appears slightly textured.

prurigo strophulus





**érythème
noueux**

leishmaniose cutanée






**psoriasis
nummulaire**




lichen plan



**gomme
tuberculeuse**



**Acné nodulaire
et kystique**



Naevus



**lupus érythémateux
chronique**



vitiligo



**mélanome malin
plantaire**

Orillons :



Perlèche :



Rougeole :




Rougeole 2 :



Scarlatine



Stye vs chalazion



Teigne cuir :



Teigne de cuir chevelu :



Urticariare labiiale
angio-oedème :



Varicelle :



Ulcère/jambe :



Urticaire Cutanée :



Zona



Éczema atopique 2 :



Engelure :



furoncle :



La gale en récurrence :



Erysipèle /Jambe :



folliculite



herpès zoster :



herpès zoster 2 :



impétigo :



impétigo 2 :



kerato dermi
palmoplantaire :



leishmaniose cutanée :



Muguet :



Onyxis and Périonyxis :



Périonyxis :



Orgelet :



Angine pseudo
membraneuse :



Angine
Ulcéro-nécrotique :



Anthrax :



blépharite :



Angine vésiculeuse



angio-oedème labiale :



Angine erythémateuse :



angine pultacée :



Bouchon de cérumen :



brulure 1ère degré :




brulure 2eme degée :




Candida intertrigo :



Candidose Bucale :



Conjonctivite Bactérienne :



Conjonctivite Virale :



Conjonctivite Allergique :



Dérmatophyte :

mycose en plaque à dermatophytes
transmise par un animal de compagnie



Éczéma atopique :

