

Cors Durillon :



gerçure :





herpès labilale :



trachome :







lupus tuberculeux



impétigo bulleux



Épithélioma
baso-cellulaire



épithélioma
baso-cellulaire



teigne
microscopique



scrofuloderme



papillomes viraux
de la barbe



onyxis
dermatophytique



teigne favique

A close-up photograph of human skin, likely a child's arm, showing several small, raised, pearly-colored bumps characteristic of molluscum contagiosum. The skin is light-toned. In the background, a dark blue fabric and a white object are partially visible.

molluscom
contagiosum

A close-up photograph of human skin, likely on an arm or leg, showing a large, raised, red, and inflamed area. The skin is reddish-brown and appears to be covered in a fine, raised texture, characteristic of a severe allergic reaction (urticaria). The background is a light blue surface.

urticaire




zona



dermogravisme

kérion(teigne
inflammatoire)





varicelle

acné du dos



A close-up photograph of the plantar (bottom) view of a newborn's feet. The skin is a deep reddish-pink color. There are several small, dark, circular lesions scattered across the soles of both feet, particularly on the heels and towards the toes. The text 'Gale plantaire du NRS' is overlaid at the bottom of the image.

**Gale plantaire du
NRS**



**eczéma
atopique**



impétigo




**épithélioma spino-
cellulaire de la lèvre**



**intertrigo sous
mammaire candidosique**

A close-up photograph of human skin, likely on a limb, showing several small, red, raised lesions. These lesions are characteristic of prurigo strophulus, a common childhood skin condition. The lesions are scattered across the skin, with some appearing as small, dark red papules and others as slightly larger, more diffuse red areas. The skin itself is a light, fair tone.

prurigo strophulus



pityriasis versicolor



**érythème
noueux**

leishmaniose cutanée






**psoriasis
nummulaire**




lichen plan



**gomme
tuberculeuse**



**Acné nodulaire
et kystique**



Naevus



**lupus érythémateux
chronique**



vitiligo



**mélanome malin
plantaire**

Orillons :



Perlèche :



Rougeole :




Rougeole 2 :



Scarlatine



Stye vs chalazion



Teigne cuir :



Teigne de cuir chevelu :



Urticariare labiiale
angio-oedème :



Varicelle :



Ulcère/jambe :



Urticaire Cutanée :



Zona



Éczema atopique 2 :



Engelure :



furoncle :



La gale en récurrence :



Erysipèle /Jambe :



folliculite



herpès zoster :



herpès zoster 2 :



impétigo :



impétigo 2 :



kerato dermi
palmoplantaire :



leishmaniose cutanée :



Muguet :



Onyxis and Périonyxis :



Périonyxis :



Orgelet :



Angine pseudo
membraneuse :



Angine
Ulcéro-nécrotique :



Anthrax :



blépharite :



Angine vésiculeuse



angio-oedème labiale :



Angine erythémateuse :



angine pultacée :



Bouchon de cérumen :



brulure 1ère degré :




brulure 2eme degée :




Candida intertrigo :



Candidose Buccale :



Conjonctivite Bactérienne :



Conjonctivite Virale :



Conjonctivite Allergique :



Dérmatophyte :

mycose en plaque à dermatophytes
transmise par un animal de compagnie



Éczéma atopique :

