CHAKRABORTY OVERSEAS

High Tension & Precision

Property class 8.8 to 12.9, structural sets and turned parts

Where the joint carries load. Bolts and nuts to ISO 898-1, the complete socket series, HSFG structural sets with matching nuts and DTI washers, and CNC turned components made to your drawing.

MERCHANT EXPORTER · HOWRAH (KOLKATA), WEST BENGAL, INDIA

IEC Available
GSTIN Available
EEPC RCMC - Available
exports@chakrabortyoverseas.com
+91 98316 47114

RANGE 03

High Tension & Precision

SPECIFICATION

PROPERTY CLASS	Bolts 8.8, 10.9, 12.9 · 14.9 (non-ISO, to buyer spec) · nuts class 8, 10, 12 · studs and threaded rod 8.8, 10.9, 12.9 · socket screws 12.9
HSFG CLASS	Bolts 8.8S, 10.9S, 12.9S · nuts 8S, 10S, 12S
STANDARDS	DIN 931 / 933 (bolts) · DIN 934 (nuts) · DIN 912 / ISO 4762 (socket cap) · DIN 913 / 914 / 915 / 916 (set screws) · ISO 4014 / 4017 · ISO 898-1 · BS 1768 · ANSI B18.2.1 / 18.2.2
MATERIAL	Alloy and carbon steel, heat treated
FINISH	Dacro, Geomet, hot dip galvanised, zinc-aluminium flake, Delta-Seal, Delta-Tone, zinc-iron plating, chrome-passivated zinc, thermal & chemical blackening, electroless nickel
SIZES	M3 - M48 for bolts and socket screws · nuts to M60
TYPICAL USE	Structural steelwork, automotive, plant and machinery

Shown in black oxide - Dacro, Geomet, zinc flake and HDG to order

HIGH TENSILE BOLTS & NUTS



High tensile hex bolts

CLASS 8.8 / 10.9 / 12.9 · 14.9 (non-ISO, to buyer spec)

STANDARD ISO 4014, DIN 931, ASTM F3125 (Gr. A325 / A490)



High tensile nuts

CLASS 8 / 10 / 12 to match bolt class

STANDARD ISO 4032, DIN 934, ASTM A194 2H



Structural stud bolts

TYPE Full thread stud with two heavy nuts

STANDARD ASTM A193 B7 / A194 2H

HSFG STRUCTURAL ASSEMBLIES



HSFG bolts

GRADE 8.8S / 10.9S / 12.9S

STANDARD IS 3757, BS 4395, ASTM F3125



HSFG nuts

GRADE Matched to bolt grade

STANDARD IS 6623, BS 4395



HSFG washers

TYPE Hardened flat, square taper

STANDARD IS 6649, BS 4395



DTI washers

TYPE Direct tension indicator

STANDARD ASTM F959, BS 7644

SOCKET SERIES



Socket head cap screws

CLASS 12.9 black or plated

STANDARD DIN 912, ISO 4762, ANSI B18.3



Socket button head screws

CLASS 10.9 / 12.9

STANDARD ISO 7380, DIN 7380



CLASS 10.9 / 12.9

STANDARD DIN 7991, ISO 10642



Socket set / grub screws

POINT Cup, cone, flat, dog point

STANDARD DIN 913 - 916, ISO 4026 - 4029

PRECISION & SPECIALS



Precision turned parts

BASIS CNC turned to buyer drawing

TOLERANCE As per drawing · ISO 2768



Special high tension items

BASIS Non-standard heads, lengths, coatings

STANDARD ISO / DIN / ANSI / BS as required