CHAKRABORTY OVERSEAS

Stainless Steel Fasteners

A2 / A4 and Super Duplex, for water, salt and chemistry

Our stainless partner runs 202, 304, 304L, 316, 316L and Super Duplex across the full standard catalogue: bolts, nuts, washers, screws, threaded rod, anchors and made-to-drawing specials. Sizes run from M2.5 to M72, with self-tapping and self-drilling screws in ST2.9 to ST6.3, and BSW and UNC threads available on several lines.

MERCHANT EXPORTER · HOWRAH (KOLKATA), WEST BENGAL, INDIA

IEC Available
GSTIN Available
EEPC RCMC - Available
exports@chakrabortyoverseas.com
+91 98316 47114

RANGE 01

Stainless Steel Fasteners

SPECIFICATION

GRADES	SS 202 · SS 304 (A2) · SS 316 (A4) · SS 304L · SS 316L · SS Super Duplex - the same set across every type
STANDARDS	BIS, IS, DIN, ASTM, BSW, UNC
SIZES	M2.5 - M72 bolts, nuts, screws, washers and studs · ST2.9 - ST6.3 self-tapping and self-drilling
FINISH	Self colour, passivated, electropolished, PTFE coated
TYPICAL USE	Marine and offshore, food and chemical plant, façades, water treatment

Shown in bright and passivated stainless - electropolished and PTFE coated to order

BOLTS & SCREWS



Hex bolts

GRADE A2-70 (SS 304) · A4-80 (SS 316)

STANDARD ISO 4014 / 4017, DIN 931 / 933



Flange bolts

GRADE A2 / A4 · serrated or plain flange

STANDARD DIN 6921, IS 1364



Carriage bolts

HEAD Cup head, square neck

STANDARD DIN 603, IS 2609



Eye bolts

TYPE Collared lifting and plain eye

STANDARD DIN 580, IS 4190



U-bolts

TYPE Round and square bend, with nuts

STANDARD To drawing or pipe schedule



J-bolts

TYPE Hook bolt, threaded one end

STANDARD To drawing



Machine screws

HEAD Pan, cheese, CSK, raised CSK

STANDARD DIN 84, DIN 963, ISO 7045



Self-tapping & self-drilling screws

POINT Type A, AB, B and self-drilling

STANDARD DIN 7981 / 7982, DIN 7504, ISO 1479

NUTS



Hex nuts

GRADE A2 / A4 (SS 304 / SS 316)

STANDARD ISO 4032 / 4033, DIN 934



Heavy hex nuts

GRADE A4 · Super Duplex on request

STANDARD ASTM A194, DIN 6915



Nylock nuts

INSERT Nylon ring, prevailing torque

STANDARD DIN 985, ISO 7040



Dome nuts

TYPE Closed cap, high and low crown

STANDARD DIN 1587, DIN 917



Wing nuts & wing bolts

TYPE Cold forged and cast pattern

STANDARD DIN 315, IS 2687



Flange nuts

TYPE Serrated and plain flange

STANDARD DIN 6923, BSW / UNC to order

WASHERS, ROD & ANCHORS



Washers

TYPE Plain, spring, star, taper, heavy duty

STANDARD DIN 125, DIN 127, ISO 7089



Threaded rod & studs

LENGTH 1 m / 3 m bar and cut studs

STANDARD DIN 975 / 976, ASTM A193 B8



Anchor & wedge bolts

TYPE Wedge, sleeve and drop-in

STANDARD To manufacturer specification



Specials to drawing

BASIS Made to buyer drawing or sample

STANDARD As specified on the drawing