近接開關 (SS-05N) NPN type、開關(Dry Contact)

Wet Contact (external power)


近接開關 (SS-05N) NPN type

https://www.sunwu-power.com/products_detail/98.htm

型號		SS-05N	SS-05N2	SS-05P	SS-05P2
規格		NPN/N.O	NPN/N.C	PNP/N.O	PNP/N.C
尺寸		17 x 17 x 29			
保護等級		IP67			
檢測出距離		4mm ±10%			
設定距離		0-3.2mm			
標準檢出物		鐵 18x18x1t			
負載電流	DC3線	100mA MAX			
反應頻率	DC3線	800HZ			
迴路保護		電壓逆接迴路保護			
輸入電壓	DC3線	10~30VDC			
消耗電流	DC3線	10mA MAX			
周遭溼度		39~90%RH			
周遭溫度		-20 ° C ~+65 ° C			
指示燈		OUTPUT:紅色LED燈			
外殼材質		PBT塑膠			
電線材質		PVC耐油電線標準線長2米			
重量		53g			



接線圖



Dry Contact

https://shopee.tw/%E5%8D%A1%E5%BC%8FDS-427-

428%E5%9C%93%E5%BD%A2%E6%8C%89%E9%88%95%E9%96%8B%E9%97%9C-12mm%E7%84%A1%E9%8E%96%E8%87%AA%E5%BE%A9%E4%BD%8D%E6%9C%89 %E9%8E%96%E8%87%AA%E9%8E%96%E4%BD%8D%E9%BB%9E%E5%8B%95%E9%9 6%8B%E9%97%9C-i.405745673.10796750389



Output

24V Bulb

https://shopee.tw/product/149365831/4047364196?gclid=CjwKCAjw2K6lBhBXEiwA5 RjtCYrYPLsFPtnrWJz59qe6j1p3GtGxRLKePKmwjVVvOxnkdSlzGjl7SBoCEFgQAvD BwE



ADAM 6717 Reference

2.2.2 Application Wiring

Digital Input and Digital Output Wiring




Figure 2.5 ADAM-6750 Digital Input and Digital Output Wiring