PyQBench: a Python library for benchmarking gate-based quantum computers Supplemental material

Konrad Jałowiecki*, Paulina Lewandowska, Łukasz Pawela
Institute of Theoretical and Applied Informatics, Polish Academy of Sciences,
Baltycka 5, 44-100 Gliwice, Poland

1. Mathematical preliminaries

Test!

Let \mathcal{M}_{d_1,d_2} be the set of all matrices of dimension $d_1 \times d_2$ over the field \mathbb{C} . For simplicity, square matrices will be denoted by \mathcal{M}_d . By Ω_d , we will denote the set of quantum states, that is positive semidefinite operators having trace equal to one. The subset of \mathcal{M}_d consisting of unitary matrices will be denoted by \mathcal{U}_d , while its subgroup of diagonal unitary operators will be denoted by $\mathcal{D}\mathcal{U}_d$.

We will also need a linear mapping transforming \mathcal{M}_{d_1} into \mathcal{M}_{d_2} , which will be denoted

$$\Phi: \mathcal{M}_{d_1} \to \mathcal{M}_{d_2}. \tag{1}$$

There exists a bijection between the set of linear mappings Φ and the set of matrices $\mathcal{M}_{d_1d_2}$, known as the Choi-Jamiołkowski isomorphism. For a given linear mapping Φ the corresponding Choi operator $J(\Phi)$ is explicitly written as

$$J(\Phi) := \sum_{i,j=0}^{d-1} \Phi(|i\rangle\langle j|) \otimes |i\rangle\langle j|.$$
 (2)

We also introduce a special subset of all mappings Φ , called quantum channels, which are completely positive and trace preserving (CPTP). In this work we will consider a special class of quantum channels, called unitary channels. A quantum channel Φ_U is said to be a unitary channel if it has the following form $\Phi_U(\cdot) = U \cdot U^{\dagger}$ for any $U \in \mathcal{U}_d$.

Email address: dexter2206@gmail.com (Konrad Jałowiecki)

^{*}Corresponding author

Let us recall a general form of a quantum measurement, so called Positive Operator Valued Measure (POVM). A POVM \mathcal{P} is a collection of positive semidefinite operators $\{E_1,\ldots,E_m\}$, called effects, that sum up to the identity operator, i.e. $\sum_{i=1}^m E_i = 1$. In PyQBench, we are interested only in von Neumann measurements, that is measurements for which all the effects are rank-one projectors. Every such measurement can be parameterized by a unitary matrix $U \in \mathcal{U}_d$ with effects $\{|u_0\rangle\langle u_0|,\ldots,|u_{d-1}\rangle\langle u_{d-1}|\}$, are created by taking $|u_i\rangle$ as (i+1)-th column of the unitary matrix U. We will denote von Neumann measurements described by the matrix U by \mathcal{P}_U . The action of von Neumann measurement \mathcal{P}_U on some state $\rho \in \Omega_d$ can be seen as a measure-and-prepare quantum channel as follows

$$\mathcal{P}_U: \rho \to \sum_{i=0}^{d-1} \langle u_i | \rho | u_i \rangle | i \rangle \langle i |. \tag{3}$$

Moreover, observe that each von Neumann measurement \mathcal{P}_U poses a composition of a unitary channel $\Phi_{U^{\dagger}}$ and the maximally dephasing channel Δ , that means $\mathcal{P}_U = \Delta \circ \Phi_{U^{\dagger}}$.

We need to also briefly discuss about the distance between quantum operations. From [1, Theorem 1], the distance between measurements \mathcal{P}_U and \mathcal{P}_1 can be expressed in the notion of diamond norm, that is

$$\|\mathcal{P}_U - \mathcal{P}_1\|_{\diamond} = \min_{E \in \mathcal{D}\mathcal{U}_d} \|\Phi_{UE} - \Phi_1\|_{\diamond}. \tag{4}$$

To express the distance between unitary channels, we need to introduce the definition of numerical range [2]. The set

$$W(A) = \{ \langle x|A|x \rangle : |x \rangle \in \mathbb{C}^d, \ \langle x|x \rangle = 1 \}$$
 (5)

is called the numerical range of a given matrix $A \in \mathcal{M}_d$. The detailed properties of the numerical range and its generalizations we can read on the website [3].

Due to the definition of W(A), the distance between two unitary channels Φ_U and Φ_1 can be written as

$$\|\Phi_U - \Phi_1\|_{\diamond} = 2\sqrt{1 - \nu^2},$$
 (6)

where $\nu = \min_{x \in W(U^{\dagger})} |x|$.

2. Discrimination task for Hadamard gate

For the discrimination task between von Neumann measurements \mathcal{P}_U and \mathcal{P}_1 , where U = H (the Hadamard gate), the key is to calculate the diamond

norm $\|\mathcal{P}_H - \mathcal{P}_1\|_{\diamond}$ and determine the discriminator $|\psi_0\rangle$. Using semidefinite programming [4], we obtain

$$\|\mathcal{P}_H - \mathcal{P}_1\|_{\diamond} = \sqrt{2}.\tag{7}$$

From [5] we have

$$\|\mathcal{P}_H - \mathcal{P}_1\|_{\diamond} = \|\Phi_{HE_0} - \Phi_1\|_{\diamond},\tag{8}$$

where Φ_U is a unitary channel and E_0 is of the form

$$E_0 = \frac{1}{\sqrt{2}} \begin{pmatrix} 1+i & 0\\ 0 & -1-i \end{pmatrix}. \tag{9}$$

Next, in order to construct the discriminator $|\psi_0\rangle$ we use Lemma 5 and the proof of Theorem 1 in [1]. We show that there exist states ρ_1 and ρ_2 of the form $\rho_1 = \frac{1}{2} \begin{pmatrix} 1 & i \\ -i & 1 \end{pmatrix}$ and $\rho_2 = \frac{1}{2} \begin{pmatrix} 1 & -i \\ i & 1 \end{pmatrix}$, respectively. Thus, we construct the quantum state ρ_0 as follows:

$$\rho_0 = \frac{1}{2}\rho_1 + \frac{1}{2}\rho_2 = \frac{1}{2} \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}. \tag{10}$$

According to the Lemma 5 and the proof of Theorem 1 in [1] we assume that

$$|\psi_0\rangle = \left|\sqrt{\rho_0^{\top}}\right\rangle. \tag{11}$$

It directly implies that

$$|\psi_0\rangle = \frac{1}{\sqrt{2}}(|00\rangle + |11\rangle). \tag{12}$$

Next, from Holevo-Helstrom theorem [6], we determine the final measurement \mathcal{P}_{V_i} . Let us consider

$$X = (\mathcal{P}_H \otimes \mathbb{1}) (|\psi_0\rangle\langle\psi_0|) - (\mathcal{P}_1 \otimes \mathbb{1}) (|\psi_0\rangle\langle\psi_0|). \tag{13}$$

From the Hahn-Jordan decomposition [6], let us note

$$X = P - Q, (14)$$

where $P, Q \geq 0$. Let us define projectors Π_P and Π_Q onto im(P) and im(Q), respectively. Observe, that P and Q are block-diagonal. Then, Π_P and Π_Q have the following forms

$$\Pi_P = \begin{pmatrix} |x_p\rangle\langle x_p| & 0\\ 0 & |y_p\rangle\langle y_p| \end{pmatrix},$$
(15)

and

$$\Pi_Q = \begin{pmatrix} |x_q\rangle\langle x_q| & 0\\ 0 & |y_q\rangle\langle y_q| \end{pmatrix}. \tag{16}$$

Hence, we define V_0 as

$$\begin{cases} |x_p\rangle = V_0|0\rangle \\ |x_q\rangle = V_0|1\rangle \end{cases} \tag{17}$$

and V_1 as

$$\begin{cases} |y_p\rangle = V_1|0\rangle \\ |y_q\rangle = V_1|1\rangle \end{cases}$$
 (18)

For the discrimination task between \mathcal{P}_H and \mathcal{P}_1 the explicit form of V_0 and V_1 is given as follows (see also mathematics/optimal_final_measurement_discrimination.nb in the source code repository):

$$V_0 = \begin{pmatrix} \alpha & -\beta \\ \beta & \alpha \end{pmatrix}, \tag{19}$$

and

$$V_1 = \begin{pmatrix} -\beta & \alpha \\ \alpha & \beta \end{pmatrix}, \tag{20}$$

where

$$\alpha = \frac{\sqrt{2 - \sqrt{2}}}{2} = \cos\left(\frac{3}{8}\pi\right),\tag{21}$$

and

$$\beta = \frac{\sqrt{2 + \sqrt{2}}}{2} = \sin\left(\frac{3}{8}\pi\right). \tag{22}$$

3. Optimal probability for parameterized Fourier family

Let us focus on single-qubit von Neumann measurements \mathcal{P}_1 and \mathcal{P}_U . Assume that the unitary matrix U is of the form

$$U = H \begin{pmatrix} 1 & 0 \\ 0 & e^{i\phi} \end{pmatrix} H^{\dagger} \tag{23}$$

where H is the Hadamard matrix of dimension two and $\phi \in [0, 2\pi)$. In this section we present theoretical probability of correct discrimination between these measurements. To do that, we will present an auxiliary lemma.

Lemma 1. Let $U = H \operatorname{diag}(1, e^{i\phi})H^{\dagger}$, $\phi \in [0, 2\pi)$ and let Φ_U and Φ_1 be two unitary channels. Then, the following equation holds

$$\min_{E \in \mathcal{D}\mathcal{U}_2} \|\Phi_{UE} - \Phi_1\|_{\diamond} = \|\Phi_U - \Phi_1\|_{\diamond}, \tag{24}$$

Proof. Recall that the distance between two unitary channels is given by $\|\Phi_U - \Phi_1\|_{\diamond} = 2\sqrt{1-\nu^2}$, where $\nu = \min_{x \in W(U^{\dagger})} |x|$ for any $U \in \mathcal{U}_d$. For $U = H\begin{pmatrix} 1 & 0 \\ 0 & e^{i\phi} \end{pmatrix} H^{\dagger}$ the readers briefly observe that $\nu^2 = 1 - \frac{|1-e^{-i\phi}|^2}{4} = 1 - \frac{|1-e^{i\phi}|^2}{4}$. So,

$$\|\Phi_U - \Phi_1\|_{\diamond} = |1 - e^{i\phi}|.$$
 (25)

It implies that it is enough to prove

$$\min_{E \in \mathcal{D}U_2} \|\Phi_{UE} - \Phi_1\|_{\diamond} = |1 - e^{i\phi}|. \tag{26}$$

This condition is equivalent to show that for every $E \in \mathcal{DU}_2$

$$\nu_E \le \frac{|1 + e^{i\phi}|}{2},\tag{27}$$

where $\nu_E = \min_{x \in W(U^{\dagger}E)} |x|$.

The celebrated Hausdorff-Töplitz theorem [7, 8] states that W(A) of any matrix $A \in \mathcal{M}_d$ is a convex set, and therefore we have

$$W(A) = \{ \operatorname{tr}(A\rho) : \rho \in \Omega_d \}. \tag{28}$$

So, we can assume that

$$\min_{|x\rangle \in \mathbb{C}^2: |x\rangle\langle x|=1} |\langle x|U^{\dagger}|x\rangle| = \min_{\rho \in \Omega_2} |\operatorname{tr}(U^{\dagger}\rho)|.$$
 (29)

Then, we have

$$\nu_E = \min_{\rho \in \Omega_2} |\operatorname{tr}(\rho U E)|. \tag{30}$$

For that, our task is reduced to show that for every $E \in \mathcal{DU}_2$ there exists $\rho \in \Omega_2$ such that

$$|\operatorname{tr}(\rho UE)| \le \frac{|1 + e^{i\phi}|}{2}.\tag{31}$$

Let us define $E=\begin{pmatrix}E_0&0\\0&E_1\end{pmatrix}$ and take $\rho=\begin{pmatrix}\frac{1}{2}&0\\0&\frac{1}{2}\end{pmatrix}$. From spectral theorem, let us decompose U as

$$U = \lambda_0 |x_0\rangle \langle x_0| + \lambda_1 |x_1\rangle \langle x_1|, \tag{32}$$

where for eigenvalue $\lambda_0 = 1$, the corresponding eigenvector is of the form $|x_0\rangle = \begin{bmatrix} \frac{1}{\sqrt{2}} \\ \frac{1}{\sqrt{2}} \end{bmatrix}$, whereas for $\lambda_1 = e^{i\phi}$ we have $|x_1\rangle = \begin{bmatrix} \frac{1}{\sqrt{2}} \\ -\frac{1}{\sqrt{2}} \end{bmatrix}$. Then, for

every $E \in \mathcal{DU}_2$ we have

$$|\operatorname{tr}(\rho U E)| = \frac{1}{2} \left| \operatorname{tr} \left(H \operatorname{diag}(1, e^{i\phi}) H^{\dagger} E \right) \right| = \frac{1}{2} \left| \operatorname{tr} \left((|x_0\rangle \langle x_0| + e^{i\phi} |x_1\rangle \langle x_1|) E \right) \right|$$

$$= \frac{1}{2} \left| \langle x_0 | E | x_0 \rangle + e^{i\phi} \langle x_1 | E | x_1 \rangle \right| = \frac{1}{2} \left| \frac{E_0 + E_1}{2} + e^{i\phi} \frac{E_0 + E_1}{2} \right|$$

$$= \frac{\left| 1 + e^{i\phi} \right|}{2} \left| \frac{E_0 + E_1}{2} \right| \le \frac{\left| 1 + e^{i\phi} \right|}{2},$$
(33)

which completes the proof.

Theorem 1. The optimal probability of correct discrimination between von Neumann measurements \mathcal{P}_U and \mathcal{P}_1 for $U = H \operatorname{diag}(1, e^{i\phi})H^{\dagger}$, where $\phi \in [0, 2\pi)$ is given by

$$p_{succ}(\mathcal{P}_U, \mathcal{P}_1) = \frac{1}{2} + \frac{|1 - e^{i\phi}|}{4}.$$
 (34)

Proof. From Holevo-Helstrom theorem, we obtain

$$p_{\text{succ}}(\mathcal{P}_U, \mathcal{P}_1) = \frac{1}{2} + \frac{1}{4} \|\mathcal{P}_U - \mathcal{P}_1\|_{\diamond}. \tag{35}$$

From [1, Theorem 1], we have

$$\|\mathcal{P}_U - \mathcal{P}_1\|_{\diamond} = \min_{E \in \mathcal{D}\mathcal{U}_d} \|\Phi_{UE} - \Phi_1\|_{\diamond}. \tag{36}$$

From Lemma 1, we know that for $U = H \operatorname{diag}(1, e^{i\phi}) H^{\dagger}$, it also holds that

$$\min_{E \in \mathcal{D}\mathcal{U}_2} \|\Phi_{UE} - \Phi_1\|_{\diamond} = \|\Phi_U - \Phi_1\|_{\diamond}, \tag{37}$$

which is exactly equal to

$$\|\Phi_U - \Phi_1\|_{\diamond} = 2\sqrt{1 - \nu^2} = |1 - e^{i\phi}|.$$
 (38)

It implies that

$$p_{\text{succ}}(\mathcal{P}_U, \mathcal{P}_1) = \frac{1}{2} + \frac{|1 - e^{i\phi}|}{4},$$
 (39)

which completes the proof.

4. Optimal discrimination strategy for parameterized Fourier family

In this Appendix we create the optimal theoretical strategy of discrimination between \mathcal{P}_U and \mathcal{P}_1 . To indicate the optimal strategy, we will present two propositions. The first one is concentrated around the discriminator as the optimal input state of discrimination strategy, whereas the second one describes the optimal final measurement.

Proposition 1. Consider the problem of discrimination between von Neumann measurements \mathcal{P}_U and \mathcal{P}_1 , $U = H \operatorname{diag}(1, e^{i\phi}) H^{\dagger}$ and $\phi \in [0, 2\pi)$. The discriminator has the form

$$|\psi_0\rangle = \frac{1}{\sqrt{2}}|\mathbb{1}_2\rangle\rangle. \tag{40}$$

Proof. Let $U = H \operatorname{diag}(1, e^{i\phi}) H^{\dagger}, \phi \in [0, 2\pi)$ be decomposed as

$$U = \lambda_0 |x_0\rangle \langle x_0| + \lambda_1 |x_1\rangle \langle x_1|, \tag{41}$$

where for eigenvalue $\lambda_0=1$, the corresponding eigenvector is of the form $|x_0\rangle=\begin{bmatrix}\frac{1}{\sqrt{2}}\\\frac{1}{\sqrt{2}}\end{bmatrix}$, whereas for $\lambda_1=e^{i\phi}$ we have $|x_1\rangle=\begin{bmatrix}\frac{1}{\sqrt{2}}\\-\frac{1}{\sqrt{2}}\end{bmatrix}$. For Hermitian-preserving maps [6] the diamond norm may be expressed as

$$\|\Phi\|_{\diamond} = \max_{\rho \in \Omega_d} \| (\mathbb{1} \otimes \sqrt{\rho}) J(\Phi) (\mathbb{1} \otimes \sqrt{\rho}) \|_1.$$
 (42)

Hence, we obtain

$$\|\mathcal{P}_{U} - \mathcal{P}_{1}\|_{\diamond} = \max_{\rho \in \Omega_{2}} \|(\mathbb{1} \otimes \sqrt{\rho}) J(\mathcal{P}_{U} - \mathcal{P}_{1}) (\mathbb{1} \otimes \sqrt{\rho})\|_{1}$$

$$= \max_{\rho \in \Omega_{2}} \left\| (\mathbb{1} \otimes \sqrt{\rho}) \sum_{i=0}^{1} |i\rangle\langle i| \otimes (|u_{i}\rangle\langle u_{i}| - |i\rangle\langle i|)^{\top} (\mathbb{1} \otimes \sqrt{\rho}) \right\|_{1}$$

$$= \max_{\rho \in \Omega_{2}} \left\| \sum_{i=0}^{1} |i\rangle\langle i| \otimes \sqrt{\rho} (|u_{i}\rangle\langle u_{i}| - |i\rangle\langle i|)^{\top} \sqrt{\rho} \right\|_{1}$$

$$= \max_{\rho \in \Omega_{2}} \sum_{i=0}^{1} \left\| \sqrt{\rho} (|u_{i}\rangle\langle u_{i}| - |i\rangle\langle i|)^{\top} \sqrt{\rho} \right\|_{1}.$$

$$(43)$$

One can prove that for all $\alpha, \beta \geq 0$, and unit vectors $|x\rangle, |y\rangle$ the following equation holds [6]

$$\|\alpha|x\rangle\langle x| - \beta|y\rangle\langle y|\|_1 = \sqrt{(\alpha+\beta)^2 - 4\alpha\beta|\langle x|y\rangle|^2}.$$
 (44)

By taking $|x\rangle = \frac{\sqrt{\rho}|\bar{u}_i\rangle}{\|\sqrt{\rho}|\bar{u}_i\rangle\|}$ and $|y\rangle = \frac{\sqrt{\rho}|i\rangle}{\|\sqrt{\rho}|i\rangle\|}$ we have

$$\|\mathcal{P}_{U} - \mathcal{P}_{\mathbf{1}}\|_{\diamond} = \max_{\rho \in \Omega_{2}} \sum_{i=0}^{1} \sqrt{\left(\langle \bar{u}_{i} | \rho | \bar{u}_{i} \rangle + \langle i | \rho | i \rangle\right)^{2} - 4|\langle \bar{u}_{i} | \rho | i \rangle|^{2}}.$$
 (45)

Let us take $\rho_0 = \frac{1}{2} \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$, we obtain

$$||\mathcal{P}_{U} - \mathcal{P}_{1}||_{\diamond} \geq \sum_{i=0}^{1} \sqrt{\left(\langle \bar{u}_{i} | \rho_{0} | \bar{u}_{i} \rangle + \langle i | \rho_{0} | i \rangle\right)^{2} - 4|\langle i | \rho_{0} | \bar{u}_{i} \rangle|^{2}}$$

$$= \sum_{i=0}^{1} \sqrt{1 - |\langle i | U | i \rangle|^{2}}$$

$$= \sum_{i=0}^{1} \sqrt{1 - |1 \cdot \langle i | u_{0} \rangle \langle u_{0} | i \rangle + e^{i\phi} \cdot \langle i | u_{1} \rangle \langle u_{1} | i \rangle|^{2}}$$

$$= \sum_{i=0}^{1} \sqrt{1 - \left|\frac{1 + e^{i\phi}}{2}\right|^{2}} = 2\sqrt{1 - \left|\frac{1 + e^{i\phi}}{2}\right|^{2}}$$

$$= |1 - e^{i\phi}|.$$

$$(46)$$

Due to Theorem 1 and the following equality

$$\| (\mathbb{1} \otimes \sqrt{\rho}) J(\mathcal{P}_U - \mathcal{P}_1) (\mathbb{1} \otimes \sqrt{\rho}) \|_1 = \| ((\mathcal{P}_U - \mathcal{P}_1) \otimes \mathbb{1}) (|\sqrt{\rho}^\top\rangle) \langle \langle \sqrt{\rho}^\top | \rangle \|_1,$$
(47)

the discriminator $|\psi_0\rangle$ is equal to

$$|\psi_0\rangle = |\sqrt{\rho_0}^{\top}\rangle\rangle = \frac{1}{\sqrt{2}}|\mathbb{1}_2\rangle\rangle,$$
 (48)

which completes the proof.

Proposition 2. Consider the problem of discrimination between von Neumann measurements \mathcal{P}_U and \mathcal{P}_1 , $U = H \operatorname{diag}(1, e^{i\phi}) H^{\dagger}$ and $\phi \in [0, 2\pi)$. The controlled unitaries V_0 and V_1 have the form

$$V_0 = \begin{pmatrix} i \sin\left(\frac{\pi - \phi}{4}\right) & -i \cos\left(\frac{\pi - \phi}{4}\right) \\ \cos\left(\frac{\pi - \phi}{4}\right) & \sin\left(\frac{\pi - \phi}{4}\right) \end{pmatrix}, \tag{49}$$

and

$$V_1 = \begin{pmatrix} -i\cos\left(\frac{\pi-\phi}{4}\right) & i\sin\left(\frac{\pi-\phi}{4}\right) \\ \sin\left(\frac{\pi-\phi}{4}\right) & \cos\left(\frac{\pi-\phi}{4}\right) \end{pmatrix}.$$
 (50)

Proof. From Proposition 1 we obtain the exact form of discriminator given

$$|\psi_0\rangle = \frac{1}{\sqrt{2}}|\mathbb{1}_2\rangle\rangle. \tag{51}$$

Repeating the procedure used to distinguish the von Neumann measurements in the Hadamard basis (see 2), we use the Hahn-Jordan decomposition and then we create the projective operators into the positive and negative part of X matrix. Hence, the explicit form of V_0 and V_1 is given as follows:

$$V_0 = \begin{pmatrix} i \sin\left(\frac{\pi - \phi}{4}\right) & -i \cos\left(\frac{\pi - \phi}{4}\right) \\ \cos\left(\frac{\pi - \phi}{4}\right) & \sin\left(\frac{\pi - \phi}{4}\right) \end{pmatrix}, \tag{52}$$

and

$$V_1 = \begin{pmatrix} -i\cos\left(\frac{\pi-\phi}{4}\right) & i\sin\left(\frac{\pi-\phi}{4}\right) \\ \sin\left(\frac{\pi-\phi}{4}\right) & \cos\left(\frac{\pi-\phi}{4}\right) \end{pmatrix}, \tag{53}$$

where $\phi \in [0, 2\pi)$.

5. Output YAML files

In this appendix we present examples of YAML's files obtained from synchronous ans asynchronous experiments. We will start at synchronous case.

Listing 1: Defining experiment file

type: discrimination-fourier

qubits:

- target: 0 ancilla: 1 - target: 1 ancilla: 2

angles:

start: 0 stop: 2 * pinum_steps: 3

gateset: ibmq

method: direct_sum

num_shots: 100

Listing 2: Defining backend file

name: ibmq_quito asynchronous: false

```
provider:
        hub: ibm-q
        group: open
        project: main
                  Listing 3: Results (synchronous)
metadata:
        experiments:
                 type: discrimination-fourier
                 qubits:
                - \{ target: 0, ancilla: 1 \}
                - \{ target: 1, ancilla: 2 \}
                 angles: {start: 0.0, stop: 6.283185307179586, num_step
                 gateset: ibmq
                method: direct_sum
                 num_shots: 100
        backend_description:
                name: ibmq_quito
                 asynchronous: false
                 provider: {group: open, hub: ibm-q, project: main}
data:
- target: 0
  ancilla: 1
  phi: 0.0
  results_per_circuit:
  - name: id
        histogram: {'00': 28, '01': 26, '10': 21, '11': 25}
        mitigation_info:
                 target: {prob_meas0_prep1: 0.05220000000000024, prob_
                 ancilla: {prob_meas0_prep1: 0.0590000000000005, prob_
        mitigated_histogram: {'00': 0.2637212373658018, '01': 0.258650
  - name: u
        histogram: {'00': 30, '01': 16, '10': 28, '11': 26}
        mitigation_info:
                 target: {prob_meas0_prep1: 0.05220000000000024, prob_
                 ancilla: {prob_meas0_prep1: 0.0590000000000005, prob_
        mitigated_histogram: {'00': 0.2857378991684036, '01': 0.149752
- target: 0
  ancilla: 1
  phi: 3.141592653589793
  results_per_circuit:
```

```
- name: id
        histogram: { '00': 4, '01': 5, '10': 45, '11': 46}
        mitigation_info:
                target: {prob_meas0_prep1: 0.05220000000000024, prob_
                ancilla: {prob_meas0_prep1: 0.0590000000000005, prob_
        mitigated_histogram: {'00': 0.011053610583159325, '01': 0.0226
  - name: u
        histogram: { '00': 56, '01': 43, '10': 1}
        mitigation_info:
                target: {prob_meas0_prep1: 0.05220000000000024, prob_
                ancilla: {prob_meas0_prep1: 0.0590000000000005, prob_
        mitigated_histogram: {'00': 0.5573987337172156, '01': 0.444247
- target: 0
  ancilla: 1
  phi: 6.283185307179586
  results_per_circuit:
  - name: id
        histogram: {'00': 36, '01': 18, '10': 25, '11': 21}
        mitigation_info:
                target: {prob_meas0_prep1: 0.05220000000000024, prob_
                ancilla: {prob_meas0_prep1: 0.0590000000000005, prob_
        mitigated_histogram: {'00': 0.3488190312089973, '01': 0.173552
  - name: u
        histogram: {'00': 32, '01': 27, '10': 24, '11': 17}
        mitigation_info:
                target: {prob_meas0_prep1: 0.05220000000000024, prob_
                ancilla: {prob_meas0_prep1: 0.0590000000000005, prob_
        mitigated_histogram: {'00': 0.3025357275361897, '01': 0.274136
- target: 1
  ancilla: 2
  phi: 0.0
  results_per_circuit:
  - name: id
        histogram: {'00': 27, '01': 20, '10': 24, '11': 29}
        mitigation_info:
                target: {prob_meas0_prep1: 0.0590000000000005, prob_m
                ancilla: {prob_meas0_prep1: 0.07540000000000002, prob_
        mitigated_histogram: {'00': 0.2594378169217188, '01': 0.193188
  - name: u
        histogram: { '00': 31, '01': 24, '10': 23, '11': 22}
```

mitigation_info:

```
ancilla: {prob_meas0_prep1: 0.0754000000000002, prob_
       mitigated_histogram: {'00': 0.30056875246775644, '01': 0.24382
- target: 1
  ancilla: 2
  phi: 3.141592653589793
  results_per_circuit:
 - name: id
       histogram: { '00': 5, '01': 4, '10': 50, '11': 41}
       mitigation_info:
               target: {prob_meas0_prep1: 0.0590000000000005, prob_m
               ancilla: {prob_meas0_prep1: 0.07540000000000002, prob_
       mitigated_histogram: {'00': 0.009552870928837118, '01': 0.0071
 - name: u
       histogram: {'00': 41, '01': 51, '10': 3, '11': 5}
       mitigation_info:
               target: {prob_meas0_prep1: 0.0590000000000005, prob_m
               ancilla: {prob_meas0_prep1: 0.07540000000000002, prob_
       mitigated_histogram: {'00': 0.4073387714165384, '01': 0.561461
- target: 1
  ancilla: 2
  phi: 6.283185307179586
  results_per_circuit:
 - name: id
       histogram: {'00': 30, '01': 28, '10': 23, '11': 19}
       mitigation_info:
               target: {prob_meas0_prep1: 0.0590000000000005, prob_m
               mitigated_histogram: {'00': 0.2868459834940102, '01': 0.291956
 - name: u
       histogram: {'00': 15, '01': 20, '10': 36, '11': 29}
       mitigation_info:
               target: {prob_meas0_prep1: 0.0590000000000005, prob_m
               ancilla: {prob_meas0_prep1: 0.07540000000000002, prob_
       mitigated_histogram: {'00': 0.1187719606657805, '01': 0.196208
```

For the same experiment file, we use the flag asynchronous: true to define asynchronous experiment.

Listing 4: Backend file

name: ibmq_quito asynchronous: true

```
provider:
         hub: ibm-q
         group: open
         project: main
If the backend is asynchronous, the output will contain intermediate data
containing, amongst others, job ids correlated with the circuit they corre-
spond to.
                      Listing 5: Resolved results
metadata:
         experiments:
                  type: discrimination-fourier
                  qubits:
                  - \{ target: 0, ancilla: 1 \}
                  -\{target: 1, ancilla: 2\}
                  angles: {start: 0.0, stop: 6.283185307179586, num_step
                  gateset: ibmq
                  method: direct_sum
                  num_shots: 100
         backend_description:
                  name: ibmq_quito
                  asynchronous: true
                  provider: {group: open, hub: ibm-q, project: main}
data:
- job_id: 63e7f17a17b7ed49ca24e05b
  keys:
```

-[0, 1, id, 0.0]-[0, 1, u, 0.0]

-[0, 1, id, 3.141592653589793]

- [0, 1, u, 3.141592653589793]

 $- [0, 1, \mathbf{id}, 6.283185307179586]$

- [0, 1, u, 6.283185307179586]

-[1, 2, id, 0.0]

- [1, 2, u, 0.0]

-[1, 2, id, 3.141592653589793]

- [1, 2, u, 3.141592653589793]

-[1, 2, id, 6.283185307179586]

- [1, 2, u, 6.283185307179586]

Finally, if the status of jobs is DONE, we resolve the measurements from the submitted jobs obtaining the following file.

Listing 6: Results (asynchronous) metadata: experiments: type: discrimination-fourier qubits: - target: 0 ancilla: 1 - target: 1 ancilla: 2 angles: start: 0.0 stop: 6.283185307179586 num_steps: 3 gateset: ibmq method: direct_sum num_shots: 100 backend_description: name: ibmq_quito asynchronous: true provider: group: open hub: ibm-q project: main data: - target: 0 ancilla: 1 phi: 0.0 results_per_circuit: - name: idhistogram: '00': 27,01;: 28 10:18 11:27 mitigation_info: target: $prob_meas0_prep1: 0.05220000000000024$

prob_meas1_prep0: 0.0172

prob_meas0_prep1: 0.05900000000000005

ancilla:

```
prob_meas1_prep0: 0.0202
        mitigated_histogram:
                 '00': 0.254196166145997
                 '01': 0.2790358060520916
                 '10': 0.1732699847244092
                 '11': 0.29349804307750227
  - name: u
        histogram:
                 00 : 29
                 '01': 17
                 ,10 ;: 30
                 '11': 24
        mitigation_info:
          target:
                 prob_meas0_prep1: 0.05220000000000024
                 prob_meas1_prep0: 0.0172
          ancilla:
                 prob_meas0_prep1: 0.05900000000000005
                 prob_meas1_prep0: 0.0202
        mitigated_histogram:
                 '00': 0.2733793468261183
                 '01': 0.1621115306717096
                 '10': 0.3045273800167787
                 '11': 0.2599817424853933
- target: 0
  ancilla: 1
  phi: 3.141592653589793
  results_per_circuit:
  - name: id
        histogram:
                 ,00 ;: 3
                 '01': 5
                 '10': 37
                 '11': 55
        mitigation_info:
          target:
                 prob_meas0_prep1: 0.05220000000000024
                 prob_meas1_prep0: 0.0172
          ancilla:
                 prob_meas0_prep1: 0.0590000000000005
                 prob_meas1_prep0: 0.0202
```

```
mitigated_histogram:
                 '00': 0.006189545789708441
                 '01': 0.016616709640352317
                 '10': 0.3675478279476653
                 '11': 0.6096459166222741
  - name: u
        histogram:
                 '00': 56
                 ,01; 42
                 '10': 2
        mitigation_info:
          target:
                 prob_meas0_prep1: 0.05220000000000024
                 prob_meas1_prep0: 0.0172
          ancilla:
                 prob_meas0_prep1: 0.0590000000000005
                prob_meas1_prep0: 0.0202
        mitigated_histogram:
                 '00': 0.55731929321128
                 '01': 0.43367489257574243
                 '10': 0.009005814212977551
- target: 0
  ancilla: 1
  phi: 6.283185307179586
  results_per_circuit:
  - name: id
        histogram:
                 '00': 18
                 '01': 28
                 ,10 ;: 30
                 11:24
        mitigation_info:
          target:
                 prob_meas0_prep1: 0.05220000000000024
                 prob_meas1_prep0: 0.0172
          ancilla:
                 prob_meas0_prep1: 0.05900000000000005
                prob_meas1_prep0: 0.0202
        mitigated_histogram:
                 '00': 0.15258295844557557
                 '01': 0.2829079190522524
```

```
'10': 0.3071204587046501
                 '11': 0.25738866379752195
  - name: u
        histogram:
                 '00': 32
                 '01': 28
                 '10': 23
                 '11': 17
        mitigation_info:
          target:
                 prob_meas0_prep1: 0.05220000000000024
                 prob_meas1_prep0: 0.0172
          ancilla:
                 prob_meas0_prep1: 0.05900000000000005
                 prob_meas1_prep0: 0.0202
        mitigated_histogram:
                 '00': 0.3026150836796529
                 "01": 0.28491749668524724"
                 '10': 0.23230862145681827
                 '11': 0.18015879817828173
- target: 1
  ancilla: 2
  phi: 0.0
  results_per_circuit:
  - name: id
        histogram:
                 00 : 27
                 '01': 16
                 '10': 30
                 11': 27
        mitigation_info:
          target:
                 prob_meas0_prep1: 0.0590000000000005
                 prob_meas1_prep0: 0.0202
          ancilla:
                 prob_meas0_prep1: 0.0754000000000002
                 prob_meas1_prep0: 0.0528
        mitigated_histogram:
                 '00': 0.256742095057232
                 '01': 0.15000257115061383
                 '10': 0.29821012040758116
```

```
'11': 0.29504521338457296
  - name: u
        histogram:
                 00 : 34
                 ,01; 22
                 '10': 25
                 '11': 19
        mitigation_info:
         target:
                 prob_meas0_prep1: 0.05900000000000005
                prob_meas1_prep0: 0.0202
          ancilla:
                 prob_meas0_prep1: 0.0754000000000002
                prob_meas1_prep0: 0.0528
        mitigated_histogram:
                 '00': 0.3325088211394024
                 '01': 0.22335261496979697
                 '10': 0.2441636375921354
                 '11': 0.19997492629866526
- target: 1
  ancilla: 2
  phi: 3.141592653589793
  results_per_circuit:
  - name: id
        histogram:
                 ,00 ;: 3
                 '01': 9
                 '10': 51
                 '11': 37
        mitigation_info:
          target:
                 prob_meas0_prep1: 0.05900000000000005
                 prob_meas1_prep0: 0.0202
          ancilla:
                 prob_meas0_prep1: 0.07540000000000002
                prob_meas1_prep0: 0.0528
        mitigated_histogram:
                 00': -0.016627023111853642
                 '01': 0.06778554570877951
                 '10': 0.53899887367658
                 '11': 0.40984260372649417
```

```
- name: u
        histogram:
                 00 : 43
                 '01': 45
                 '10': 7
                 '11': 5
        mitigation_info:
          target:
                 prob_meas0_prep1: 0.0590000000000005
                prob_meas1_prep0: 0.0202
          ancilla:
                 prob_meas0_prep1: 0.07540000000000002
                 prob_meas1_prep0: 0.0528
        mitigated_histogram:
                 '00': 0.42955729968594086
                 '01': 0.49336080079582095
                 '10': 0.04937406434533623
                 '11': 0.02770783517290191
- target: 1
  ancilla: 2
  phi: 6.283185307179586
  results_per_circuit:
  - name: id
        histogram:
                 00 : 22
                 '01': 19
                 '10': 35
                 11': 24
        mitigation_info:
          target:
                 prob_meas0_prep1: 0.05900000000000005
                prob_meas1_prep0: 0.0202
          ancilla:
                 prob_meas0_prep1: 0.07540000000000002
                prob_meas1_prep0: 0.0528
        mitigated_histogram:
                 '00': 0.19592641048040849
                 "01": 0.18787721420415215"
                 '10': 0.3590258049844047
                 '11': 0.25717057033103463
  - name: u
```

histogram:

00 : 27

'01': 24

10: 25

11:24

mitigation_info:

target:

prob_meas0_prep1: 0.05900000000000005

prob_meas1_prep0: 0.0202

ancilla:

prob_meas0_prep1: 0.07540000000000002

prob_meas1_prep0: 0.0528

mitigated_histogram:

'00': 0.25555866817587225

'01': 0.2429501641251142

'10': 0.24509293912212946

'11': 0.2563982285768841

References

- [1] Z. Puchała, Ł. Pawela, A. Krawiec, and R. Kukulski. Strategies for optimal single-shot discrimination of quantum measurements. *Physical Review A*, 98(4):042103, 2018.
- [2] F. D. Murnaghan. On the field of values of a square matrix. *Proceedings* of the National Academy of Sciences, 18(3):246–248, 1932.
- [3] Numerical shadow. https://numericalshadow.org/. Accessed on 2022-10-02.
- [4] J. Watrous. Simpler semidefinite programs for completely bounded norms. Chicago Journal of Theoretical Computer Science, 8, 2013.
- [5] P. Lewandowska, A. Krawiec, R. Kukulski, L. Pawela, and Z. Puchała. On the optimal certification of von Neumann measurements. *Scientific Reports*, 11(1):3623, 2021.
- [6] J. Watrous. The Theory of Quantum Information. Cambridge University Press, 2018.
- [7] F. Hausdorff. Der wertvorrat einer bilinearform. *Mathematische Zeitschrift*, 3(1):314–316, 1919.

[8] O. Toeplitz. Das algebraische analogon zu einem satze von fejér. $Mathematische\ Zeitschrift,\ 2(1-2):187-197,\ 1918.$