

Fin Forensics

Section Id :	64065341416
Section Number :	8
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	41
Number of Questions to be attempted :	41
Section Marks :	40
Display Number Panel :	Yes
Section Negative Marks :	0
Group All Questions :	No
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	64065388826
Question Shuffling Allowed :	No
Is Section Default? :	null

Question Number : 170 Question Id : 640653614153 Question Type : MCQ Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 0

Question Label : Multiple Choice Question

THIS IS QUESTION PAPER FOR THE SUBJECT "DEGREE LEVEL : FINANCIAL FORENSICS (COMPUTER BASED EXAM)"

ARE YOU SURE YOU HAVE TO WRITE EXAM FOR THIS SUBJECT?

CROSS CHECK YOUR HALL TICKET TO CONFIRM THE SUBJECTS TO BE WRITTEN.

(IF IT IS NOT THE CORRECT SUBJECT, PLS CHECK THE SECTION AT THE TOP FOR THE SUBJECTS

REGISTERED BY YOU)

Options :

6406532050314. ✓ YES

6406532050315. ✗ NO

Sub-Section Number : 2

Sub-Section Id : 64065388827

Question Shuffling Allowed : Yes

Is Section Default? : null

Question Number : 171 Question Id : 640653614154 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

Nu-Tools plans to set aside an equal amount of money each year, starting today, so that it will have ₹ 25,000 saved at the end of three years. If the firm can earn 4.7 percent, how much does it have to save annually?

Options :

6406532050316. ✓ ₹ 7,596.61

6406532050317. ✗ ₹ 7,689.16

6406532050318. ✗ ₹ 8,004.67

6406532050319. ✗ ₹ 8,333.33

Question Number : 172 Question Id : 640653614155 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

One year ago, the Jenkins Family Fun Center deposited ₹ 4,300 into an investment account for the purpose of buying new equipment four years from today. Today, they are adding another ₹ 6,100 to this account. They plan on making a final deposit of ₹ 8,300 to the account next year. How much will be available when they are ready to buy the equipment, assuming they earn a rate of return of 6 percent?

Options :

6406532050320. ✓ ₹ 23,340.91

6406532050321. ✗ ₹ 22,712.91

6406532050322. ✗ ₹ 22,229.00

6406532050323. ✗ ₹ 22,005.01

Question Number : 173 Question Id : 640653614156 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

Rossdale Flowers has a new greenhouse project with an initial cost of ₹ 297,500 that is expected to generate cash flows of ₹ 44,500 for 8 years and a cash flow of ₹ 59,900 in Year 9. If the required return is 7.6 percent, what is the project's NPV?

Options :

6406532050324. ✗ ₹ 16,152.95

6406532050325. ✗ -₹ 14,829.54

6406532050326. ✓ -₹ 6,864.09

6406532050327. ✗ ₹ 107,759.83

Question Number : 174 Question Id : 640653614157 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

You desire a portfolio beta of 1.1. Currently, your portfolio consists of ₹ 100 invested in Stock A with a beta of 1.4 and ₹ 300 in Stock B with a beta of 0.6. You have another ₹ 400 to invest and want to divide it between Stock C with a beta of 1.6 and a risk-free asset. How much should you invest in the risk-free asset to obtain your desired beta?

Options :

6406532050328. ✓ ₹ 50

6406532050329. ✗ ₹ 100

6406532050330. ✗ ₹ 125

6406532050331. ✗ ₹ 300

Question Number : 175 Question Id : 640653614158 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

A firm has debt of ₹ 7,000, equity of ₹ 12,000, a cost of debt of 7 percent, a cost of equity of 14 percent, and a tax rate of 21 percent. What is the firm's weighted average cost of capital?

Options :

6406532050332. ✗ 8.45 percent

6406532050333. ✗ 9.90 percent

6406532050334. ✓ 10.88 percent

6406532050335. ✗ 12.50 percent

Question Number : 176 Question Id : 640653614159 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

Which of the following ratios is used to analyze profitability?

Options :

6406532050336. ✖ Earnings per share

6406532050337. ✖ Gross margin

6406532050338. ✖ Current ratio

6406532050339. ✔ Both Earnings per share and Gross margin

Question Number : 177 Question Id : 640653614160 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

At the end of the financial period, how would an excess payment of taxes beyond its obligation be presented in the financial statements ?

Options :

6406532050340. ✖ as an accrual revenue

6406532050341. ✔ as a prepaid expenses within current assets

6406532050342. ✖ as a liability due within one year

6406532050343. ✖ as an expense in the income statement

Question Number : 178 Question Id : 640653614161 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

Which of the following would not appear in the investing section of the statement of cash flows?

Options :

6406532050344. ✖ Purchase of land for a new office building

6406532050345. ✖ Interest and dividend received

6406532050346. ✔ Purchase of inventory

6406532050347. ✖ Sale of obsolete equipment used in the factory

Question Number : 179 Question Id : 640653614162 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

While recording transactions the accountants of a firm mistakenly treats a capital expenditure items as revenue expenditure. What is the effect of this error ?

Options :

6406532050348. ✖ Gross profit is understated

6406532050349. ✖ Total assets are overstated

6406532050350. ✖ Net profit is overstated

6406532050351. ✔ Total assets are understated

Question Number : 180 Question Id : 640653614163 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

Issued common stock for ₹ 18,000, sold office equipment for ₹ 1,200, paid cash dividends of ₹ 4,000, purchased investments for ₹ 2,000, purchased new equipment for ₹ 4,000. What was the net cash inflow (outflow) from investing activities?

Options :

6406532050352. ✓ (₹ 4,800)

6406532050353. ✖ (₹ 20,200)

6406532050354. ✖ (₹ 2,800)

6406532050355. ✖ (₹ 10,800)

Question Number : 181 Question Id : 640653614164 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

Which of the following is the process of converting words into their base or root form?

Options :

6406532050356. ✖ Tokenization

6406532050357. ✖ Stop word removal

6406532050358. ✖ Stemming

6406532050359. ✓ Lemmatization

Question Number : 182 Question Id : 640653614165 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

Input – Artificial intelligence technologies are being increasingly integrated into various industries to automate and optimize processes.

Output – Artificial intelligence technology be be increase integrate into various industry to automate and optimize process.

Which of the following pre-processing to input results in this output?

Options :

6406532050360. ✖ Stopword removal

6406532050361. ✖ Tokenisation

6406532050362. ✖ Stemming

6406532050363. ✔ Lemmatization

6406532050364. ✖ None of these

Question Number : 183 Question Id : 640653614166 Question Type : MCQ Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

As given in the confusion matrix of the classifier in Table 1, a bank provides loan to 300 prospects from a database. Selection of an actual good customer leads to an average profit of ₹10,000. Due to misclassification, if a bad applicant is selected for loan, an average loss of ₹30,000 will be incurred. Based on the data given in the confusion matrix (Table 1), what is the overall profit?

Table 1

Classification confusion matrix		
Actual Class	Predicted Class	
	1	0
1	187	19
0	63	31

Options :

6406532050365. ✖ 22,44,000

6406532050366. ✖ 12,40,000

6406532050367. ✔ -2,60,000

6406532050368.

✖ -7,60,000

6406532050369. ✖ 25,20,000


Question Number : 184 Question Id : 640653614167 Question Type : MCQ Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

What is the number of False Negatives?

PS: 1 is positive class, 0 is negative class



Options :

6406532050370. ✔ 118

6406532050371. ✖ 152

6406532050372. ✖ 26

6406532050373. ✖ 6689

6406532050374. ✖ 70

Question Number : 185 Question Id : 640653614168 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

What is the rollback rate for A?

After 12 MOB	After 18 MOB									Roll Back	Roll Forward
	Delinquency	No Due	0-29 DPD	30- 59 DPD	60- 89 DPD	90- 119 DPD	120- 149 DPD	150+ DPD	Total		
	No Due	44000	3340	2000	1340	680	440	200	52000		
	0-29 DPD	18200	2680	1340	680	680	340	200	24120	75.46%	13.43%
	30-59 DPD	7680	2000	1340	280	200	80	480	12060	80.27%	8.62%
	60-89 DPD	2280	2000	680	140	680	540	340	6660	74.47%	B
	90-119 DPD	1340	340	200	80	280	1340	680	4260	A	47.42%
	120-149 DPD	200	80	80	60	60	340	800	1620	29.63%	49.38%
	150+ DPD	40	28	22	18	6	4	1400	1518	7.77%	0

Options :

6406532050375. ✖ 80.27%

6406532050376. ✔ 46.01%

6406532050377. ✖ 7.77%

6406532050378. ✖ 75.46%

6406532050379. ✖ 8.62%

Question Number : 186 Question Id : 640653614169 Question Type : MCQ Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

What is the roll forward rate for B?

After 12 MOB	After 18 MOB										
	Delinquency	No Due	0-29 DPD	30-59 DPD	60-89 DPD	90-119 DPD	120-149 DPD	150+ DPD	Total	Roll Back	Roll Forward
	No Due	44000	3340	2000	1340	680	440	200	52000		
	0-29 DPD	18200	2680	1340	680	680	340	200	24120	75.46%	13.43%
	30-59 DPD	7680	2000	1340	280	200	80	480	12060	80.27%	8.62%
	60-89 DPD	2280	2000	680	140	680	540	340	6660	74.47%	B
	90-119 DPD	1340	340	200	80	280	1340	680	4260	A	47.42%
	120-149 DPD	200	80	80	60	60	340	800	1620	29.63%	49.38%
	150+ DPD	40	28	22	18	6	4	1400	1518	7.77%	0

Options :

6406532050380. ✔ 23.42%

6406532050381. ✖ 8.62%

6406532050382. ✖ 49.38%

6406532050383. ✖ 13.43%

6406532050384. ✖ 46.01%

Question Number : 187 Question Id : 640653614170 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

How many applicants were in 0-29 DPD after 12 MOB?

After 12 MOB	After 18 MOB										
	Delinquency	No Due	0-29 DPD	30-59 DPD	60-89 DPD	90-119 DPD	120-149 DPD	150+ DPD	Total	Roll Back	Roll Forward
	No Due	44000	3340	2000	1340	680	440	200	52000		
	0-29 DPD	18200	2680	1340	680	680	340	200	24120	75.46%	13.43%
	30-59 DPD	7680	2000	1340	280	200	80	480	12060	80.27%	8.62%
	60-89 DPD	2280	2000	680	140	680	540	340	6660	74.47%	B
	90-119 DPD	1340	340	200	80	280	1340	680	4260	A	47.42%
	120-149 DPD	200	80	80	60	60	340	800	1620	29.63%	49.38%
	150+ DPD	40	28	22	18	6	4	1400	1518	7.77%	0

Options :

6406532050385. ✔ 24120

6406532050386. ✖ 18200

6406532050387. ✖ 2680

6406532050388. ✖ 52000

6406532050389. ✖ 1340

Question Number : 188 Question Id : 640653614171 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

What is the capture rate at top 30% (top 3 deciles)?

Decile	min_prob	max_prob	events	nonevents	event_rate	nonevent_rate	cum_eventrate	cum_noneventrate	KS
1	0.34	0.80	17651	429013	39.95%	9.70%	39.95%	9.70%	30.3
2	0.28	0.34	6154	440509	13.93%	9.96%	53.88%	19.66%	34.2
3	0.25	0.28	4602	442061	10.42%	10.00%	64.30%	29.66%	34.6
4	0.22	0.25	3315	443349	7.50%	10.02%	71.80%	39.68%	32.1
5	0.20	0.22	2864	443799	6.48%	10.04%	78.29%	49.72%	28.6
6	0.19	0.20	2434	444229	5.51%	10.04%	83.80%	59.76%	24
7	0.17	0.19	2089	444575	4.73%	10.05%	88.53%	69.81%	18.7
8	0.16	0.17	1914	444749	4.33%	10.06%	92.86%	79.87%	13
9	0.15	0.16	1654	445009	3.74%	10.06%	96.60%	89.93%	6.7
10	0.10	0.15	1501	445163	3.40%	10.07%	100.00%	100.00%	0

Options :

6406532050390. ✖ 39.95%

6406532050391. ✖ 53.88%

6406532050392. ✔ 64.30%

6406532050393. ✖ 71.80%

6406532050394. ✖ 78.29%

Question Number : 189 Question Id : 640653614172 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

What is the KS of the below gains table?

Decile	min_prob	max_prob	events	nonevents	event_rate	nonevent_rate	cum_eventrate	cum_noneventrate	KS
1	0.34	0.80	17651	429013	39.95%	9.70%	39.95%	9.70%	30.3
2	0.28	0.34	6154	440509	13.93%	9.96%	53.88%	19.66%	34.2
3	0.25	0.28	4602	442061	10.42%	10.00%	64.30%	29.66%	34.6
4	0.22	0.25	3315	443349	7.50%	10.02%	71.80%	39.68%	32.1
5	0.20	0.22	2864	443799	6.48%	10.04%	78.29%	49.72%	28.6
6	0.19	0.20	2434	444229	5.51%	10.04%	83.80%	59.76%	24
7	0.17	0.19	2089	444575	4.73%	10.05%	88.53%	69.81%	18.7
8	0.16	0.17	1914	444749	4.33%	10.06%	92.86%	79.87%	13
9	0.15	0.16	1654	445009	3.74%	10.06%	96.60%	89.93%	6.7
10	0.10	0.15	1501	445163	3.40%	10.07%	100.00%	100.00%	0

Options :

6406532050395. ✖ 30.3%

6406532050396. ✖ 34.2%

6406532050397. ✔ 34.6%

6406532050398. ✖ 6.7%

6406532050399. ✖ 22.22%

Question Number : 190 Question Id : 640653614173 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

Y is a metric that is used to decide if a model has to be trained again. It captures the change in environment in which model was trained relative to the environment in which the model is deployed. What is Y?

Options :

6406532050400. ✔ Population Stability Index

6406532050401.

✖ Lift

6406532050402. ✖ Accuracy

6406532050403. ✖ R squared

6406532050404. ✖ VIF

Question Number : 191 Question Id : 640653614174 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

Let's say you are bestowed with the responsibility of building an ML model for a popular fintech company for credit line assignment for its credit applicants. Credit line assignment is the process in the financial industry where lenders, banks, or credit card companies decide how much credit to extend to an individual or a business. It involves setting a specific maximum amount of money that a borrower is allowed to borrow or spend on a credit card or credit facility. Which of the following performance metric do you think will be best suitable for measuring your model's performance:

Options :

6406532050405. ✖ Accuracy

6406532050406. ✖ Mean Absolute Error

6406532050407. ✖ F1 Score

6406532050408. ✖ Root Mean Squared Error

6406532050409. ✖ Both Accuracy and F1 Score

6406532050410. ✔ Both Mean Absolute Error and Root Mean Squared Error

Question Number : 192 Question Id : 640653614175 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

A Fraud detection model a FinTech company is put to production which is used for flagging suspicious transactions from going through the company's payment system. On a given day the 500 transaction attempts were made in the company's payment system and the ML model has declined all the transaction attempts on the grounds of Fraud, upon taking a manual review it was noticed that all the 500 transaction attempts were indeed genuine. Now which of the following statement is True about the model.

Options :

6406532050411. ✖ Precision = 100%

6406532050412. ✖ Recall = 100%

6406532050413. ✔ Recall is Undefined

6406532050414. ✖ Recall = 0%

6406532050415. ✖ Precision is Undefined

Question Number : 193 Question Id : 640653614176 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

Which of the following statement is incorrect?

Options :

6406532050416. ✖ Anomaly detection framework can be used for identifying types of frauds that are not known a priori.

6406532050417. ✖ Supervised learning framework can be used only when the type of frauds is known a priori.

6406532050418. ✔ Anomaly detection framework is always superior to supervised learning

framework.

6406532050419. ✖ One can use accuracy as a performance metric to measure the performance of Random Forest classification algorithm.

Question Number : 194 Question Id : 640653614177 Question Type : MCQ Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

Fill the missing information to complete the confusion matrix below:

		Actual Class	
		Fraud	Non - Fraud
Predicted Class	Fraud	500	A
	Non - Fraud	B	10000

Total True Frauds = 520, Total data points that are classified by the model = 10620

Options :

6406532050420. ✖ A = 60, B = 60

6406532050421. ✖ A = 20, B = 100

6406532050422. ✔ A = 100, B = 20

6406532050423. ✖ Information insufficient

Question Number : 195 Question Id : 640653614178 Question Type : MCQ Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

Presence of outliers will have a bad impact on Isolation Forest Algorithm, so they must be removed first before fitting the isolation forest model

Options :

6406532050424. ✖ TRUE

6406532050425. ✔ FALSE

Question Number : 196 Question Id : 640653614179 Question Type : MCQ Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

A fintech company has a ML system that identifies transaction frauds that occur in its system. The model currently has an accuracy of 99.9%. The fraud rate, as reported by the company in its system is 20 BPS. On a regular day there are close to above 1 million transactions that happens via the company's payment system, and for each fraudulent transaction the company losses INR 10 on an average. The annual savings (INR) brought in by the ML system is:

Options :

6406532050426. ✖ ~3.4M

6406532050427. ✖ ~7.2M

6406532050428. ✖ ~19.9K

6406532050429. ✔ Insufficient information to solve the problem

Question Number : 197 Question Id : 640653614180 Question Type : MCQ Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

What is the purpose of the Dickey-Fuller test in time series analysis?

Options :

6406532050430. ✖ To check for the presence of seasonality in the data.

6406532050431. ✔ To test for the presence of unit roots and assess stationarity.

6406532050432. ✖ To calculate the autocorrelation function (ACF) of the data.

6406532050433. ✖ To determine the appropriate lag order for an ARMA model.

Question Number : 198 Question Id : 640653614181 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

You have built a linear regression model for predicting the number of users who access your payment platform daily. The following table shows the model's performance:

Day	Model's prediction	True Value
Jan 1	20	22
Jan 2	15	20
Jan 3	16	23
Jan 4	8	16
Jan 5	50	30
Jan 6	70	95
Jan 7	50	80

Consider the following statements and choose the right option below:

Statement 1: Linear Regression is a not very good fit for this use case.

Statement 2: Linear Regression is a very good fit for this use case.

Statement 3: The model's errors are not normally distributed.

Options :

6406532050434. ✖ Statement 2 and 3 are correct.

6406532050435. ✖ Statement 1 is correct and statement 3 is not the right explanation for statement 1.

6406532050436. ✔ Statement 1 is correct and statement 3 is the right explanation for statement 1.

6406532050437. ✖ Statement 2 is correct and statement 3 is not the right explanation for statement 1.

Question Number : 199 Question Id : 640653614182 Question Type : MCQ Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

There are two time series models A and B which have the following predictions, which of these is more accurate from the perspective for MSE?

True value = [10, 12, 11, 15, 18, 20, 23]

Predictions of A = [7, 11, 15, 15, 16, 19, 30]

Predictions of B = [10, 11, 20, 16, 18, 25, 23]

Options :

6406532050438. ✔ A

6406532050439. ✖ B

Question Number : 200 Question Id : 640653614183 Question Type : MCQ Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

What does the autocorrelation function (ACF) measure in time series analysis?

Options :

6406532050440. ✖ The relationship between dependent and independent variables.

6406532050441. ✖ The degree of randomness in the data.

6406532050442. ✔ The correlation between the current value and a lagged value of the series.

6406532050443. ✖ The difference between the current value and the mean of the series.

Question Number : 201 Question Id : 640653614184 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

You have the following 2 documents with the text:

D1 = Get Out Get Going

D2 = Get along with the crowd

The Term Frequency (TF) for the word "Get" for D1 and D2 is :

Options :

6406532050444. ✔ 3

6406532050445. ✖ 1

6406532050446. ✖ 0

6406532050447. ✖ 2

Question Number : 202 Question Id : 640653614185 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction

Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

The following metrics cannot be used to calculate string similarity:

Options :

6406532050448. ✖ Cosine similarity

6406532050449. ✖ Levenshtein distance

6406532050450. ✖ Both Cosine similarity and Levenshtein distance

6406532050451. ✔ Sine similarity

Question Number : 203 Question Id : 640653614186 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

If cosine similarity between two string vectors is high, it means

Options :

6406532050452. ✔ The strings are similar.

6406532050453. ✖ The strings are dissimilar.

6406532050454. ✖ Grammatically they are dissimilar.

6406532050455. ✖ None of these

Question Number : 204 Question Id : 640653614187 Question Type : MCQ Is Question

Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

You had converted two words to a vectors having following values:

A = [1,4,6,8,2]

B = [1,3,6,9,0]

The cosine similarity between them is:

Options :

6406532050456. ✔ 0.976

6406532050457. ✖ 0.782

6406532050458. ✖ 0.890

6406532050459. ✖ 0.823

Question Number : 205 Question Id : 640653614188 Question Type : MCQ Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

You had converted two words to a vectors having following values:

A = [1,2,3,4,5]

B = [5,4,3,2,1]

The cosine similarity between them is:

Options :

6406532050460. ✔ 0.636

6406532050461. ✖ 0.962

6406532050462. ✖ 0.915

6406532050463. ✖ 0.893

Question Number : 206 Question Id : 640653614189 Question Type : MCQ Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

Global explainability lets the model owner determine to what extent each feature contributes to how the model makes its predictions over all of the data.

Options :

6406532050464. ✓ TRUE


6406532050465. ✗ FALSE

Question Number : 207 Question Id : 640653614190 Question Type : MCQ Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

In the following waterfall plot , identify the base value (explainer expected value):



Options :

6406532050466. ✗ + 2.23

6406532050467. ✔ + 1.445

6406532050468. ✖ - 2.36

6406532050469. ✖ +1.78

Question Number : 208 Question Id : 640653614191 Question Type : MCQ Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

tree_path_dependent is a "feature_perturbation" technique is used by default when there is no data provided to shap Tree explainer object.

Options :

6406532050470. ✖ FALSE


6406532050471. ✔ TRUE

Question Number : 209 Question Id : 640653614192 Question Type : MCQ Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

From the following feature powerset , evaluate the 'w4' , weight of the marginal coalition.



Options :

6406532050472. ✓ $\frac{1}{3}$

6406532050473. ✗ $\frac{1}{4}$

6406532050474. ✗ $\frac{1}{5}$

6406532050475. ✗ $\frac{1}{6}$

Question Number : 210 Question Id : 640653614193 Question Type : MCQ Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1

Question Label : Multiple Choice Question

In the context of the Interaction Index, what is the significance of negative values?