

■ Coffee Dating

MVP Technical Brief v1.0 — Vibe Coding Blueprint

1. Konsep Produk

Web app social/dating khusus pengguna yang sedang berada di coffee shop tertentu. Setiap coffee shop memiliki satu permanent URL yang dipakai bersama oleh QR Code dan NFC Tag. QR/NFC hanya menjadi pintu masuk; akses ke coffee shop ditentukan oleh GPS dan radius lokasi.

Contoh URL: `https://app.com/c/kopi-senja-x82k`

2. Core User Flow

SCAN QR / NFC → Coffee Shop URL → Check Coffee Shop → Choose Identity → Profile Setup → GPS Permission → Distance Validation → Create Session → PEOPLE HERE → View Profile → Say Hi / Chat

3. Anonymous vs Non-Anonymous

Anonymous	Non-Anonymous
Nickname	Name / Nickname
Age	Age
Gender	Gender
Bio	Bio
Avatar	Avatar
Chat preference	Chat preference
Tidak menampilkan akun sosial	Instagram / TikTok / WhatsApp optional

4. GPS & Presence Validation

Setiap coffee shop menyimpan latitude, longitude, dan radius_meter. Saat user join, browser meminta GPS, kemudian sistem menghitung jarak user ke coffee shop. Jika jarak $\leq$ radius, user lolos dan dibuatkan active session. GPS tidak perlu dilacak terus-menerus.

Contoh: Kopi Senja → radius 100 meter → user berada 37 meter → VERIFIED → masuk People Here.

5. Active Session & People Here

User yang pernah mendaftar tidak otomatis selalu muncul. People Here hanya menampilkan user yang memiliki active session pada coffee shop yang sama dan session belum expired. Session memiliki joined_at, last_active_at, expires_at, gps_verified, dan status.

6. Mini Dashboard / Super Admin

Dashboard dibuat sangat ringan karena target platform adalah banyak coffee shop. Tidak perlu chart atau animasi berat.

Dashboard	Jumlah coffee shop, active users, active sessions
Coffee Shops	List, status, active users, detail
Add Coffee Shop	Name, address, latitude, longitude, radius, status
QR / NFC	Generate permanent URL dan QR; URL yang sama dipakai NFC
Users	Search + pagination

Reports	Moderation
Block	Block user

7. Database Models

coffee_shops — id, name, slug, address, latitude, longitude, radius_meter, access_token, is_active, created_at, updated_at

profiles — id, user_id, display_name, age, gender, bio, avatar_url, is_anonymous, instagram, tiktok, whatsapp, chat_enabled, created_at, updated_at

coffee_shop_sessions — id, user_id, coffee_shop_id, joined_at, last_active_at, expires_at, gps_verified, status, created_at

conversations — id, user_one_id, user_two_id, created_at, updated_at

messages — id, conversation_id, sender_id, message, created_at, read_at

interactions — id, sender_id, receiver_id, type, created_at

reports — id, reporter_id, reported_user_id, reason, description, status, created_at, resolved_at

blocks — id, user_id, blocked_user_id, created_at

Authentication

Gunakan Supabase Auth (auth.users) sebagai identity utama. Public profile mengacu ke user_id. Data GPS tidak disimpan permanen di profile.

8. Relationship

auth.users → profiles; profiles/users → coffee_shop_sessions; coffee_shops → coffee_shop_sessions; users → conversations → messages; users → interactions; users → reports; users → blocks.

9. RLS & Security

Supabase Row Level Security wajib digunakan. User hanya boleh mengakses data yang memang relevan dengan session dan coffee shop-nya. Private account data tidak boleh terekspos melalui query public. Admin memiliki akses sesuai role.

10. Tech Stack

Frontend	Next.js + Tailwind CSS
Backend	Next.js Server Actions / Route Handlers
Database	Supabase PostgreSQL
Authentication	Supabase Auth
Realtime	Supabase Realtime (utama untuk chat)
Storage	Supabase Storage
Hosting	Vercel
GPS	Browser Geolocation API
Maps	Google Maps
QR	URL-based QR
NFC	NDEF URL Tag

11. Performance Rules

- Gunakan Server Components bila memungkinkan.
- Client Components hanya untuk interaksi yang membutuhkan browser.
- Pagination untuk data user/session.
- Lazy loading untuk komponen seperti map, chat, dan QR preview.
- Query hanya kolom yang diperlukan.
- Tambahkan database index pada field pencarian/filter penting.
- Realtime hanya untuk chat; dashboard tidak perlu realtime penuh.
- Tidak melakukan GPS tracking terus-menerus.
- Hindari UI library/animasi/chart berat yang tidak diperlukan.
- Batasi ukuran avatar dan gunakan image optimization.

12. MVP Scope

Landing page • Permanent Coffee Shop URL • QR • NFC URL • Registration • Anonymous • Non-Anonymous • Profile • GPS verification • Radius validation • Active session • People Here • Profile preview • Chat ON/OFF • Chat • Super Admin login • Add Coffee Shop • Generate QR • Coffee Shop management • User management • Reports • Block

13. Fitur yang Belum Masuk MVP

Mobile app, AI matching, premium membership, payment, push notification, dating algorithm kompleks, social feed, stories, video.

14. Vibe Coding Execution Order

1. Create Next.js project
2. Setup Tailwind
3. Create Supabase project & connect
4. Create database tables + indexes
5. Setup Supabase Auth
6. Build Super Admin dashboard
7. Build Add Coffee Shop
8. Generate permanent URL + QR
9. Build /c/[token]
10. Build Anonymous / Non-Anonymous registration
11. Build Profile Setup
12. Build GPS Verification
13. Create Active Session
14. Build People Here
15. Build Profile Detail
16. Build Chat + Realtime
17. Build Report + Block
18. Security/RLS review
19. Performance review

20. Deploy to Vercel

MVP Success Criteria: Admin dapat membuat coffee shop → sistem menghasilkan satu permanent URL → URL dipakai oleh QR dan NFC → user tap/scan → pilih identitas → isi profile → GPS valid → active session dibuat → user masuk People Here → dapat melihat profile → Say Hi / Chat.