

Ivan Jacob Agaloos Pesigan

August 31, 2026

References

blx@hook@bibinit

Andrews: Heteroskedasticity and autocorrelation consistent covariance matrix estimation **Andrews-1991**

Donald W. K. Andrews. “Heteroskedasticity and autocorrelation consistent covariance matrix estimation”. In: *Econometrica* 59.3 (May 1991), p. 817. DOI: [10.2307/2938229](https://doi.org/10.2307/2938229).

Abstract: This paper is concerned with the estimation of covariance matrices in the presence of heteroskedasticity and autocorrelation of unknown forms. Currently available estimators that are designed for this context depend upon the choice of a lag truncation parameter and a weighting scheme. Results in the literature provide a condition on the growth rate of the lag truncation parameter as $T \rightarrow \infty$ that is sufficient for consistency. No results are available, however, regarding the choice of lag truncation parameter for a fixed sample size, regarding data-dependent automatic lag truncation parameters, or regarding the choice of weighting scheme. In consequence, available estimators are not entirely operational and the relative merits of the estimators are unknown. This paper addresses these problems. The asymptotic truncated mean squared errors of estimators in a given class are determined and compared. Asymptotically optimal kernel/weighting scheme and bandwidth/lag truncation parameters are obtained using an asymptotic truncated mean squared error criterion. Using these results, data-dependent automatic bandwidth/lag truncation parameters are introduced. The finite sample properties of the estimators are analyzed via Monte Carlo simulation.

Andrews et al.: An improved heteroskedasticity and autocorrelation consistent covariance matrix estimator
Andrews-Monahan-1992

Donald W. K. Andrews and J. Christopher Monahan. “An improved heteroskedasticity and autocorrelation consistent covariance matrix estimator”. In: *Econometrica* 60.4 (July 1992), p. 953. DOI: [10.2307/2951574](https://doi.org/10.2307/2951574).

Berkey et al.: Meta-analysis of multiple outcomes by regression with random effects
Berkey-Hoaglin-AntczakBouckoms-et al-1998

C. S. Berkey et al. “Meta-analysis of multiple outcomes by regression with random effects”. In: *Statistics in Medicine* 17.22 (Nov. 1998), pp. 2537–2550. ISSN: 1097-0258. DOI: [10.1002/\(sici\)1097-0258\(19981130\)17:22<2537::aid-sim953>3.0.co;2-c](https://doi.org/10.1002/(sici)1097-0258(19981130)17:22<2537::aid-sim953>3.0.co;2-c).

Abstract: Earlier work showed how to perform fixed-effects meta-analysis of studies or trials when each provides results on more than one outcome per patient and these multiple outcomes are correlated. That fixed-effects generalized-least-squares approach analyzes the multiple outcomes jointly within a single model, and it can include covariates, such as duration of therapy or quality of trial, that may explain observed heterogeneity of results among the trials. Sometimes the covariates explain all the heterogeneity, and the fixed-effects regression model is appropriate. However, unexplained heterogeneity may often remain, even after taking into account known or suspected covariates. Because fixed-effects models do not make allowance for this remaining unexplained heterogeneity, the potential exists for bias in estimated coefficients, standard errors and p-values. We propose two random-effects approaches for the regression meta-analysis of multiple correlated outcomes. We compare their use with fixed-effects models and with separate-outcomes models in a meta-analysis of periodontal clinical trials. A simulation study shows the advantages of the random-effects approach. These methods also facilitate meta-analysis of trials that compare more than two treatments.

Block et al.: IQ and ego-resiliency: Conceptual and empirical connections and separateness
Block-Kremen-1996

Jack Block and Adam M. Kremen. "IQ and ego-resiliency: Conceptual and empirical connections and separateness". In: *Journal of Personality and Social Psychology* 70.2 (1996), pp. 349–361. ISSN: 0022-3514. DOI: [10.1037/0022-3514.70.2.349](https://doi.org/10.1037/0022-3514.70.2.349).

Abstract: The constructs of intelligence and ego-resiliency are discussed. The personality implications of "pure intelligence" and "pure ego-resilience" were identified. Intelligence (IQ) was indexed by the Wechsler Adult Intelligence Scale-Revised (WAIS-R) and ego-resiliency by an inventory scale. Residual scores measuring "pure intelligence" and "pure ego-resilience" were correlated with the items of the observer based California Q-sort, used to describe participants. Persons relatively high on ego-resilience tend to be more competent and comfortable in the "fuzzier" interpersonal world; persons defined primarily by raw IQ tend to be effective in the "clearer" world of structured work but tend also to be uneasy with affect and less able to realize satisfying human connections. Gender differences exist in the relations of ego-resilience and intelligence and in their adaptive relevance.

Bolger et al.: Personality and the problems of everyday life: The role of neuroticism in exposure and reactivity to daily stressors
Bolger-Schilling-1991

Niall Bolger and Elizabeth A. Schilling. "Personality and the problems of everyday life: The role of neuroticism in exposure and reactivity to daily stressors". In: *Journal of Personality* 59.3 (Sept. 1991), pp. 355–386. ISSN: 1467-6494. DOI: [10.1111/j.1467-6494.1991.tb00253.x](https://doi.org/10.1111/j.1467-6494.1991.tb00253.x).

Abstract: This article investigates mechanisms through which neuroticism leads to distress in daily life. Neuroticism may lead to distress through exposing people to a greater number of stressful events, through increasing their reactivity to those events, or through a mechanism unrelated to environmental events. This article evaluates the relative importance of these three explanations. Subjects were 339 persons who provided daily reports of minor stressful events and mood for 6 weeks. Exposure and reactivity to these minor stressors explained over 40% of the distress differ-

ence between high- and low-neuroticism subjects. Reactivity to stressors accounted for twice as much of the distress difference as exposure to stressors. These results suggest that reactions within stressful situations are more important than situation selection in explaining how neuroticism leads to distress in daily life.

Bolger et al.: A framework for studying personality in the stress process

Bolger-Zuckerman-1995

Niall Bolger and Adam Zuckerman. “A framework for studying personality in the stress process”. In: *Journal of Personality and Social Psychology* 69.5 (1995), pp. 890–902. ISSN: 0022-3514. DOI: [10.1037/0022-3514.69.5.890](https://doi.org/10.1037/0022-3514.69.5.890).

Abstract: This article presents a framework for studying personality in the stress process. The framework specifies that personality may affect both exposure and reactivity to stressful events and that both processes may explain how personality affects health and psychological outcomes. The framework also specifies that personality differences in reactivity may be due to differential choice of coping efforts and differential effectiveness of those efforts. In a 14-day daily diary study of 94 students, this framework was used to analyze the links among neuroticism, daily interpersonal conflicts, coping with conflicts, and distress. Results showed that high-neuroticism participants had greater exposure and reactivity to conflicts. Furthermore, high- and low-neuroticism participants differed both in their choice of coping efforts and in the effectiveness of those efforts, a possibility not considered in previous models of personality in the stress process.

Bollen et al.: Direct and indirect effects: Classical and bootstrap estimates of variability

Bollen-Stine-1990

Kenneth A. Bollen and Robert Stine. “Direct and indirect effects: Classical and bootstrap estimates of variability”. In: *Sociological Methodology* 20 (1990), p. 115. DOI: [10.2307/271084](https://doi.org/10.2307/271084).

Abstract: The decomposition of effects in structural equation models has been of considerable interest to social scientists. Finite-sample or asymptotic results for the sampling distribution of estimators of direct effects are widely available. Statistical inferences about indirect effects have relied exclusively on asymptotic methods which assume that the limiting distribution of the estimator is normal, with a standard error derived from the delta method. We examine bootstrap procedures as another way to generate standard errors and confidence intervals and to estimate the sampling distributions of estimators of direct and indirect effects. We illustrate the classical and the bootstrap methods with three empirical examples. We find that in a moderately large sample, the bootstrap distribution of an estimator is close to that assumed with the classical and delta methods but that in small samples, there are some differences. Bootstrap methods provide a check on the classical and delta methods when the latter are applied under less than ideal conditions.

Celeux et al.: An entropy criterion for assessing the number of clusters in a mixture model
Celeux-Soromenho-1996

Gilles Celeux and Gilda Soromenho. “An entropy criterion for assessing the number of clusters in a mixture model”. In: *Journal of Classification* 13.2 (Sept. 1996), pp. 195–212. ISSN: 1432-1343. DOI: [10.1007/bf01246098](https://doi.org/10.1007/bf01246098).

Abstract: In this paper, we consider an entropy criterion to estimate the number of clusters arising from a mixture model. This criterion is derived from a relation linking the likelihood and the classification likelihood of a mixture. Its performance is investigated through Monte Carlo experiments, and it shows favorable results compared to other classical criteria.

Clark et al.: Tripartite model of anxiety and depression: Psychometric evidence and taxonomic implications
Clark-Watson-1991

Lee Anna Clark and David Watson. “Tripartite model of anxiety and depression: Psychometric

evidence and taxonomic implications”. In: *Journal of Abnormal Psychology* 100.3 (Aug. 1991), pp. 316–336. ISSN: 0021-843X. DOI: [10.1037/0021-843x.100.3.316](https://doi.org/10.1037/0021-843x.100.3.316).

Abstract: Reviews psychometric and other evidence relevant to mixed anxiety-depression. Properties of anxiety and depression measures, including the convergent and discriminant validity of self- and clinical ratings, and interrater reliability, are examined in patient and normal samples. Results suggest that anxiety and depression can be reliably and validly assessed; moreover, although these disorders share a substantial component of general affective distress, they can be differentiated on the basis of factors specific to each syndrome. L. A. Clark and D. Watson also review evidence for these specific factors, examining the influence of context and scale content on ratings, factor analytic studies, and the role of low positive affect in depression. With these data, Clark and Watson argue for a tripartite structure consisting of general distress, physiological hyperarousal (specific anxiety), and anhedonia (specific depression), and they propose a diagnosis of mixed anxiety-depression.

Collins et al.: Latent class models for stage-sequential dynamic latent variables

Collins-Wugalter-1992

Linda M. Collins and Stuart E. Wugalter. “Latent class models for stage-sequential dynamic latent variables”. In: *Multivariate Behavioral Research* 27.1 (Jan. 1992), pp. 131–157. ISSN: 1532-7906. DOI: [10.1207/s15327906mbr2701_8](https://doi.org/10.1207/s15327906mbr2701_8).

Abstract: Stage-sequential dynamic latent variables are of interest in many longitudinal studies. Measurement theory for these latent variables, called Latent Transition Analysis (LTA), can be found in recent generalizations of latent class theory. LTA expands the latent Markov model to allow applications to more complex latent variables and the use of multiple indicators. Because complex latent class models result in sparse contingency tables, that may lead to poor parameter estimation, a simulation study was conducted in order to determine whether model parameters are recovered adequately by LTA, and whether additional indicators result in better measurement or in impossibly sparse tables. The results indicated that parameter recovery was satisfactory overall,

although as expected the standard errors were large in some conditions with few subjects. The simulation also indicated that at least within the conditions examined here, the benefits of adding indicators outweigh the costs. Additional indicators improved standard errors, even in conditions producing extremely sparse tables. An example of LTA analysis of empirical data on math skill development is presented.

M. L. Cooper et al.: Drinking to regulate positive and negative emotions: A motivational model of alcohol use **Cooper-Frone-Russell-et-al-1995**

M. Lynne Cooper et al. “Drinking to regulate positive and negative emotions: A motivational model of alcohol use”. In: *Journal of Personality and Social Psychology* 69.5 (Nov. 1995), pp. 990–1005. ISSN: 0022-3514. DOI: [10.1037/0022-3514.69.5.990](https://doi.org/10.1037/0022-3514.69.5.990).

Abstract: The present study proposed and tested a motivational model of alcohol use in which people are hypothesized to use alcohol to regulate both positive and negative emotions. Two central premises underpin this model: (a) that enhancement and coping motives for alcohol use are proximal determinants of alcohol use and abuse through which the influence of expectancies, emotions, and other individual differences are mediated and (b) that enhancement and coping motives represent phenomenologically distinct behaviors having both unique antecedents and consequences. This model was tested in 2 random samples (1 of adults, 1 of adolescents) using a combination of moderated regression and path analysis corrected for measurement error. Results revealed strong support for the hypothesized model in both samples and indicate the importance of distinguishing psychological motives for alcohol use.

DeNeve et al.: The happy personality: A meta-analysis of 137 personality traits and subjective well-being **DeNeve-Cooper-1998**

Kristina M. DeNeve and Harris Cooper. “The happy personality: A meta-analysis of 137 personality

traits and subjective well-being”. In: *Psychological Bulletin* 124.2 (1998), pp. 197–229. ISSN: 0033-2909. DOI: [10.1037/0033-2909.124.2.197](https://doi.org/10.1037/0033-2909.124.2.197).

Abstract: This meta-analysis used 9 literature search strategies to examine 137 distinct personality constructs as correlates of subjective well-being (SWB). Personality was found to be equally predictive of life satisfaction, happiness, and positive affect, but significantly less predictive of negative affect. The traits most closely associated with SWB were repressive-defensiveness, trust, emotional stability, locus of control-chance, desire for control, hardiness, positive affectivity, private collective self-esteem, and tension. When personality traits were grouped according to the Big Five factors, Neuroticism was the strongest predictor of life satisfaction, happiness, and negative affect. Positive affect was predicted equally well by Extraversion and Agreeableness. The relative importance of personality for predicting SWB, how personality might influence SWB, and limitations of the present review are discussed.

Dishion et al.: Parental monitoring and the prevention of child and adolescent problem behavior: A conceptual and empirical formulation **Dishion-McMahon-1998**

Thomas J. Dishion and Robert J. McMahon. “Parental monitoring and the prevention of child and adolescent problem behavior: A conceptual and empirical formulation”. In: *Clinical Child and Family Psychology Review* 1.1 (Mar. 1998), pp. 61–75. ISSN: 1573-2827. DOI: [10.1023/a:1021800432380](https://doi.org/10.1023/a:1021800432380).

Abstract: The present report accomplishes three goals. First, to provide an empirical rationale for placing parental monitoring of children’s adaptations as a key construct in development and prevention research. Second, to stimulate more research on parental monitoring and provide an integrative framework for various research traditions as well as developmental periods of interest. Third, to discuss current methodological issues that are developmentally and culturally sensitive and based on sound measurement. Possible intervention and prevention strategies that specifically target parental monitoring are discussed.

Dumenci et al.: A latent trait-state model of adolescent depression using the Center for Epidemiologic Studies-Depression Scale **Dumenci-Windle-1996**

Levent Dumenci and Michael Windle. “A latent trait-state model of adolescent depression using the Center for Epidemiologic Studies-Depression Scale”. In: *Multivariate Behavioral Research* 31.3 (July 1996), pp. 313–330. ISSN: 1532-7906. DOI: [10.1207/s15327906mbr3103_3](https://doi.org/10.1207/s15327906mbr3103_3).

Abstract: Utilized the latent trait-state model for estimating stable and changing components of depressive symptomology in adolescents. The factorial structure of the Center for Epidemiologic Studies-Depression Scale (CES-D) was assessed separately for males and females at 4 measurement occasions, at 6-mo intervals. The variance decomposition of general trait, state, specific trait, and random error parameters for the CES-D scores was estimated simultaneously and tested statistically. Parameter estimates indicated that the CES-D measured both trait- and state-depression about equally well, and that the trait-specific variance parameter was statistically significant, but substantially smaller than those associated with general trait- and state-depression. Findings are discussed with regard to depressive mood fluctuations among adolescents and the potential usefulness of the latent trait-state model to capture such dynamic features of development.

Eilers et al.: Flexible smoothing with B-splines and penalties **Eilers-Marx-1996**

Paul H. C. Eilers and Brian D. Marx. “Flexible smoothing with B-splines and penalties”. In: *Statistical Science* 11.2 (May 1996). ISSN: 0883-4237. DOI: [10.1214/ss/1038425655](https://doi.org/10.1214/ss/1038425655).

Abstract: B -splines are attractive for nonparametric modelling, but choosing the optimal number and positions of knots is a complex task. Equidistant knots can be used, but their small and discrete number allows only limited control over smoothness and fit. We propose to use a relatively large number of knots and a difference penalty on coefficients of adjacent B -splines. We show connections to the familiar spline penalty on the integral of the squared second derivative. A short overview of B -splines, of their construction and of penalized likelihood is presented. We discuss properties of penalized B -splines and propose various criteria for the choice of an optimal penalty

parameter. Nonparametric logistic regression, density estimation and scatterplot smoothing are used as examples. Some details of the computations are presented.

Hoogland et al.: Robustness studies in covariance structure modeling: An overview and a meta-analysis **Hoogland-Boomsma-1998**

Jeffrey J. Hoogland and Anne Boomsma. “Robustness studies in covariance structure modeling: An overview and a meta-analysis”. In: *Sociological Methods & Research* 26.3 (Feb. 1998), pp. 329–367. ISSN: 1552-8294. DOI: [10.1177/0049124198026003003](https://doi.org/10.1177/0049124198026003003).

Abstract: In covariance structure modeling several estimation methods are available. The robustness of an estimator against specific violations of assumptions can be determined empirically by means of a Monte Carlo study. Many such studies in covariance structure analysis have been published, but the conclusions frequently seem to contradict each other. An overview of robustness studies in covariance structure analysis is given, and an attempt is made to generalize their findings. Robustness studies are described and distinguished from each other systematically by means of certain characteristics. These characteristics serve as explanatory variables in a meta-analysis concerning the behavior of parameter estimators, standard error estimators, and goodness-of-fit statistics when the model is correctly specified.

Kenny et al.: The trait-state-error model for multiwave data **Kenny-Zautra-1995**

David A. Kenny and Alex Zautra. “The trait-state-error model for multiwave data”. In: *Journal of Consulting and Clinical Psychology* 63.1 (1995), pp. 52–59. ISSN: 0022-006X. DOI: [10.1037/0022-006x.63.1.52](https://doi.org/10.1037/0022-006x.63.1.52).

Abstract: Although researchers in clinical psychology routinely gather data in which many individuals respond at multiple times, there is not a standard way to analyze such data. A new approach for the analysis of such data is described. It is proposed that a person’s current standing on a variable is caused by 3 sources of variance: a term that does not change (trait), a term that

changes (state), and a random term (error). It is shown how structural equation modeling can be used to estimate such a model. An extended example is presented in which the correlations between variables are quite different at the trait, state, and error levels.

Li et al.: Large-sample significance levels from multiply imputed data using moment-based statistics and an F reference distribution **Li-Raghunathan-Rubin-1991**

K. H. Li, Trivellore Eachambadi Raghunathan, and Donald B. Rubin. “Large-sample significance levels from multiply imputed data using moment-based statistics and an F reference distribution”. In: *Journal of the American Statistical Association* 86.416 (Dec. 1991), pp. 1065–1073. DOI: [10.1080/01621459.1991.10475152](https://doi.org/10.1080/01621459.1991.10475152).

Abstract: We present a procedure for computing significance levels from data sets whose missing values have been multiply imputed data. This procedure uses moment-based statistics, $m \leq 3$ repeated imputations, and an F reference distribution. When $m = \infty$, we show first that our procedure is essentially the same as the ideal procedure in cases of practical importance and, second, that its deviations from the ideal are basically a function of the coefficient of variation of the canonical ratios of complete to observed information. For small m our procedure’s performance is largely governed by this coefficient of variation and the mean of these ratios. Using simulation techniques with small m , we compare our procedure’s actual and nominal large-sample significance levels and conclude that it is essentially calibrated and thus represents a definite improvement over previously available procedures. Furthermore, we compare the large-sample power of the procedure as a function of m and other factors, such as the dimensionality of the estimand and fraction of missing information, to provide guidance on the choice of the number of imputations; generally, we find the loss of power due to small m to be quite modest in cases likely to occur in practice.

Alexandr Mikhailovich Lyapunov. “The general problem of the stability of motion”. In: *International Journal of Control* 55.3 (Mar. 1992), pp. 531–534. ISSN: 1366-5820. DOI: [10 . 1080 / 00207179208934253](https://doi.org/10.1080/00207179208934253).