

# Ivan Jacob Agaloos Pesigan

January 24, 2024

## References

- Asparouhov, T., Hamaker, E. L., & Muthén, B. (2017). Dynamic structural equation models. *Structural Equation Modeling: A Multidisciplinary Journal*, 25(3), 359–388. <https://doi.org/10.1080/10705511.2017.1406803>
- Biesanz, J. C., Falk, C. F., & Savalei, V. (2010). Assessing mediational models: Testing and interval estimation for indirect effects. *Multivariate Behavioral Research*, 45(4), 661–701. <https://doi.org/10.1080/00273171.2010.498292>
- Blanca, M. J., Arnau, J., Lopez-Montiel, D., Bono, R., & Bendayan, R. (2013). Skewness and kurtosis in real data samples. *Methodology*, 9(2), 78–84. <https://doi.org/10.1027/1614-2241/a000057>
- Boettiger, C., & Eddelbuettel, D. (2017). An introduction to Rocker: Docker containers for R. *The R Journal*, 9(2), 527. <https://doi.org/10.32614/rj-2017-065>
- Chen, G., Glen, D. R., Saad, Z. S., Hamilton, J. P., Thomason, M. E., Gotlib, I. H., & Cox, R. W. (2011). Vector autoregression, structural equation modeling, and their synthesis in neuroimaging data analysis. *Computers in Biology and Medicine*, 41(12), 1142–1155. <https://doi.org/10.1016/j.compbiomed.2011.09.004>
- Chow, S.-M., Ho, M.-h. R., Hamaker, E. L., & Dolan, C. V. (2010). Equivalence and differences between structural equation modeling and state-space modeling techniques. *Structural Equation Modeling: A Multidisciplinary Journal*, 17(2), 303–332. <https://doi.org/10.1080/10705511003661553>
- Curran, P. J., & Bauer, D. J. (2011). The disaggregation of within-person and between-person effects in longitudinal models of change. *Annual Review of Psychology*, 62(1), 583–619. <https://doi.org/10.1146/annurev.psych.093008.100356>

- Deboeck, P. R., & Preacher, K. J. (2015). No need to be discrete: A method for continuous time mediation analysis. *Structural Equation Modeling: A Multidisciplinary Journal*, 23(1), 61–75. <https://doi.org/10.1080/10705511.2014.973960>
- Demeshko, M., Washio, T., Kawahara, Y., & Pepyolyshev, Y. (2015). A novel continuous and structural VAR modeling approach and its application to reactor noise analysis. *ACM Transactions on Intelligent Systems and Technology*, 7(2), 1–22. <https://doi.org/10.1145/2710025>
- Dudgeon, P. (2017). Some improvements in confidence intervals for standardized regression coefficients. *Psychometrika*, 82(4), 928–951. <https://doi.org/10.1007/s11336-017-9563-z>
- Eddelbuettel, D., & Balamuta, J. J. (2017). Extending R with C++: A brief introduction to Rcpp. *PeerJ Preprints*, 3188v1(3). <https://doi.org/10.7287/peerj.preprints.3188v1>
- Eddelbuettel, D., & François, R. (2011). Rcpp: Seamless R and C++ integration. *Journal of Statistical Software*, 40(8). <https://doi.org/10.18637/jss.v040.i08>
- Eddelbuettel, D., & Sanderson, C. (2014). RcppArmadillo: Accelerating R with high-performance C++ linear algebra. *Computational Statistics & Data Analysis*, 71, 1054–1063. <https://doi.org/10.1016/j.csda.2013.02.005>
- Efron, B. (2012). Bayesian inference and the parametric bootstrap. *The Annals of Applied Statistics*, 6(4). <https://doi.org/10.1214/12-aos571>
- Epskamp, S., Borsboom, D., & Fried, E. I. (2017). Estimating psychological networks and their accuracy: A tutorial paper. *Behavior Research Methods*, 50(1), 195–212. <https://doi.org/10.3758/s13428-017-0862-1>
- Epskamp, S., Waldorp, L. J., Mottus, R., & Borsboom, D. (2018). The Gaussian graphical model in cross-sectional and time-series data. *Multivariate Behavioral Research*, 53(4), 453–480. <https://doi.org/10.1080/00273171.2018.1454823>
- Fairchild, A. J., & MacKinnon, D. P. (2014). Using mediation and moderation analyses to enhance prevention research. In *Defining prevention science* (pp. 537–555). Springer US. [https://doi.org/10.1007/978-1-4899-7424-2\\_23](https://doi.org/10.1007/978-1-4899-7424-2_23)

- Fritz, M. S., Taylor, A. B., & MacKinnon, D. P. (2012). Explanation of two anomalous results in statistical mediation analysis. *Multivariate Behavioral Research*, 47(1), 61–87. <https://doi.org/10.1080/00273171.2012.640596>
- Gates, K. M., Molenaar, P. C., Hillary, F. G., Ram, N., & Rovine, M. J. (2010). Automatic search for fMRI connectivity mapping: An alternative to Granger causality testing using formal equivalences among SEM path modeling, VAR, and unified SEM. *NeuroImage*, 50(3), 1118–1125. <https://doi.org/10.1016/j.neuroimage.2009.12.117>
- Gu, F., Preacher, K. J., & Ferrer, E. (2014). A state space modeling approach to mediation analysis. *Journal of Educational and Behavioral Statistics*, 39(2), 117–143. <https://doi.org/10.3102/1076998614524823>
- Hamaker, E. L., Kuiper, R. M., & Grasman, R. P. P. P. (2015). A critique of the cross-lagged panel model. *Psychological Methods*, 20(1), 102–116. <https://doi.org/10.1037/a0038889>
- Hayes, A. F., & Scharkow, M. (2013). The relative trustworthiness of inferential tests of the indirect effect in statistical mediation analysis. *Psychological Science*, 24(10), 1918–1927. <https://doi.org/10.1177/0956797613480187>
- Hesterberg, T. C. (2015). What teachers should know about the bootstrap: Resampling in the undergraduate statistics curriculum. *The American Statistician*, 69(4), 371–386. <https://doi.org/10.1080/00031305.2015.1089789>
- Hunter, M. D. (2017). State space modeling in an open source, modular, structural equation modeling environment. *Structural Equation Modeling: A Multidisciplinary Journal*, 25(2), 307–324. <https://doi.org/10.1080/10705511.2017.1369354>
- Jones, J. A., & Waller, N. G. (2013). Computing confidence intervals for standardized regression coefficients. *Psychological Methods*, 18(4), 435–453. <https://doi.org/10.1037/a0033269>
- Jones, J. A., & Waller, N. G. (2015). The normal-theory and asymptotic distribution-free (ADF) covariance matrix of standardized regression coefficients: Theoretical extensions and finite sample behavior. *Psychometrika*, 80(2), 365–378. <https://doi.org/10.1007/s11336-013-9380-y>

- Kisbu-Sakarya, Y., MacKinnon, D. P., & Miočević, M. (2014). The distribution of the product explains normal theory mediation confidence interval estimation. *Multivariate Behavioral Research*, 49(3), 261–268. <https://doi.org/10.1080/00273171.2014.903162>
- Koopman, J., Howe, M., Hollenbeck, J. R., & Sin, H.-P. (2015). Small sample mediation testing: Misplaced confidence in bootstrapped confidence intervals. *Journal of Applied Psychology*, 100(1), 194–202. <https://doi.org/10.1037/a0036635>
- Kuiper, R. M., & Ryan, O. (2018). Drawing conclusions from cross-lagged relationships: Re-considering the role of the time-interval. *Structural Equation Modeling: A Multidisciplinary Journal*, 25(5), 809–823. <https://doi.org/10.1080/10705511.2018.1431046>
- Kurtzer, G. M., Sochat, V., & Bauer, M. W. (2017). Singularity: Scientific containers for mobility of compute (A. Gursoy, Ed.). *PLOS ONE*, 12(5), e0177459. <https://doi.org/10.1371/journal.pone.0177459>
- Kwan, J. L. Y., & Chan, W. (2011). Comparing standardized coefficients in structural equation modeling: A model reparameterization approach. *Behavior Research Methods*, 43(3), 730–745. <https://doi.org/10.3758/s13428-011-0088-6>
- Kwan, J. L. Y., & Chan, W. (2014). Comparing squared multiple correlation coefficients using structural equation modeling. *Structural Equation Modeling: A Multidisciplinary Journal*, 21(2), 225–238. <https://doi.org/10.1080/10705511.2014.882673>
- Maxwell, S. E., Cole, D. A., & Mitchell, M. A. (2011). Bias in cross-sectional analyses of longitudinal mediation: Partial and complete mediation under an autoregressive model. *Multivariate Behavioral Research*, 46(5), 816–841. <https://doi.org/10.1080/00273171.2011.606716>
- Merkel, D. (2014). Docker: Lightweight Linux containers for consistent development and deployment. *Linux Journal*, 2014(239), 2. <https://www.linuxjournal.com/content/docker-lightweight-linux-containers-consistent-development-and-deployment>
- Molenaar, P. C. M. (2017). Equivalent dynamic models. *Multivariate Behavioral Research*, 52(2), 242–258. <https://doi.org/10.1080/00273171.2016.1277681>
- Moneta, A., Chlaß, N., Entner, D., & Hoyer, P. (2011). Causal search in structural vector autoregressive models. *Journal of Machine Learning Research - Proceedings Track*, 12, 95–114.

- Neale, M. C., Hunter, M. D., Pritikin, J. N., Zahery, M., Brick, T. R., Kirkpatrick, R. M., Estabrook, R., Bates, T. C., Maes, H. H., & Boker, S. M. (2015). OpenMx 2.0: Extended structural equation and statistical modeling. *Psychometrika*, *81*(2), 535–549. <https://doi.org/10.1007/s11336-014-9435-8>
- O’Laughlin, K. D., Martin, M. J., & Ferrer, E. (2018). Cross-sectional analysis of longitudinal mediation processes. *Multivariate Behavioral Research*, *53*(3), 375–402. <https://doi.org/10.1080/00273171.2018.1454822>
- Oravecz, Z., Tuerlinckx, F., & Vandekerckhove, J. (2011). A hierarchical latent stochastic differential equation model for affective dynamics. *Psychological Methods*, *16*(4), 468–490. <https://doi.org/10.1037/a0024375>
- O’Rourke, H. P., & MacKinnon, D. P. (2018). Reasons for testing mediation in the absence of an intervention effect: A research imperative in prevention and intervention research. *Journal of Studies on Alcohol and Drugs*, *79*(2), 171–181. <https://doi.org/10.15288/jsad.2018.79.171>
- O’Rourke, H. P., & MacKinnon, D. P. (2019). The importance of mediation analysis in substance-use prevention. In *Advances in prevention science* (pp. 233–246). Springer International Publishing. [https://doi.org/10.1007/978-3-030-00627-3\\_15](https://doi.org/10.1007/978-3-030-00627-3_15)
- Ou, L., Hunter, M. D., & Chow, S.-M. (2019). What’s for dynr: A package for linear and nonlinear dynamic modeling in R. *The R Journal*, *11*(1), 91. <https://doi.org/10.32614/rj-2019-012>
- Preacher, K. J., & Selig, J. P. (2012). Advantages of Monte Carlo confidence intervals for indirect effects. *Communication Methods and Measures*, *6*(2), 77–98. <https://doi.org/10.1080/19312458.2012.679848>
- Reichardt, C. S. (2011). Commentary: Are three waves of data sufficient for assessing mediation? *Multivariate Behavioral Research*, *46*(5), 842–851. <https://doi.org/10.1080/00273171.2011.606740>
- Rosseel, Y. (2012). lavaan: An R package for structural equation modeling. *Journal of Statistical Software*, *48*(2). <https://doi.org/10.18637/jss.v048.i02>

- Schouten, R. M., Lugtig, P., & Vink, G. (2018). Generating missing values for simulation purposes: A multivariate amputation procedure. *Journal of Statistical Computation and Simulation*, 88(15), 2909–2930. <https://doi.org/10.1080/00949655.2018.1491577>
- Shrout, P. E. (2011). Commentary: Mediation analysis, causal process, and cross-sectional data. *Multivariate Behavioral Research*, 46(5), 852–860. <https://doi.org/10.1080/00273171.2011.606718>
- Smith, K. E., & Juarascio, A. (2019). From ecological momentary assessment (EMA) to ecological momentary intervention (EMI): Past and future directions for ambulatory assessment and interventions in eating disorders. *Current Psychiatry Reports*, 21(7). <https://doi.org/10.1007/s11920-019-1046-8>
- Taylor, A. B., & MacKinnon, D. P. (2012). Four applications of permutation methods to testing a single-mediator model. *Behavior Research Methods*, 44(3), 806–844. <https://doi.org/10.3758/s13428-011-0181-x>
- Tofighi, D., & Kelley, K. (2019). Indirect effects in sequential mediation models: Evaluating methods for hypothesis testing and confidence interval formation. *Multivariate Behavioral Research*, 55(2), 188–210. <https://doi.org/10.1080/00273171.2019.1618545>
- Tofighi, D., & MacKinnon, D. P. (2015). Monte Carlo confidence intervals for complex functions of indirect effects. *Structural Equation Modeling: A Multidisciplinary Journal*, 23(2), 194–205. <https://doi.org/10.1080/10705511.2015.1057284>
- van Buuren, S., & Groothuis-Oudshoorn, K. (2011). mice: Multivariate imputation by chained equations in R. *Journal of Statistical Software*, 45(3). <https://doi.org/10.18637/jss.v045.i03>
- Voelkle, M. C., & Oud, J. H. L. (2012). Continuous time modelling with individually varying time intervals for oscillating and non-oscillating processes. *British Journal of Mathematical and Statistical Psychology*, 66(1), 103–126. <https://doi.org/10.1111/j.2044-8317.2012.02043.x>
- Voelkle, M. C., Oud, J. H. L., Davidov, E., & Schmidt, P. (2012). An SEM approach to continuous time modeling of panel data: Relating authoritarianism and anomia. *Psychological Methods*, 17(2), 176–192. <https://doi.org/10.1037/a0027543>

- Wu, W., & Jia, F. (2013). A new procedure to test mediation with missing data through nonparametric bootstrapping and multiple imputation. *Multivariate Behavioral Research*, 48(5), 663–691. <https://doi.org/10.1080/00273171.2013.816235>
- Yuan, K.-H., & Chan, W. (2011). Biases and standard errors of standardized regression coefficients. *Psychometrika*, 76(4), 670–690. <https://doi.org/10.1007/s11336-011-9224-6>
- Yzerbyt, V., Muller, D., Batailler, C., & Judd, C. M. (2018). New recommendations for testing indirect effects in mediational models: The need to report and test component paths. *Journal of Personality and Social Psychology*, 115(6), 929–943. <https://doi.org/10.1037/pspa0000132>
- Zhang, Z., & Wang, L. (2012). Methods for mediation analysis with missing data. *Psychometrika*, 78(1), 154–184. <https://doi.org/10.1007/s11336-012-9301-5>