

Ivan Jacob Agaloos Pesigan

June 28, 2024

References

- Adolf, J. K., Loossens, T., Tuerlinckx, F., & Ceulemans, E. (2021). Optimal sampling rates for reliable continuous-time first-order autoregressive and vector autoregressive modeling. *Psychological Methods*, 26(6), 701–718. <https://doi.org/10.1037/met0000398>
- Cheung, M. W.-L. (2021). Synthesizing indirect effects in mediation models with meta-analytic methods. *Alcohol and Alcoholism*, 57(1), 5–15. <https://doi.org/10.1093/alcalc/agab044>
- Cheung, S. F., Cheung, S.-H., Lau, E. Y. Y., Hui, C. H., & Vong, W. N. (2022). Improving an old way to measure moderation effect in standardized units. *Health Psychology*, 41(7), 502–505. <https://doi.org/10.1037/hea0001188>
- Cheung, S. F., & Pesigan, I. J. A. (2023a). FINDOUT: Using either SPSS commands or graphical user interface to identify influential cases in structural equation modeling in AMOS. *Multivariate Behavioral Research*, 58(5), 964–968. <https://doi.org/10.1080/00273171.2022.2148089>
- Cheung, S. F., & Pesigan, I. J. A. (2023b). semlbc: An R package for forming likelihood-based confidence intervals for parameter estimates, correlations, indirect effects, and other derived parameters. *Structural Equation Modeling: A Multidisciplinary Journal*, 30(6), 985–999. <https://doi.org/10.1080/10705511.2023.2183860>
- Cheung, S. F., Pesigan, I. J. A., & Vong, W. N. (2022). DIY bootstrapping: Getting the non-parametric bootstrap confidence interval in SPSS for any statistics or function of statistics (when this bootstrapping is appropriate). *Behavior Research Methods*, 55(2), 474–490. <https://doi.org/10.3758/s13428-022-01808-5>
- Courtney, J. B., & Russell, M. A. (2021). Testing affect regulation models of drinking prior to and after drinking initiation using ecological momentary assessment. *Psychology of Addictive Behaviors*, 35(5), 597–608. <https://doi.org/10.1037/adb0000763>

- Didier, N. A., King, A. C., Polley, E. C., & Fridberg, D. J. (2023). Signal processing and machine learning with transdermal alcohol concentration to predict natural environment alcohol consumption. *Experimental and Clinical Psychopharmacology*, 32(2), 245–254. <https://doi.org/10.1037/pha0000683>
- Dora, J., Piccirillo, M., Foster, K. T., Arbeau, K., Armeli, S., Auriacombe, M., Bartholow, B., Beltz, A. M., Blumenstock, S. M., Bold, K., Bonar, E. E., Braitman, A., Carpenter, R. W., Creswell, K. G., De Hart, T., Dvorak, R. D., Emery, N., Enkema, M., Fairbairn, C. E., . . . King, K. M. (2023). The daily association between affect and alcohol use: A meta-analysis of individual participant data. *Psychological Bulletin*, 149(1–2), 1–24. <https://doi.org/10.1037/bul0000387>
- Fridberg, D. J., Wang, Y., & Porges, E. (2022). Examining features of transdermal alcohol biosensor readings: A promising approach with implications for research and intervention. *Alcoholism: Clinical and Experimental Research*, 46(4), 514–516. <https://doi.org/10.1111/acer.14794>
- Georgeson, A. R., Alvarez-Bartolo, D., & MacKinnon, D. P. (2023). A sensitivity analysis for temporal bias in cross-sectional mediation. *Psychological Methods*. <https://doi.org/10.1037/met0000628>
- Gunn, R. L., Steingrimsson, J. A., Merrill, J. E., Souza, T., & Barnett, N. (2021). Characterising patterns of alcohol use among heavy drinkers: A cluster analysis utilising alcohol biosensor data. *Drug and Alcohol Review*, 40(7), 1155–1164. <https://doi.org/10.1111/dar.13306>
- Hecht, M., & Zitzmann, S. (2020a). A computationally more efficient Bayesian approach for estimating continuous-time models. *Structural Equation Modeling: A Multidisciplinary Journal*, 27(6), 829–840. <https://doi.org/10.1080/10705511.2020.1719107>
- Hecht, M., & Zitzmann, S. (2020b). Sample size recommendations for continuous-time models: Compensating shorter time series with larger numbers of persons and vice versa. *Structural Equation Modeling: A Multidisciplinary Journal*, 28(2), 229–236. <https://doi.org/10.1080/10705511.2020.1779069>
- Hecht, M., & Zitzmann, S. (2021). Exploring the unfolding of dynamic effects with continuous-time models: Recommendations concerning statistical power to detect peak cross-lagged

- effects. *Structural Equation Modeling: A Multidisciplinary Journal*, 28(6), 894–902. <https://doi.org/10.1080/10705511.2021.1914627>
- Li, Y., Oravecz, Z., Zhou, S., Bodovski, Y., Barnett, I. J., Chi, G., Zhou, Y., Friedman, N. P., Vrieze, S. I., & Chow, S.-M. (2022). Bayesian forecasting with a regime-switching zero-inflated multilevel poisson regression model: An application to adolescent alcohol use with spatial covariates. *Psychometrika*, 87(2), 376–402. <https://doi.org/10.1007/s11336-021-09831-9>
- Li, Y., Wood, J., Ji, L., Chow, S.-M., & Oravecz, Z. (2021). Fitting multilevel vector autoregressive models in Stan, JAGS, and Mplus. *Structural Equation Modeling: A Multidisciplinary Journal*, 29(3), 452–475. <https://doi.org/10.1080/10705511.2021.1911657>
- Loossens, T., Mestdagh, M., Dejonckheere, E., Kuppens, P., Tuerlinckx, F., & Verdonck, S. (2020). The Affective Ising Model: A computational account of human affect dynamics (J. Grilli, Ed.). *PLOS Computational Biology*, 16(5), e1007860. <https://doi.org/10.1371/journal.pcbi.1007860>
- Loossens, T., Tuerlinckx, F., & Verdonck, S. (2021). A comparison of continuous and discrete time modeling of affective processes in terms of predictive accuracy. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-85320-4>
- Manthey, J., Hassan, S. A., Carr, S., Kilian, C., Kuitunen-Paul, S., & Rehm, J. (2021). What are the economic costs to society attributable to alcohol use? a systematic review and modelling study. *PharmacoEconomics*, 39(7), 809–822. <https://doi.org/10.1007/s40273-021-01031-8>
- McNeish, D., & Hamaker, E. L. (2020). A primer on two-level dynamic structural equation models for intensive longitudinal data in Mplus. *Psychological Methods*, 25(5), 610–635. <https://doi.org/10.1037/met0000250>
- McNeish, D., & MacKinnon, D. P. (2022). Intensive longitudinal mediation in Mplus. *Psychological Methods*. <https://doi.org/10.1037/met0000536>
- Muthén, B., & Asparouhov, T. (2022). Latent transition analysis with random intercepts (RI-LTA). *Psychological Methods*, 27(1), 1–16. <https://doi.org/10.1037/met0000370>
- Nüst, D., Eddelbuettel, D., Bennett, D., Cannoodt, R., Clark, D., Daróczi, G., Edmondson, M., Fay, C., Hughes, E., Kjeldgaard, L., Lopp, S., Marwick, B., Nolis, H., Nolis, J., Ooi, H., Ram,

- K., Ross, N., Shepherd, L., Sólymos, P., ... Xiao, N. (2020). The Rockerverse: Packages and applications for containerisation with R. *The R Journal*, 12(1), 437. <https://doi.org/10.32614/rj-2020-007>
- Park, J. J., Chow, S.-M., Epskamp, S., & Molenaar, P. C. M. (2023). Subgrouping with chain graphical VAR models. *Multivariate Behavioral Research*, 1–23. <https://doi.org/10.1080/00273171.2023.2289058>
- Park, J. J., Fisher, Z., Chow, S.-M., & Molenaar, P. C. M. (2023). On subgrouping continuous processes in discrete time. *Multivariate Behavioral Research*, 58(1), 154–155. <https://doi.org/10.1080/00273171.2022.2160957>
- Park, J. J., Fisher, Z. F., Chow, S.-M., & Molenaar, P. C. M. (2023). Evaluating discrete time methods for subgrouping continuous processes. *Multivariate Behavioral Research*, 1–13. <https://doi.org/10.1080/00273171.2023.2235685>
- Pesigan, I. J. A., & Cheung, S. F. (2020). SEM-based methods to form confidence intervals for indirect effect: Still applicable given nonnormality, under certain conditions. *Frontiers in Psychology*, 11. <https://doi.org/10.3389/fpsyg.2020.571928>
- Pesigan, I. J. A., & Cheung, S. F. (2023). Monte Carlo confidence intervals for the indirect effect with missing data. *Behavior Research Methods*, 56(3), 1678–1696. <https://doi.org/10.3758/s13428-023-02114-4>
- Pesigan, I. J. A., Sun, R. W., & Cheung, S. F. (2023). betaDelta and betaSandwich: Confidence intervals for standardized regression coefficients in R. *Multivariate Behavioral Research*, 58(6), 1183–1186. <https://doi.org/10.1080/00273171.2023.2201277>
- Rhemtulla, M., van Bork, R., & Borsboom, D. (2020). Worse than measurement error: Consequences of inappropriate latent variable measurement models. *Psychological Methods*, 25(1), 30–45. <https://doi.org/10.1037/met0000220>
- Rousselet, G. A., Pernet, C. R., & Wilcox, R. R. (2021). The percentile bootstrap: A primer with step-by-step instructions in R. *Advances in Methods and Practices in Psychological Science*, 4(1), 1–10. <https://doi.org/10.1177/2515245920911881>

- Russell, M. A., Linden-Carmichael, A. N., Lanza, S. T., Fair, E. V., Sher, K. J., & Piasecki, T. M. (2020). Affect relative to day-level drinking initiation: Analyzing ecological momentary assessment data with multilevel spline modeling. *Psychology of Addictive Behaviors*, *34*(3), 434–446. <https://doi.org/10.1037/adb0000550>
- Russell, M. A., Smyth, J. M., Turrissi, R., & Rodriguez, G. C. (2023). Baseline protective behavioral strategy use predicts more moderate transdermal alcohol concentration dynamics and fewer negative consequences of drinking in young adults' natural settings. *Psychology of Addictive Behaviors*, *38*(3), 347–359. <https://doi.org/10.1037/adb0000941>
- Russell, M. A., Turrissi, R. J., & Smyth, J. M. (2022). Transdermal sensor features correlate with ecological momentary assessment drinking reports and predict alcohol-related consequences in young adults' natural settings. *Alcoholism: Clinical and Experimental Research*, *46*(1), 100–113. <https://doi.org/10.1111/acer.14739>
- Ryan, O., & Hamaker, E. L. (2021). Time to intervene: A continuous-time approach to network analysis and centrality. *Psychometrika*, *87*(1), 214–252. <https://doi.org/10.1007/s11336-021-09767-0>
- Savalei, V., & Rosseel, Y. (2021). Computational options for standard errors and test statistics with incomplete normal and nonnormal data in SEM. *Structural Equation Modeling: A Multidisciplinary Journal*, *29*(2), 163–181. <https://doi.org/10.1080/10705511.2021.1877548>
- Shaygan, M., & Karami, Z. (2020). Chronic pain in adolescents: Predicting role of emotional intelligence, self-esteem and parenting style. *International Journal of Community Based Nursing & Midwifery*, *8*. <https://doi.org/10.30476/ijcbnm.2020.83153.1129>
- Tofighi, D., & Kelley, K. (2020). Improved inference in mediation analysis: Introducing the model-based constrained optimization procedure. *Psychological Methods*, *25*, 496–515. <https://doi.org/10.1037/met0000259>
- Usami, S. (2020). On the differences between general cross-lagged panel model and random-intercept cross-lagged panel model: Interpretation of cross-lagged parameters and model choice. *Structural Equation Modeling: A Multidisciplinary Journal*, *28*(3), 331–344. <https://doi.org/10.1080/10705511.2020.1821690>

- van Egmond, K., Wright, C. J. C., Livingston, M., & Kuntsche, E. (2020). Wearable transdermal alcohol monitors: A systematic review of detection validity, and relationship between transdermal and breath alcohol concentration and influencing factors. *Alcoholism: Clinical and Experimental Research*, 44(10), 1918–1932. <https://doi.org/10.1111/acer.14432>
- Wang, L., & Zhang, Q. (2020). Investigating the impact of the time interval selection on autoregressive mediation modeling: Result interpretations, effect reporting, and temporal designs. *Psychological Methods*, 25(3), 271–291. <https://doi.org/10.1037/met0000235>
- Zeileis, A., Köll, S., & Graham, N. (2020). Various versatile variances: An object-oriented implementation of clustered covariances in R. *Journal of Statistical Software*, 95(1). <https://doi.org/10.18637/jss.v095.i01>