Session Info

Ivan Jacob Agaloos Pesigan

Session

```
sessionInfo()
#> R version 4.3.2 (2023-10-31)
#> Platform: x86_64-pc-linux-gnu (64-bit)
#> Running under: Ubuntu 22.04.3 LTS
#>
#> Matrix products: default
          / usr/lib/x86\_64-linux-gnu/openblas-pthread/libblas.so.3
#> LAPACK: /usr/lib/x86_64-linux-gnu/openblas-pthread/libopenblasp-r0.3.20.so; LAPACK version 3.10
#>
#> locale:
#> [1] LC_CTYPE=en_US.UTF-8
                             LC_NUMERIC=C
   [3] LC_TIME=en_US.UTF-8
                              LC_COLLATE=en_US.UTF-8
#> [5] LC_MONETARY=en_US.UTF-8 LC_MESSAGES=en_US.UTF-8
   [7] LC_PAPER=en_US.UTF-8
                                LC_NAME=C
#> [9] LC_ADDRESS=C
                                  LC_TELEPHONE=C
#> [11] LC_MEASUREMENT=en_US.UTF-8 LC_IDENTIFICATION=C
#>
#> time zone: Etc/UTC
```

```
#> tzcode source: system (glibc)
#> attached base packages:
#> [1] stats
                graphics grDevices utils datasets methods
                                                               base
#> other attached packages:
#> [1] rProject_0.0.5
#>
#> loaded via a namespace (and not attached):
#> [1] backports_1.4.1 R6_2.5.1
                                       lubridate_1.9.3 xfun_0.41
#> [5] magrittr_2.0.3 glue_1.6.2
                                        stringr_1.5.1 knitr_1.45
#> [9] timechange_0.2.0 generics_0.1.3
                                       lifecycle_1.0.4 xml2_1.3.6
#> [13] cli_3.6.2.9000 bibtex_0.5.1
                                        compiler_4.3.2 highr_0.10
#> [17] rprojroot_2.0.4 plyr_1.8.9
                                        httr_1.4.7
                                                        tools_4.3.2
#> [21] evaluate_0.23 Rcpp_1.0.11
                                        RefManageR_1.4.0 rlang_1.1.2
#> [25] jsonlite_1.8.8 stringi_1.8.3
```

Packages

```
unname(installed.packages()[, 1])
     [1] "crosstalk"
                          "DT"
                                            "longMI"
                                                              "abind"
#>
#>
     [5] "arrow"
                          "ash"
                                            "askpass"
                                                              "assertthat"
     [9] "backports"
                          "base64enc"
                                            "betaDelta"
                                                              "betaMC"
#>
    [13] "betaNB"
                          "betaSandwich"
                                            "BH"
                                                              "bibtex"
    [17] "BiocManager"
                          "bit"
                                            "bit64"
                                                              "bitops"
#> [21] "blob"
                           "brew"
                                            "brio"
                                                              "broom"
```

#>	[25]	"bslib"	"cachem"	"callr"	"car"
#>	[29]	"caracas"	"carData"	"cellranger"	"cffr"
#>	[33]	"checkmate"	"cli"	"clipr"	"clock"
#>	[37]	"collections"	"colorspace"	"commonmark"	"conflicted"
#>	[41]	"corpcor"	"covr"	"cpp11"	"crayon"
#>	[45]	"credentials"	"curl"	"cyclocomp"	"data.table"
#>	[49]	"DBI"	"dbplyr"	"Deriv"	"desc"
#>	[53]	"deSolve"	"devtools"	"diagram"	"dials"
#>	[57]	"DiceDesign"	"diffobj"	"digest"	"distro"
#>	[61]	"doBy"	"docopt"	"downlit"	"dplyr"
#>	[65]	"dtplyr"	"duckdb"	"dynr"	"ellipse"
#>	[69]	"ellipsis"	"evaluate"	"fansi"	"farver"
#>	[73]	"fastmap"	"fclust"	"fda"	"fdrtool"
#>	[77]	"fds"	"FNN"	"fontawesome"	"forcats"
#>	[81]	"foreach"	"Formula"	"fs"	"fst"
#> #>		"foreach" "fstcore"	"Formula" "furrr"	"fs" "future"	"fst" "future.apply"
	[85]				
#>	[85] [89]	"fstcore"	"furrr"	"future"	"future.apply"
#> #>	[85] [89] [93]	"fstcore" "gargle"	"furrr" "generics"	"future" "gert"	"future.apply" "ggplot2"
#> #> #>	[85] [89] [93] [97]	"fstcore" "gargle" "ggrepel"	"furrr" "generics" "gh"	"future" "gert" "gitcreds"	"future.apply" "ggplot2" "glasso"
#> #> #> #>	[85] [89] [93] [97] [101]	"fstcore" "gargle" "ggrepel" "glmnet"	"furrr" "generics" "gh" "globals"	"future" "gert" "gitcreds" "glue"	"future.apply" "ggplot2" "glasso" "googledrive"
#> #> #> #> #>	[85] [89] [93] [97] [101] [105]	"fstcore" "gargle" "ggrepel" "glmnet" "googlesheets4"	"furrr" "generics" "gh" "globals" "gower"	"future" "gert" "gitcreds" "glue" "GPfit"	"future.apply" "ggplot2" "glasso" "googledrive" "gridExtra"
#> #> #> #> #>	[85] [89] [93] [97] [101] [105] [109]	"fstcore" "gargle" "ggrepel" "glmnet" "googlesheets4" "gtable"	"furrr" "generics" "gh" "globals" "gower" "gtools"	"future" "gert" "gitcreds" "glue" "GPfit" "hardhat"	"future.apply" "ggplot2" "glasso" "googledrive" "gridExtra" "haven"
#> #> #> #> #> #>	[85] [89] [93] [97] [101] [105] [109] [113]	"fstcore" "gargle" "ggrepel" "glmnet" "googlesheets4" "gtable" "hdrcde"	"furrr" "generics" "gh" "globals" "gower" "gtools" "here"	"future" "gert" "gitcreds" "glue" "GPfit" "hardhat" "highr"	"future.apply" "ggplot2" "glasso" "googledrive" "gridExtra" "haven" "Hmisc"
#> #> #> #> #> #>	[85] [89] [93] [97] [101] [105] [109] [113] [117]	"fstcore" "gargle" "ggrepel" "glmnet" "googlesheets4" "gtable" "hdrcde" "hms"	"furrr" "generics" "gh" "globals" "gower" "gtools" "here"	"future" "gert" "gitcreds" "glue" "GPfit" "hardhat" "highr" "htmltools"	"future.apply" "ggplot2" "glasso" "googledrive" "gridExtra" "haven" "Hmisc" "htmlwidgets"
#> #> #> #> #> #> #> #> #>	[85] [89] [93] [97] [101] [105] [109] [113] [117]	"fstcore" "gargle" "ggrepel" "glmnet" "googlesheets4" "gtable" "hdrcde" "hms" "httpgd"	"furrr" "generics" "gh" "globals" "gower" "gtools" "here" "htmlTable" "httpuv"	"future" "gert" "gitcreds" "glue" "GPfit" "hardhat" "highr" "htmltools"	"future.apply" "ggplot2" "glasso" "googledrive" "gridExtra" "haven" "Hmisc" "htmlwidgets" "httr2"
#> #> #> #> #> #> #> #> #> #> #>	[85] [89] [93] [97] [101] [105] [109] [113] [117] [121] [125]	"fstcore" "gargle" "ggrepel" "glmnet" "googlesheets4" "gtable" "hdrcde" "hms" "httpgd" "ids"	"furrr" "generics" "gh" "globals" "gower" "gtools" "here" "htmlTable" "httpuv" "ifaTools"	"future" "gert" "gitcreds" "glue" "GPfit" "hardhat" "highr" "htmltools" "httr" "igraph"	"future.apply" "ggplot2" "glasso" "googledrive" "gridExtra" "haven" "Hmisc" "htmlwidgets" "httr2" "infer"

#>	[133]	"jsonvalidate"	"kernlab"	"knitr"	"ks"
#>	[137]	"labeling"	"Lahman"	"languageserver"	"later"
#>	[141]	"latex2exp"	"lava"	"lavaan"	"lazyeval"
#>	[145]	"lhs"	"lifecycle"	"lintr"	"listenv"
#>	[149]	"littler"	"lme4"	"locfit"	"longMI"
#>	[153]	"lubridate"	"magick"	"magrittr"	"markdown"
#>	[157]	"MatrixModels"	"mclust"	"memoise"	"metaSEM"
#>	[161]	"mice"	"microbenchmark"	"mime"	"miniUI"
#>	[165]	"minqa"	"misc3d"	"mitml"	"mnormt"
#>	[169]	"modeldata"	"modelenv"	"modelr"	"multicool"
#>	[173]	"munsell"	"mvtnorm"	"nloptr"	"numDeriv"
#>	[177]	"nycflights13"	"OpenMx"	"openssl"	"ordinal"
#>	[181]	"packrat"	"pan"	"parallelly"	"parsedate"
#>	[185]	"parsnip"	"patchwork"	"pbapply"	"pbivnorm"
#>	[189]	"pbkrtest"	"pcaPP"	"pdftools"	"pillar"
#>	[193]	"pkgbuild"	"pkgconfig"	"pkgdown"	"pkgload"
#>	[197]	"plogr"	"plot3D"	"plyr"	"png"
#>	[201]	"pracma"	"praise"	"prettyunits"	"printr"
#>	[205]	"processx"	"prodlim"	"profvis"	"progress"
#>	[209]	"progressr"	"promises"	"ps"	"psych"
#>	[213]	"purrr"	"qgraph"	"qpdf"	"quadprog"
#>	[217]	"quantreg"	"quarto"	"R.cache"	"R.methodsS3"
#>	[221]	"R.00"	"R.utils"	"R6"	"ragg"
#>	[225]	"rainbow"	"rappdirs"	"rbibutils"	"rcmdcheck"
#>	[229]	"RColorBrewer"	"Rcpp"	"RcppArmadillo"	"RcppEigen"
#>	[233]	"RcppGSL"	"RcppParallel"	"RcppTOML"	"RCurl"
#>	[237]	"Rdpack"	"readr"	"readxl"	"recipes"

#>	[241]	"RefManageR"	"rematch"	"rematch2"	"remotes"
#>	[245]	"renv"	"reprex"	"reshape2"	"reticulate"
#>	[249]	"rex"	"rhub"	"rlang"	"RMariaDB"
#>	[253]	"rmarkdown"	"roxygen2"	"rpf"	"RPostgres"
#>	[257]	"rProject"	"rprojroot"	"rsample"	"rsconnect"
#>	[261]	"RSQLite"	"rstudioapi"	"rversions"	"rvest"
#>	[265]	"Ryacas"	"sass"	"scales"	"selectr"
#>	[269]	"semlbci"	"semmcci"	"sessioninfo"	"shape"
#>	[273]	"shiny"	"simStateSpace"	"slider"	"snow"
#>	[277]	"snowfall"	"sourcetools"	"SparseM"	"SQUAREM"
#>	[281]	"StanHeaders"	"stringi"	"stringr"	"styler"
#>	[285]	"symSEM"	"sys"	"systemfonts"	"testthat"
#>	[289]	"textshaping"	"tibble"	"tidymodels"	"tidyr"
#>	[293]	"tidyselect"	"tidyverse"	"timechange"	"timeDate"
#>	[297]	"tinytex"	"tune"	"tzdb"	"ucminf"
#>	[301]	"urlchecker"	"usethis"	"utf8"	"uuid"
#>	[305]	"V8"	"vctrs"	"viridis"	"viridisLite"
#>	[309]	"vroom"	"waldo"	"warp"	"whisker"
#>	[313]	"whoami"	"withr"	"workflows"	"workflowsets"
#>	[317]	"xfun"	"xm12"	"xmlparsedata"	"xopen"
#>	[321]	"xtable"	"yaml"	"yardstick"	"zip"
#>	[325]	"base"	"boot"	"class"	"cluster"
#>	[329]	"codetools"	"compiler"	"datasets"	"foreign"
#>	[333]	"graphics"	"grDevices"	"grid"	"KernSmooth"
#>	[337]	"lattice"	"MASS"	"Matrix"	"methods"
#>	[341]	"mgcv"	"nlme"	"nnet"	"parallel"
#>	[345]	"rpart"	"spatial"	"splines"	"stats"

```
#> [349] "stats4" "survival" "tcltk" "tools"
#> [353] "utils"
```

References

Pesigan, I. J. A., & Cheung, S. F. (2023). Monte Carlo confidence intervals for the indirect effect with missing data. *Behavior Research Methods*. https://doi.org/10.3758/s13428-023-02114-4

R Core Team. (2023). R: A language and environment for statistical computing. R Foundation for Statistical Computing. Vienna, Austria. https://www.R-project.org/