# Package 'rProject'

April 30, 2023

Title Setup R Project
<b>Version</b> 0.0.0.9000
<b>Description</b> A collection of functions to setup R projects.
<pre>URL https://github.com/jeksterslab/rProject/,</pre>
https://jeksterslab.github.io/rProject/
BugReports https://github.com/jeksterslab/rProject/issues
License MIT + file LICENSE
Encoding UTF-8
<b>Roxygen</b> list(markdown = TRUE)
<b>Depends</b> R (>= $3.0.0$ )
<b>Imports</b> rprojroot, distro, devtools, covr, knitr, lintr, pkgdown, remotes, stats, styler, tinytex, cffr, utils
Suggests rmarkdown, testthat
RoxygenNote 7.2.3
NeedsCompilation no
Author Ivan Jacob Agaloos Pesigan [aut, cre, cph] ( <a href="https://orcid.org/0000-0003-4818-8420">https://orcid.org/0000-0003-4818-8420</a> )
Maintainer Ivan Jacob Agaloos Pesigan <r.jeksterslab@gmail.com></r.jeksterslab@gmail.com>
D topics do sumantada
R topics documented:
Binary
BuildIgnore
Clean
Clean
CleanTinyTex
Coverage
DataAnalysis

Binary

OataProcess	. /
Dependencies	. 7
Detritus	. 8
Environment	. 8
EnvironmentProject	. 9
EnvironmentTokens	
LatexCompile	. 10
_atexKnit	. 10
_atexMake	11
<u>e</u>	
· ·	
Profile	
Project	. 16
· ·	
·	
. G r	
	19
	Detritus Environment EnvironmentProject EnvironmentTokens LatexCompile LatexKnit LatexMake LibPaths Lint Manual PkgDevel PkgDevelGitHub PkgProject PkgProjectGitHub PkgProjectVersion PkgRepo

Binary

Setup Binaries not Included in the Package

# Description

Setup Binaries not Included in the Package

# Usage

Binary(path)

# Arguments

path

Character string. Project path.

# Author(s)

Build 3

Build Build Package

#### **Description**

**Build Package** 

#### Usage

```
Build(path, vignettes = FALSE)
```

#### Arguments

path Character string. Project path. vignettes Logical. Build vignettes.

#### Author(s)

Ivan Jacob Agaloos Pesigan

BuildIgnore Build.Rbuildignore

#### **Description**

Build .Rbuildignore

#### Usage

```
BuildIgnore(path, project, add = NULL)
```

#### Arguments

path Character string. Project path.
project Character string. Project name.

add Character vector. Items to add in .Rbuildignore.

# Author(s)

4 Clean

CFF

Build CITATION.cff

# Description

Build CITATION.cff

#### Usage

CFF(path)

#### Arguments

path

Character string. Project path.

#### Author(s)

Ivan Jacob Agaloos Pesigan

Clean

Clean Files Generated on Build

# Description

Delete all output files that are generated on automated build.

# Usage

Clean(path)

#### Arguments

path

Character string. Project path.

#### Author(s)

CleanPkg 5

CleanPkg

Clean R Packages

# Description

Uninstall R packages with priority = "NA".

#### Usage

CleanPkg(path)

#### **Arguments**

path

Character string. Project path.

#### Author(s)

Ivan Jacob Agaloos Pesigan

 ${\tt CleanTinyTex}$ 

Clean ~/.TinyTex

# Description

Uninstall TinyTex.

#### Usage

CleanTinyTex(path)

#### **Arguments**

path

Character string. Project path.

#### Author(s)

DataAnalysis

Coverage

Code Coverage

#### Description

Code Coverage

#### Usage

Coverage(path)

#### Arguments

path

Character string. Project path.

#### Author(s)

Ivan Jacob Agaloos Pesigan

DataAnalysis

Data Analysis

#### Description

Execute R scripts in data-analysis.

#### Usage

DataAnalysis(path, clean = FALSE)

#### Arguments

path Character string. Project path.

clean Logical. Remove all .Rds files in data-process and data-analysis before

running.

#### Author(s)

DataProcess 7

DataProcess

Process Data

#### Description

Execute R scripts in data-process.

#### Usage

```
DataProcess(path, clean = FALSE)
```

#### Arguments

path Character string. Project path.

clean Logical. Remove all . Rds files in data-process before running.

#### Author(s)

Ivan Jacob Agaloos Pesigan

Dependencies

 $Copy\ Dependencies\ to\ from\ .$ setup/r-dependencies  $to\ R$ 

#### Description

Copy Dependencies to from .setup/r-dependencies to R

#### Usage

Dependencies(path)

# Arguments

path

Character string. Project path.

#### Author(s)

8 Environment

Detritus

Create detritus/tex/tex-fig-\*

# Description

Create detritus/tex/tex-fig-\*

#### Usage

Detritus(path)

#### Arguments

path

Character string. Project path.

#### Author(s)

Ivan Jacob Agaloos Pesigan

Environment

 ${\it Setup}$  . Renviron

#### Description

 $Setup\ . \\ Renviron$ 

#### Usage

Environment(path, project, tokens)

#### Arguments

path Character string. Project path.
project Character string. Project name.

tokens Named vector of tokens.

#### Author(s)

EnvironmentProject 9

 ${\tt EnvironmentProject}$ 

Set PROJECT Environment Variable

#### Description

Set PROJECT Environment Variable

#### Usage

EnvironmentProject(project)

#### Arguments

project

Character string. Project name.

#### Value

Returns project name.

# Author(s)

Ivan Jacob Agaloos Pesigan

EnvironmentTokens

Set Tokens

#### Description

Set Tokens

#### Usage

EnvironmentTokens(tokens)

#### Arguments

tokens

Named vector of tokens.

#### Value

Returns vector of secret tokens.

#### Author(s)

10 LatexKnit

LatexCompile

Compile Output of LatexKnit

# Description

Compile Output of LatexKnit

#### Usage

```
LatexCompile(path, clean = FALSE)
```

#### Arguments

path Character string. Project path.

clean Logical. Clean latexmk output except \*.pdf

#### Author(s)

Ivan Jacob Agaloos Pesigan

LatexKnit

Knit latexsrc/\*.Rtex

#### **Description**

Knit latexsrc/\*.Rtex

#### Usage

LatexKnit(path)

# Arguments

path

Character string. Project path.

#### Author(s)

LatexMake 11

LatexMake

Compile Output of LatexKnit

#### Description

Compile Output of LatexKnit

#### Usage

```
LatexMake(path, clean = FALSE)
```

#### **Arguments**

path Character string. Project path.

clean Logical. Clean latexmk output except \*.pdf

#### Author(s)

Ivan Jacob Agaloos Pesigan

LibPaths

Add .library to Library Paths

#### Description

- creates a folder .library on the project path if it does not exist
- creates a .gitignore file inside .library if it does not exist
- adds .library to .libPaths()
- sets R\_LIBS\_USER to .library

#### Usage

LibPaths(path)

#### **Arguments**

path

Character string. Project path.

#### Value

Returns the path of .library.

#### Author(s)

Manual Manual

Lint

Lint Project

# Description

Lint Project

# Usage

Lint(path)

# Arguments

path

Character string. Project path.

# Author(s)

Ivan Jacob Agaloos Pesigan

Manual

Package Manual

# Description

Package Manual

#### Usage

Manual(path, project)

# Arguments

path Character string. Project path.

project Character string. Project name.

PkgDevel 13

PkgDevel

Install Development Packages from CRAN

# Description

Install Development Packages from CRAN

#### Usage

PkgDevel(path)

#### Arguments

path

Character string. Project path.

#### Author(s)

Ivan Jacob Agaloos Pesigan

 ${\tt PkgDevelGitHub}$ 

Install Development Packages from GitHub

#### Description

Install Development Packages from GitHub

#### Usage

PkgDevelGitHub(path)

#### Arguments

path

Character string. Project path.

#### Author(s)

14 PkgProjectGitHub

PkgProject

Install Project Packages from CRAN

#### Description

Install Project Packages from CRAN

# Usage

```
PkgProject(path, pkg)
```

#### **Arguments**

path Character string. Project path.
pkg Character vector. R packages.

#### Author(s)

Ivan Jacob Agaloos Pesigan

PkgProjectGitHub

Install Project Packages from GitHub

#### Description

Install Project Packages from GitHub

#### Usage

```
PkgProjectGitHub(path, pkg)
```

#### Arguments

path Character string. Project path.

pkg Character vector. GitHub packages.

#### Author(s)

PkgProjectVersion 15

PkgProjectVersion	Install Project Packages	with Specific Version
i kgi i o jectvei sioli	msiun i rojeci i uckuges	with specific version

#### Description

Install Project Packages with Specific Version

#### Usage

```
PkgProjectVersion(path, pkg, ver)
```

#### **Arguments**

path Character string. Project path.

pkg Character vector. R packages.

ver Character vector. Version.

#### Author(s)

Ivan Jacob Agaloos Pesigan

PkgRepo	Setup RStudio	Package Manager	Repository I	Based on the <b>(</b>	Current Op-
---------	---------------	-----------------	--------------	-----------------------	-------------

erating System

#### Description

Setup RStudio Package Manager Repository Based on the Current Operating System

# Usage

```
PkgRepo(path)
```

#### **Arguments**

path Character string. Project path.

#### Value

Returns the repository url.

#### Author(s)

Project Project

Profile

Setup . Rprofile

#### Description

```
Setup .Rprofile
```

#### Usage

```
Profile(path, project)
```

# Arguments

path Character string. Project path.
project Character string. Project name.

#### Author(s)

Ivan Jacob Agaloos Pesigan

Project

Setup the project.Rproj file

# Description

Setup the project.Rproj file

# Usage

Project(path)

# Arguments

path

Character string. Project path.

#### Author(s)

Site 17

Site

**Build Website** 

# Description

**Build Website** 

#### Usage

Site(path)

#### Arguments

path

Character string. Project path.

#### Author(s)

Ivan Jacob Agaloos Pesigan

Style

Style Project

# Description

Style Project

# Usage

Style(path)

# Arguments

path

Character string. Project path.

#### Author(s)

18 VignettesPrecompile

TinyTex

Install ~/.TinyTex

#### Description

Install ~/.TinyTex

# Usage

TinyTex(path, force = FALSE)

#### Arguments

path Character string. Project path.

force Logical. Force install.

#### Author(s)

Ivan Jacob Agaloos Pesigan

 ${\tt VignettesPrecompile}$ 

Precompile Vignettes

#### Description

Precompile Vignettes

#### Usage

VignettesPrecompile(path)

#### Arguments

path

Character string. Project path.

#### Author(s)

# **Index**

```
Binary, 2
Build, 3
BuildIgnore, 3
CFF, 4
Clean, 4
CleanPkg, 5
CleanTinyTex, 5
Coverage, 6
DataAnalysis, 6
DataProcess, 7
Dependencies, 7
{\tt Detritus}, \textcolor{red}{8}
Environment, 8
EnvironmentProject, 9
{\tt EnvironmentTokens}, {\color{red} 9}
LatexCompile, 10
LatexKnit, 10
LatexMake, 11
LibPaths, 11
Lint, 12
Manual, 12
PkgDevel, 13
PkgDevelGitHub, 13
PkgProject, 14
PkgProjectGitHub, 14
PkgProjectVersion, 15
PkgRepo, 15
Profile, 16
Project, 16
Site, 17
Style, 17
TinyTex, 18
VignettesPrecompile, 18
```