Package 'rProject'

August 14, 2023

August 14, 2025
Title Setup R Project
Version 0.0.5
Description A collection of functions to setup R projects.
<pre>URL https://github.com/ijapesigan/rProject/,</pre>
https://ijapesigan.github.io/rProject/
BugReports https://github.com/ijapesigan/rProject/issues
License MIT + file LICENSE
Encoding UTF-8
LazyData true
Roxygen list(markdown = TRUE)
VignetteBuilder knitr
Depends R (>= 3.5.0)
Imports cffr, covr, devtools, distro, knitr, lintr, pkgdown, quarto, Rcpp, remotes, RefManageR, rmarkdown, roxygen2, rprojroot, stats, styler, tinytex, utils
Suggests testthat
RoxygenNote 7.2.3
NeedsCompilation no
Author Ivan Jacob Agaloos Pesigan [aut, cre, cph] (https://orcid.org/0000-0003-4818-8420)
Maintainer Ivan Jacob Agaloos Pesigan <ijapesigan@gmail.com></ijapesigan@gmail.com>
R topics documented:
Bib

2 Bib

Bib	Consolidate .bib files into a Single File	
Index		23
	z	22
	\mathcal{E}	22
	y	21
		21
		20
	~.	20
		19
	·J	19
		18
		18
	\mathcal{E}^{-}	17
	E ,	17
	\mathcal{E}^{-}	16
	PkgDevelGitHub	16
	PkgDevel	15
	Manual	15
		14
	License	14
	LibPaths	13
		13
	1	12
		12
		11
	•	11
		10 10
	Detritus	9
	Dependencies	9
	DataProcess	8
	DataAnalysis	8
	Coverage	7
	ConfigFiles	7
	CleanTinyTex	6
	CleanProj	6
	CleanPkg	5
	Clean	5

Description

Consolidate .bib files into a Single File

Binary 3

Usage

```
Bib(path, lib_bib = FALSE)
```

Arguments

path Character string. Project path.

lib_bib Logical. If lib_bib = TRUE, build bib.bib from lib-* GitHub repositories.

Author(s)

Ivan Jacob Agaloos Pesigan

Binary

Setup Binaries not Included in the Package

Description

Setup Binaries not Included in the Package

Usage

Binary(path)

Arguments

path

Character string. Project path.

Author(s)

Ivan Jacob Agaloos Pesigan

Build

Build Package

Description

Build Package

Usage

```
Build(path, vignettes = FALSE, dependencies = FALSE, lib_bib = FALSE)
```

4 CFF

Arguments

path Character string. Project path. vignettes Logical. Build vignettes.

dependencies Logical. Install package dependencies.

lib_bib Logical. If lib_bib = TRUE, build bib.bib from lib-* GitHub repositories.

Author(s)

Ivan Jacob Agaloos Pesigan

BuildIgnore

Build .Rbuildignore

Description

Build .Rbuildignore

Usage

BuildIgnore(path, project, add = NULL)

Arguments

path Character string. Project path.
project Character string. Project name.

add Character vector. Items to add to .Rbuildignore.

Author(s)

Ivan Jacob Agaloos Pesigan

CFF

Build CITATION.cff

Description

Build CITATION.cff

Usage

CFF(path)

Arguments

path Character string. Project path.

Clean 5

Author(s)

Ivan Jacob Agaloos Pesigan

Clean

Clean Files Generated on Build

Description

Delete all output files that are generated on automated build.

Usage

```
Clean(path, push = FALSE)
```

Arguments

path Character string. Project path.

push Logical. If push = TRUE clean in preparation for git push.

Author(s)

Ivan Jacob Agaloos Pesigan

CleanPkg

Clean R Packages

Description

Uninstall R packages with priority = "NA".

Usage

CleanPkg(path)

Arguments

path

Character string. Project path.

Author(s)

6 CleanTinyTex

CleanProj

Clean Project

Description

Remove all files except project. Rproj and, optionally, .library.

Usage

```
CleanProj(path, lib = FALSE)
```

Arguments

path Character string. Project path.

lib Logical. If lib = TRUE, delete .library. If lib = FALSE, .library is not

deleted.

Author(s)

Ivan Jacob Agaloos Pesigan

 ${\tt CleanTinyTex}$

Clean ~/.TinyTex

Description

Uninstall TinyTex.

Usage

CleanTinyTex(path)

Arguments

path

Character string. Project path.

Author(s)

ConfigFiles 7

ConfigFiles

Setup Config Files

Description

Setup Config Files

Usage

```
ConfigFiles(git_user)
```

Arguments

git_user

Character string. Git user.

Details

This function requires a dotfiles GitHub repository.

Author(s)

Ivan Jacob Agaloos Pesigan

Coverage

Code Coverage

Description

Code Coverage

Usage

Coverage(path)

Arguments

path

Character string. Project path.

Author(s)

8 DataProcess

DataAnalysis

Data Analysis

Description

Execute R scripts in data-analysis.

Usage

DataAnalysis(path, clean = FALSE)

Arguments

path Character string. Project path.

clean Logical. Remove all .Rds files in data-process and data-analysis before

running.

Author(s)

Ivan Jacob Agaloos Pesigan

DataProcess

Process Data

Description

Execute R scripts in data-process.

Usage

DataProcess(path, clean = FALSE)

Arguments

path Character string. Project path.

clean Logical. Remove all .Rds files in data-process before running.

Author(s)

Dependencies 9

Dependencies

Copy Dependencies to from .setup/r-dependencies to R

Description

Copy Dependencies to from .setup/r-dependencies to R

Usage

Dependencies(path)

Arguments

path

Character string. Project path.

Author(s)

Ivan Jacob Agaloos Pesigan

Detritus

Create detritus/tex/tex-fig-*

Description

Create detritus/tex/tex-fig-*

Usage

Detritus(path)

Arguments

path

Character string. Project path.

Author(s)

10 EnvironmentProject

Environment

 ${\it Setup}$. Renviron

Description

Setup .Renviron

Usage

Environment(path, project, tokens)

Arguments

path Character string. Project path.
project Character string. Project name.

tokens Named vector of tokens.

Author(s)

Ivan Jacob Agaloos Pesigan

EnvironmentProject

Set PROJECT Environment Variable

Description

Set PROJECT Environment Variable

Usage

EnvironmentProject(project)

Arguments

project

Character string. Project name.

Value

Returns project name.

Author(s)

EnvironmentTokens 11

EnvironmentTokens

Set Tokens

Description

Set Tokens

Usage

EnvironmentTokens(tokens)

Arguments

tokens

Named vector of tokens.

Value

Returns vector of secret tokens.

Author(s)

Ivan Jacob Agaloos Pesigan

InstallLocal

Install Applications on Local Machine

Description

Install Applications on Local Machine

Usage

```
InstallLocal(
  what = c("tmux", "julia", "mpdemo", "lazygit", "pfetch", "quarto"),
  all = FALSE,
  force = FALSE
)
```

Arguments

what	Character string. Vector of applications to install. Valid values include "tmux", "julia", "mpdemo", "lazygit", "pfetch", and "quarto".
all	Logical. If all = TRUE, ignore what and install all valid what values.
force	Logical. If force = TRUE, install whether or not the application is available in the system.

12 LatexKnit

Author(s)

Ivan Jacob Agaloos Pesigan

LatexCompile

Compile Output of LatexKnit

Description

Compile Output of LatexKnit

Usage

```
LatexCompile(path, clean = FALSE)
```

Arguments

path Character string. Project path.

clean Logical. Clean latexmk output except *.pdf

Author(s)

Ivan Jacob Agaloos Pesigan

LatexKnit

Knit .setup/latex/*.Rtex

Description

```
Knit .setup/latex/*.Rtex
```

Usage

LatexKnit(path)

Arguments

path

Character string. Project path.

Author(s)

LatexMake 13

LatexMake

Compile Output of LatexKnit

Description

Compile Output of LatexKnit

Usage

```
LatexMake(path, clean = FALSE, lib_bib = FALSE)
```

Arguments

path Character string. Project path.

clean Logical. Clean latexmk output except *.pdf

lib_bib Logical. If lib_bib = TRUE, build bib.bib from lib-* GitHub repositories.

Author(s)

Ivan Jacob Agaloos Pesigan

LibPaths

Add .library to Library Paths

Description

- creates a folder .library on the project path if it does not exist
- creates a .gitignore file inside .library if it does not exist
- adds .library to .libPaths()
- sets R_LIBS_USER to .library

Usage

LibPaths(path)

Arguments

path

Character string. Project path.

Value

Returns the path of .library.

Author(s)

14 Lint

License

Generate License File

Description

Generate License File

Usage

```
License(path, type = "mit")
```

Arguments

path Character string. Project path.

type Character string. License type. Available values include "mit" and "gpl3".

Author(s)

Ivan Jacob Agaloos Pesigan

Lint

Lint Project

Description

Lint Project

Usage

Lint(path)

Arguments

path

Character string. Project path.

Author(s)

Manual 15

Manual

Package Manual

Description

Package Manual

Usage

```
Manual(path, project)
```

Arguments

path

Character string. Project path.

project

Character string. Project name.

PkgDevel

Install Development Packages from CRAN

Description

Install Development Packages from CRAN

Usage

PkgDevel(path)

Arguments

path

Character string. Project path.

Author(s)

PkgProject PkgProject

PkgDevelGitHub

Install Development Packages from GitHub

Description

Install Development Packages from GitHub

Usage

```
PkgDevelGitHub(path)
```

Arguments

path

Character string. Project path.

Author(s)

Ivan Jacob Agaloos Pesigan

PkgProject

Install Project Packages from CRAN

Description

Install Project Packages from CRAN

Usage

```
PkgProject(path, pkg)
```

Arguments

path Character string. Project path.

pkg Character vector. R packages.

Author(s)

PkgProjectGitHub 17

Trigit To jee to 1 trial Troject Tuckages from Other	PkgProjectGitHub	Install Project Packages from GitH	Ŧиb
--	------------------	------------------------------------	-----

Description

Install Project Packages from GitHub

Usage

```
PkgProjectGitHub(path, pkg, ref = "HEAD")
```

Arguments

path Character string. Project path.

pkg Character vector. GitHub packages.

ref Character vector. Git branch.

Author(s)

Ivan Jacob Agaloos Pesigan

Description

Install Project Packages with Specific Version

Usage

```
PkgProjectVersion(path, pkg, ver)
```

Arguments

path Character string. Project path.

pkg Character vector. R packages.

ver Character vector. Version.

Author(s)

Profile

PkgRepo

Setup RStudio Package Manager Repository Based on the Current Operating System

Description

Setup RStudio Package Manager Repository Based on the Current Operating System

Usage

```
PkgRepo(path)
```

Arguments

path

Character string. Project path.

Value

Returns the repository url.

Author(s)

Ivan Jacob Agaloos Pesigan

Profile

Setup . Rprofile

Description

```
Setup .Rprofile
```

Usage

```
Profile(path, project)
```

Arguments

path Character string. Project path.
project Character string. Project name.

Author(s)

Project 19

Project

Setup the project.Rproj file

Description

Setup the project.Rproj file

Usage

Project(path)

Arguments

path

Character string. Project path.

Author(s)

Ivan Jacob Agaloos Pesigan

Quarto

Render Quarto Project

Description

Render Quarto Project

Usage

```
Quarto(path, lib_bib = FALSE)
```

Arguments

path

Character string. Project path.

lib_bib

Logical. If lib_bib = TRUE, build bib.bib from lib-* GitHub repositories.

Author(s)

20 Site

ReadMe

Build README.md

Description

Build README.md

Usage

```
ReadMe(path, lib_bib = FALSE)
```

Arguments

path Character string. Project path.

lib_bib Logical. If lib_bib = TRUE, build bib.bib from lib-* GitHub repositories.

Author(s)

Ivan Jacob Agaloos Pesigan

Site

Build Website

Description

Build Website

Usage

```
Site(path, lib_bib = FALSE)
```

Arguments

path Character string. Project path.

lib_bib Logical. If lib_bib = TRUE, build bib.bib from lib-* GitHub repositories.

Author(s)

Style 21

Style

Description

Style Project

Usage

Style(path)

Arguments

path Character string. Project path.

Style Project

Author(s)

Ivan Jacob Agaloos Pesigan

Description

Install ~/.TinyTex

Usage

TinyTex(path, bundle = "TinyTeX-2", force = FALSE)

Arguments

path Character string. Project path.

bundle The bundle name of TinyTeX (which determines the collection of LaTeX pack-

ages to install). See https://github.com/rstudio/tinytex-releases#releases

for all possible bundles and their meanings.

force Logical. Force install.

Author(s)

22 z

VignettesPrecompile

Precompile Vignettes

Description

Precompile Vignettes

Usage

VignettesPrecompile(path)

Arguments

path

Character string. Project path.

Author(s)

Ivan Jacob Agaloos Pesigan

Z

Data from the Standard Normal Distribution

Description

Data from the Standard Normal Distribution

Usage

z

Format

A vector of length 100.

Index

* data z, 22	PkgRepo, 18 Profile, 18 Project, 19
Bib, 2 Binary, 3	Quarto, 19
Build, 3 BuildIgnore, 4	ReadMe, 20
CFF, 4 Clean, 5	Site, 20 Style, 21
CleanPkg, 5 CleanProj, 6	TinyTex, 21
CleanTinyTex, 6 ConfigFiles, 7	VignettesPrecompile, 22
Coverage, 7	z, 22
DataAnalysis, 8 DataProcess, 8 Dependencies, 9 Detritus, 9	
Environment, 10 EnvironmentProject, 10 EnvironmentTokens, 11	
InstallLocal, 11	
LatexCompile, 12 LatexKnit, 12 LatexMake, 13 LibPaths, 13 License, 14 Lint, 14	
Manual, 15	
PkgDevel, 15 PkgDevelGitHub, 16 PkgProject, 16 PkgProjectGitHub, 17 PkgProjectVersion, 17	