# Package 'rProject'

July 30, 2023

July 30, 2023
Title Setup R Project
Version 0.0.3
<b>Description</b> A collection of functions to setup R projects.
<pre>URL https://github.com/ijapesigan/rProject/,     https://ijapesigan.github.io/rProject/</pre>
BugReports https://github.com/ijapesigan/rProject/issues
License MIT + file LICENSE
Encoding UTF-8
LazyData true
<b>Roxygen</b> list(markdown = TRUE)
VignetteBuilder knitr
<b>Depends</b> R (>= 3.5.0)
Imports cffr, covr, devtools, distro, knitr, lintr, pkgdown, quarto, Rcpp, remotes, RefManageR, rmarkdown, roxygen2, rprojroot, stats, styler, tinytex, utils
Suggests testthat
RoxygenNote 7.2.3
NeedsCompilation no
Author Ivan Jacob Agaloos Pesigan [aut, cre, cph] ( <a href="https://orcid.org/0000-0003-4818-8420">https://orcid.org/0000-0003-4818-8420</a> )
Maintainer Ivan Jacob Agaloos Pesigan <ijapesigan@gmail.com></ijapesigan@gmail.com>
R topics documented:
Bib

2 Bib

Bib	Consolidate .bib files into a Single File	
Index		23
	z	22
	$\mathcal{E}$	22
	<b>y</b>	21
		21
		20
	~.	20
		19
	·J	19
		18
		18
	$\mathcal{E}^{-}$	17
	E ,	17
	$\mathcal{E}^{-}$	16
	PkgDevelGitHub	16
	PkgDevel	15
	Manual	15
		14
	License	14
	LibPaths	13
		13
	1	12
		12
		11
	•	11
		10 10
	Detritus	9
	Dependencies	9
	DataProcess	8
	DataAnalysis	8
	Coverage	7
	ConfigFiles	7
	CleanTinyTex	6
	CleanProj	6
	CleanPkg	5
	Clean	5

# Description

Consolidate .bib files into a Single File

Binary 3

# Usage

Bib(path)

#### **Arguments**

path Character string. Project path.

#### Author(s)

Ivan Jacob Agaloos Pesigan

Binary

Setup Binaries not Included in the Package

# Description

Setup Binaries not Included in the Package

#### Usage

Binary(path)

#### **Arguments**

path

Character string. Project path.

#### Author(s)

Ivan Jacob Agaloos Pesigan

Build

Build Package

## Description

**Build Package** 

# Usage

```
Build(path, vignettes = FALSE, dependencies = FALSE)
```

#### **Arguments**

path Character string. Project path. vignettes Logical. Build vignettes.

dependencies Logical. Install package dependencies.

4 CFF

#### Author(s)

Ivan Jacob Agaloos Pesigan

 ${\tt BuildIgnore}$ 

 ${\it Build}$  . Rbuildignore

## Description

Build .Rbuildignore

# Usage

```
BuildIgnore(path, project, add = NULL)
```

#### Arguments

path Character string. Project path.
project Character string. Project name.

add Character vector. Items to add to .Rbuildignore.

## Author(s)

Ivan Jacob Agaloos Pesigan

CFF

Build CITATION.cff

## Description

Build CITATION.cff

# Usage

CFF(path)

#### Arguments

path

Character string. Project path.

# Author(s)

Clean 5

Clean

Clean Files Generated on Build

## Description

Delete all output files that are generated on automated build.

## Usage

```
Clean(path, push = FALSE)
```

# Arguments

path Character string. Project path.

push Logical. If push = TRUE clean in preparation for git push.

#### Author(s)

Ivan Jacob Agaloos Pesigan

CleanPkg

Clean R Packages

## Description

Uninstall R packages with priority = "NA".

## Usage

CleanPkg(path)

#### **Arguments**

path

Character string. Project path.

#### Author(s)

6 CleanTinyTex

CleanProj

Clean Project

## Description

Remove all files except project. Rproj and, optionally, .library.

#### Usage

```
CleanProj(path, lib = FALSE)
```

#### **Arguments**

path Character string. Project path.

lib Logical. If lib = TRUE, delete .library. If lib = FALSE, .library is not

deleted.

#### Author(s)

Ivan Jacob Agaloos Pesigan

 ${\tt CleanTinyTex}$ 

Clean ~/.TinyTex

## Description

Uninstall TinyTex.

## Usage

CleanTinyTex(path)

#### **Arguments**

path

Character string. Project path.

## Author(s)

ConfigFiles 7

ConfigFiles

Setup Config Files

## Description

Setup Config Files

# Usage

```
ConfigFiles(git_user)
```

#### Arguments

git\_user

Character string. Git user.

#### **Details**

This function requires a dotfiles GitHub repository.

## Author(s)

Ivan Jacob Agaloos Pesigan

Coverage

Code Coverage

# Description

Code Coverage

# Usage

Coverage(path)

## Arguments

path

Character string. Project path.

# Author(s)

8 DataProcess

DataAnalysis

Data Analysis

# Description

Execute R scripts in data-analysis.

#### Usage

DataAnalysis(path, clean = FALSE)

## Arguments

path Character string. Project path.

clean Logical. Remove all .Rds files in data-process and data-analysis before

running.

#### Author(s)

Ivan Jacob Agaloos Pesigan

DataProcess

Process Data

## Description

Execute R scripts in data-process.

#### Usage

DataProcess(path, clean = FALSE)

## Arguments

path Character string. Project path.

clean Logical. Remove all .Rds files in data-process before running.

## Author(s)

Dependencies 9

Dependencies

Copy Dependencies to from .setup/r-dependencies to R

# Description

Copy Dependencies to from .setup/r-dependencies to R

## Usage

Dependencies(path)

#### **Arguments**

path

Character string. Project path.

## Author(s)

Ivan Jacob Agaloos Pesigan

Detritus

Create detritus/tex/tex-fig-\*

# Description

Create detritus/tex/tex-fig-\*

## Usage

Detritus(path)

## Arguments

path

Character string. Project path.

#### Author(s)

10 EnvironmentProject

Environment

 ${\it Setup}$  . Renviron

## Description

Setup .Renviron

## Usage

Environment(path, project, tokens)

## Arguments

path Character string. Project path.
project Character string. Project name.

tokens Named vector of tokens.

## Author(s)

Ivan Jacob Agaloos Pesigan

EnvironmentProject

Set PROJECT Environment Variable

## Description

Set PROJECT Environment Variable

# Usage

EnvironmentProject(project)

## Arguments

project

Character string. Project name.

#### Value

Returns project name.

## Author(s)

EnvironmentTokens 11

EnvironmentTokens

Set Tokens

## Description

Set Tokens

## Usage

EnvironmentTokens(tokens)

## Arguments

tokens

Named vector of tokens.

## Value

Returns vector of secret tokens.

#### Author(s)

Ivan Jacob Agaloos Pesigan

InstallLocal

Install Applications on Local Machine

# Description

Install Applications on Local Machine

## Usage

```
InstallLocal(
  what = c("tmux", "julia", "mpdemo", "lazygit", "pfetch", "quarto"),
  all = FALSE,
  force = FALSE
)
```

# Arguments

what	Character string. Vector of applications to install. Valid values include "tmux", "julia", "mpdemo", "lazygit", "pfetch", and "quarto".
all	Logical. If all = TRUE, ignore what and install all valid what values.
force	Logical. If force = TRUE, install whether or not the application is available in the system.

12 LatexKnit

#### Author(s)

Ivan Jacob Agaloos Pesigan

LatexCompile

Compile Output of LatexKnit

# Description

Compile Output of LatexKnit

# Usage

```
LatexCompile(path, clean = FALSE)
```

#### **Arguments**

path Character string. Project path.

clean Logical. Clean latexmk output except \*.pdf

## Author(s)

Ivan Jacob Agaloos Pesigan

LatexKnit

Knit .setup/latex/\*.Rtex

# Description

```
Knit .setup/latex/*.Rtex
```

# Usage

LatexKnit(path)

#### Arguments

path

Character string. Project path.

## Author(s)

LatexMake 13

LatexMake

Compile Output of LatexKnit

## Description

Compile Output of LatexKnit

## Usage

```
LatexMake(path, clean = FALSE)
```

#### Arguments

path Character string. Project path.

clean Logical. Clean latexmk output except \*.pdf

#### Author(s)

Ivan Jacob Agaloos Pesigan

LibPaths

Add .library to Library Paths

#### Description

- creates a folder .library on the project path if it does not exist
- creates a .gitignore file inside .library if it does not exist
- adds .library to .libPaths()
- sets R\_LIBS\_USER to .library

#### Usage

LibPaths(path)

#### **Arguments**

path

Character string. Project path.

#### Value

Returns the path of .library.

#### Author(s)

14 Lint

License

Generate License File

## Description

Generate License File

## Usage

```
License(path, type = "mit")
```

## Arguments

path Character string. Project path.

type Character string. License type. Available values include "mit" and "gpl3".

#### Author(s)

Ivan Jacob Agaloos Pesigan

Lint

Lint Project

## Description

Lint Project

# Usage

Lint(path)

# Arguments

path

Character string. Project path.

# Author(s)

Manual 15

Manual

Package Manual

## Description

Package Manual

## Usage

```
Manual(path, project)
```

# Arguments

path

Character string. Project path.

project

Character string. Project name.

PkgDevel

Install Development Packages from CRAN

# Description

Install Development Packages from CRAN

# Usage

PkgDevel(path)

# Arguments

path

Character string. Project path.

## Author(s)

PkgProject PkgProject

PkgDevelGitHub

Install Development Packages from GitHub

## Description

Install Development Packages from GitHub

#### Usage

```
PkgDevelGitHub(path)
```

# **Arguments**

path

Character string. Project path.

#### Author(s)

Ivan Jacob Agaloos Pesigan

PkgProject

Install Project Packages from CRAN

## Description

Install Project Packages from CRAN

## Usage

```
PkgProject(path, pkg)
```

#### **Arguments**

path Character string. Project path.

pkg Character vector. R packages.

#### Author(s)

PkgProjectGitHub 17

Trigit To jee to 1 trial Troject Tuckages from Other	PkgProjectGitHub	Install Project Packages from GitH	<b>Tub</b>
--	------------------	------------------------------------	------------

# Description

Install Project Packages from GitHub

# Usage

```
PkgProjectGitHub(path, pkg, ref = "HEAD")
```

## Arguments

path Character string. Project path.

pkg Character vector. GitHub packages.

ref Character vector. Git branch.

#### Author(s)

Ivan Jacob Agaloos Pesigan

## Description

Install Project Packages with Specific Version

## Usage

```
PkgProjectVersion(path, pkg, ver)
```

#### **Arguments**

path Character string. Project path.

pkg Character vector. R packages.

ver Character vector. Version.

#### Author(s)

Profile

PkgRepo

Setup RStudio Package Manager Repository Based on the Current Operating System

## Description

Setup RStudio Package Manager Repository Based on the Current Operating System

## Usage

```
PkgRepo(path)
```

#### **Arguments**

path

Character string. Project path.

#### Value

Returns the repository url.

#### Author(s)

Ivan Jacob Agaloos Pesigan

Profile

Setup . Rprofile

# Description

```
Setup .Rprofile
```

#### Usage

```
Profile(path, project)
```

## Arguments

path Character string. Project path.
project Character string. Project name.

# Author(s)

Project 19

Project

Setup the project.Rproj file

# Description

Setup the project.Rproj file

## Usage

Project(path)

## Arguments

path

Character string. Project path.

## Author(s)

Ivan Jacob Agaloos Pesigan

Quarto

Render Quarto Project

# Description

Render Quarto Project

## Usage

Quarto(path)

## Arguments

path

Character string. Project path.

## Author(s)

20 Site

ReadMe

Build README.md

# Description

Build README.md

# Usage

ReadMe(path)

## Arguments

path

Character string. Project path.

# Author(s)

Ivan Jacob Agaloos Pesigan

Site

Build Website

# Description

**Build Website** 

# Usage

Site(path)

# Arguments

path

Character string. Project path.

# Author(s)

Style 21

Style

# Description

Style Project

#### Usage

Style(path)

#### **Arguments**

path Character string. Project path.

Style Project

#### Author(s)

Ivan Jacob Agaloos Pesigan

## Description

Install ~/.TinyTex

## Usage

TinyTex(path, bundle = "TinyTeX-2", force = FALSE)

## Arguments

path Character string. Project path.

bundle The bundle name of TinyTeX (which determines the collection of LaTeX pack-

ages to install). See https://github.com/rstudio/tinytex-releases#releases

for all possible bundles and their meanings.

force Logical. Force install.

#### Author(s)

22 z

VignettesPrecompile

Precompile Vignettes

# Description

Precompile Vignettes

## Usage

VignettesPrecompile(path)

## Arguments

path

Character string. Project path.

## Author(s)

Ivan Jacob Agaloos Pesigan

Z

Data from the Standard Normal Distribution

# Description

Data from the Standard Normal Distribution

## Usage

z

## **Format**

A vector of length 100.

# **Index**

* data z, 22	PkgRepo, 18 Profile, 18 Project, 19
Bib, 2 Binary, 3	Quarto, 19
Build, 3 BuildIgnore, 4	ReadMe, 20
CFF, 4 Clean, 5	Site, 20 Style, 21
CleanPkg, 5 CleanProj, 6	TinyTex, 21
CleanTinyTex, 6 ConfigFiles, 7	VignettesPrecompile, 22
Coverage, 7	z, 22
DataAnalysis, 8 DataProcess, 8 Dependencies, 9 Detritus, 9	
Environment, 10 EnvironmentProject, 10 EnvironmentTokens, 11	
InstallLocal, 11	
LatexCompile, 12 LatexKnit, 12 LatexMake, 13 LibPaths, 13 License, 14 Lint, 14	
Manual, 15	
PkgDevel, 15 PkgDevelGitHub, 16 PkgProject, 16 PkgProjectGitHub, 17 PkgProjectVersion, 17	