Package 'rProject'

May 7, 2023

Title Setup R Project
Version 0.0.0.9000
Description A collection of functions to setup R projects.
<pre>URL https://github.com/jeksterslab/rProject/,</pre>
https://jeksterslab.github.io/rProject/
<pre>BugReports https://github.com/jeksterslab/rProject/issues</pre>
License MIT + file LICENSE
Encoding UTF-8
Roxygen list(markdown = TRUE)
Depends R (>= $3.0.0$)
Imports rprojroot, distro, devtools, covr, knitr, lintr, pkgdown, remotes, stats, styler, tinytex, cffr, utils
Suggests rmarkdown, testthat
RoxygenNote 7.2.3
NeedsCompilation no
Author Ivan Jacob Agaloos Pesigan [aut, cre, cph] (https://orcid.org/0000-0003-4818-8420)
Maintainer Ivan Jacob Agaloos Pesigan <r.jeksterslab@gmail.com></r.jeksterslab@gmail.com>
R topics documented:
Binary
Build
BuildIgnore
CFF
Clean Clean Plkg
CleanPkg
Coverage
Data Analysis

Binary

OataProcess	. /
Dependencies	. 7
Detritus	. 8
Environment	. 8
EnvironmentProject	. 9
EnvironmentTokens	
LatexCompile	. 10
_atexKnit	. 10
_atexMake	11
<u>e</u>	
· ·	
Profile	
Project	. 16
· ·	
·	
. G r	
	19
	Detritus Environment EnvironmentProject EnvironmentTokens LatexCompile LatexKnit LatexMake LibPaths Lint Manual PkgDevel PkgDevelGitHub PkgProject PkgProjectGitHub PkgProjectVersion PkgRepo

Binary

Setup Binaries not Included in the Package

Description

Setup Binaries not Included in the Package

Usage

Binary(path)

Arguments

path

Character string. Project path.

Author(s)

Build 3

Build Build Package

Description

Build Package

Usage

```
Build(path, vignettes = FALSE)
```

Arguments

path Character string. Project path. vignettes Logical. Build vignettes.

Author(s)

Ivan Jacob Agaloos Pesigan

BuildIgnore Build.Rbuildignore

Description

Build .Rbuildignore

Usage

```
BuildIgnore(path, project, add = NULL)
```

Arguments

path Character string. Project path.
project Character string. Project name.

add Character vector. Items to add in .Rbuildignore.

Author(s)

4 Clean

CFF

Build CITATION.cff

Description

Build CITATION.cff

Usage

CFF(path)

Arguments

path

Character string. Project path.

Author(s)

Ivan Jacob Agaloos Pesigan

Clean

Clean Files Generated on Build

Description

Delete all output files that are generated on automated build.

Usage

Clean(path)

Arguments

path

Character string. Project path.

Author(s)

CleanPkg 5

CleanPkg

Clean R Packages

Description

Uninstall R packages with priority = "NA".

Usage

CleanPkg(path)

Arguments

path

Character string. Project path.

Author(s)

Ivan Jacob Agaloos Pesigan

 ${\tt CleanTinyTex}$

Clean ~/.TinyTex

Description

Uninstall TinyTex.

Usage

CleanTinyTex(path)

Arguments

path

Character string. Project path.

Author(s)

DataAnalysis

Coverage

Code Coverage

Description

Code Coverage

Usage

Coverage(path)

Arguments

path

Character string. Project path.

Author(s)

Ivan Jacob Agaloos Pesigan

DataAnalysis

Data Analysis

Description

Execute R scripts in data-analysis.

Usage

DataAnalysis(path, clean = FALSE)

Arguments

path Character string. Project path.

clean Logical. Remove all .Rds files in data-process and data-analysis before

running.

Author(s)

DataProcess 7

DataProcess

Process Data

Description

Execute R scripts in data-process.

Usage

```
DataProcess(path, clean = FALSE)
```

Arguments

path Character string. Project path.

clean Logical. Remove all . Rds files in data-process before running.

Author(s)

Ivan Jacob Agaloos Pesigan

Dependencies

 $Copy\ Dependencies\ to\ from\ .$ setup/r-dependencies $to\ R$

Description

Copy Dependencies to from .setup/r-dependencies to R

Usage

Dependencies(path)

Arguments

path

Character string. Project path.

Author(s)

8 Environment

Detritus

Create detritus/tex/tex-fig-*

Description

Create detritus/tex/tex-fig-*

Usage

Detritus(path)

Arguments

path

Character string. Project path.

Author(s)

Ivan Jacob Agaloos Pesigan

Environment

 ${\it Setup}$. Renviron

Description

 $Setup\ . \\ Renviron$

Usage

Environment(path, project, tokens)

Arguments

path Character string. Project path.
project Character string. Project name.

tokens Named vector of tokens.

Author(s)

EnvironmentProject 9

 ${\tt EnvironmentProject}$

Set PROJECT Environment Variable

Description

Set PROJECT Environment Variable

Usage

EnvironmentProject(project)

Arguments

project

Character string. Project name.

Value

Returns project name.

Author(s)

Ivan Jacob Agaloos Pesigan

EnvironmentTokens

Set Tokens

Description

Set Tokens

Usage

EnvironmentTokens(tokens)

Arguments

tokens

Named vector of tokens.

Value

Returns vector of secret tokens.

Author(s)

10 LatexKnit

LatexCompile

Compile Output of LatexKnit

Description

Compile Output of LatexKnit

Usage

```
LatexCompile(path, clean = FALSE)
```

Arguments

path Character string. Project path.

clean Logical. Clean latexmk output except *.pdf

Author(s)

Ivan Jacob Agaloos Pesigan

LatexKnit

Knit latexsrc/*.Rtex

Description

Knit latexsrc/*.Rtex

Usage

LatexKnit(path)

Arguments

path

Character string. Project path.

Author(s)

LatexMake 11

LatexMake

Compile Output of LatexKnit

Description

Compile Output of LatexKnit

Usage

```
LatexMake(path, clean = FALSE)
```

Arguments

path Character string. Project path.

clean Logical. Clean latexmk output except *.pdf

Author(s)

Ivan Jacob Agaloos Pesigan

LibPaths

Add .library to Library Paths

Description

- creates a folder .library on the project path if it does not exist
- creates a .gitignore file inside .library if it does not exist
- adds .library to .libPaths()
- sets R_LIBS_USER to .library

Usage

LibPaths(path)

Arguments

path

Character string. Project path.

Value

Returns the path of .library.

Author(s)

Manual Manual

Lint

Lint Project

Description

Lint Project

Usage

Lint(path)

Arguments

path

Character string. Project path.

Author(s)

Ivan Jacob Agaloos Pesigan

Manual

Package Manual

Description

Package Manual

Usage

Manual(path, project)

Arguments

path Character string. Project path.

project Character string. Project name.

PkgDevel 13

PkgDevel

Install Development Packages from CRAN

Description

Install Development Packages from CRAN

Usage

PkgDevel(path)

Arguments

path

Character string. Project path.

Author(s)

Ivan Jacob Agaloos Pesigan

 ${\tt PkgDevelGitHub}$

Install Development Packages from GitHub

Description

Install Development Packages from GitHub

Usage

PkgDevelGitHub(path)

Arguments

path

Character string. Project path.

Author(s)

14 PkgProjectGitHub

PkgProject

Install Project Packages from CRAN

Description

Install Project Packages from CRAN

Usage

```
PkgProject(path, pkg)
```

Arguments

path Character string. Project path.
pkg Character vector. R packages.

Author(s)

Ivan Jacob Agaloos Pesigan

PkgProjectGitHub

Install Project Packages from GitHub

Description

Install Project Packages from GitHub

Usage

```
PkgProjectGitHub(path, pkg)
```

Arguments

path Character string. Project path.

pkg Character vector. GitHub packages.

Author(s)

PkgProjectVersion 15

PkgProjectVersion	Install Project Packages	with Specific Version
i kgi i o jectvei sioli	msiun i rojeci i uckuges	with specific version

Description

Install Project Packages with Specific Version

Usage

```
PkgProjectVersion(path, pkg, ver)
```

Arguments

path Character string. Project path.

pkg Character vector. R packages.

ver Character vector. Version.

Author(s)

Ivan Jacob Agaloos Pesigan

PkgRepo	Setup RStudio	Package Manager	Repository I	Based on the (Current Op-
---------	---------------	-----------------	--------------	-----------------------	-------------

erating System

Description

Setup RStudio Package Manager Repository Based on the Current Operating System

Usage

```
PkgRepo(path)
```

Arguments

path Character string. Project path.

Value

Returns the repository url.

Author(s)

Project Project

Profile

Setup . Rprofile

Description

```
Setup .Rprofile
```

Usage

```
Profile(path, project)
```

Arguments

path Character string. Project path.
project Character string. Project name.

Author(s)

Ivan Jacob Agaloos Pesigan

Project

Setup the project.Rproj file

Description

Setup the project.Rproj file

Usage

Project(path)

Arguments

path

Character string. Project path.

Author(s)

Site 17

Site

Build Website

Description

Build Website

Usage

Site(path)

Arguments

path

Character string. Project path.

Author(s)

Ivan Jacob Agaloos Pesigan

Style

Style Project

Description

Style Project

Usage

Style(path)

Arguments

path

Character string. Project path.

Author(s)

18 VignettesPrecompile

TinyTex

Install ~/.TinyTex

Description

Install ~/.TinyTex

Usage

TinyTex(path, force = FALSE)

Arguments

path Character string. Project path.

force Logical. Force install.

Author(s)

Ivan Jacob Agaloos Pesigan

 ${\tt VignettesPrecompile}$

Precompile Vignettes

Description

Precompile Vignettes

Usage

VignettesPrecompile(path)

Arguments

path

Character string. Project path.

Author(s)

Index

```
Binary, 2
Build, 3
BuildIgnore, 3
CFF, 4
Clean, 4
CleanPkg, 5
CleanTinyTex, 5
Coverage, 6
DataAnalysis, 6
DataProcess, 7
Dependencies, 7
{\tt Detritus}, \textcolor{red}{8}
Environment, 8
EnvironmentProject, 9
{\tt EnvironmentTokens}, {\color{red} 9}
LatexCompile, 10
LatexKnit, 10
LatexMake, 11
LibPaths, 11
Lint, 12
Manual, 12
PkgDevel, 13
PkgDevelGitHub, 13
PkgProject, 14
PkgProjectGitHub, 14
PkgProjectVersion, 15
PkgRepo, 15
Profile, 16
Project, 16
Site, 17
Style, 17
TinyTex, 18
VignettesPrecompile, 18
```